



THE LEADERS IN
TAPE TO DISC TRANSFER
FOR THE BBC COMPUTER

AN EXCITING NEW DISC UTILITY-

100% effective



A 'MUST' for all DISC USERS

THIS IS A UNIQUE HARDWARE/ROM-BASED SYSTEM-

£35-00

inclusive of VAT

featuring:-

- * 100% TAPE TO DISC TRANSFER
- * MID-PLAY 'STOP AND SAVE' FACILITY (no more TAPE data files)
- * MOST DISC TO DISC TRANSFER
- * DISPLAYS A 'STOPPED' SCREEN (ready for printing)
- * MID-GAME PAUSE FACILITY

* * * Easy to fit with detailed installation instructions, no soldering. * * *

FOR BBC 'B' 1.20 O.S. - FITTED WITH THE FOLLOWING DISC FILING SYSTEMS (state type)

Type R8271

Acorn DFS/DNFS

Watford Single Density and
Pace Single Density

Type R1770 Opus 3.45 and Solidisk Type R2791 Opus 3.15

N.B. The REPLAY system solely provides a facility for an individual user. Resulting discs are not recognised by a different computer.

We are offering £8.00 trade-in value to T.D.ROM users who may wish to upgrade to REPLAY.

ADDCOMM

This versatile ROM will suit all your TOOLKIT and GRAPHIC requirements. Forty extra commands are added to BBC BASIC including LOGO GRAPHICS. Highly rated in reviews and real value for money at:

£28.00 including VAT and post (Brochure available)

TD ROM®

Have you just bought a disc drive and wish that more of your software was on disc? Then sit back and let the T.D.ROM transfer most of your tapes to disc easily and efficiently. The T.D.ROM handles any length of program and can save to any disc. To suit DFS types as for REPLAY. Economically priced at:

£18.00 including VAT and post (Further details available)

Available by post from:

VINE MICROS, MARSHBOROUGH, NR. SANDWICH, KENT CT13 OPG.

Telephone: (0304) 812276 (or your local Dealer)



<u>FEATURES</u>

Domesday draws nearer

Geoff Nairn reports on how schools are responding to the BBC's project to produce a new version of the Domesday book – 900 years on

Project Christopher 67

Christopher is a severely handicapped four-year-old. Mary Sargent tells how two BBC micros have changed his life

Troubled waters 72

Take to the high seas as captain of the ship seeking out and destroying submarines in Phil Martin's exciting game Run Silent, Run Deep

Pots of paints 80

Martin Phillips fills you in with part two of his Easyplot graphics package, and shows you how to use it with your own programs

ROM relocation 117

Peter Higginbotham shares the secrets of running ROMs on the second processor

Wordwise workout 137

Transfer *Wordwise* programs to Basic – and vice versa – with Neil Gordon's listing

Public View

David Andrews presents his ViewSuite utility program

Wordprocessor wisdom 145

Hints and tips for *View* and *Wordwise* users from Patrick Quick and Bruce Smith

___ATOM__

Atom Forum 120

Mike Barwise deals with Atomic Overflow Control among this month's topics

YELLOW PAGES

The major listings for this issue are printed in the yellow section starting on page 97. These are also available on cassette (which includes a tape-to-disc transfer routine and index program) and in bar code format to save you typing them in. Details of how to order these on pages 96 and 102

97
98
103
104
107
108
109
111



Micronet members look out for free Acorn User programs.

Editor Tony Quinn Technical editor Bruce Smith Sub-editor Julie Carman Editorial assistant Kitty Milne Art director Mike Lackersteen Art editor Liz Thompson Art assistants Simon Carter and Tacye Davis Publishing director Michael Potter Editorial director Christopher Ward. Editorial Redwood Publishing Ltd, 68 Long Acre, London WC2E 9JH. Tel: 01-836 2441. Advertising Simon Goode, Advertising manager, Computer Marketplace Ltd, 20 Orange St, London WC2H 7ED. Tel: 01-930 1612. Subscriptions Kate Evans, Subscription manager, Redwood Publishing, 68 Long Acre, London WC2E 9JH. Tel: 01-836 2441. Rates: UK £17-50; Europe £25; Middle East, Americas, Africa £30; Rest of the world £35 (prices include p&p for 12 issues). Published by Redwood Publishing Ltd, 68 Long Acre, London WC2E 9JH.

REVIEWS

Review roundup

161

Our easy-to-use index to the hardware we've reviewed over the past year, by Bruce Smith

Games 163

Labyrinth from Acornsoft, Repton from Superior, Icon's Drain Mania and Bug Eyes, Durell's Combat Lynx, and Duck! from Firebird

Solidisk's low-cost DDFSs 167

Chris Drage gives his verdict

Printer speed trials 169

Your printer bench test results have been flooding in – George Hill updates our survey

Music machine 171

Peter Wood and Ultravox's Chris Cross sound out Island Logic's Music System software

Software 173

Acornsoft's *Micros in Business* demonstration package and *Basic Compiler* from Ack Data

Playing ball 175

Ian Hall rolls out the Marconi RB2 Tracker Ball

Expansion boards 177

Chris Drage compares six ways to extend your micro

REGULARS



141

News


7

Acorn User hits back over Micronet story; ups and downs at Acorn; Sinclair sees himself in the Mirror; MEP fears for funding; and commercial radio to launch nationwide radio programme

Hints and Tips	40
First Byte	45
Letters	49
Program update	51
Central Processing	53
UserRAM offer	85
Competition: Win a copy of Sleuth	87
Back issues	92
Acorn User software	94
Subscriptions	96
Bar Code Reader offer	113
Beeb Forum	115
Atom Forum	120
CP/M Corner	127
Software Charts	159
Free Ads	182
Small Ads	183
Acorn Abuser's Diary	184

© Redwood Publishing Ltd 1985. All rights reserved. No part of this publication may be reproduced without prior written permission of the publisher. The publisher cannot accept any responsibility for claims or errors in articles, programs or advertisements published. The opinions expressed are those of the authors and do not necessarily represent those of the publisher, Acorn Computers Ltd or Acornsoft Ltd. Acorn, Acornsoft and the acorn symbol are the registered trademarks of Acorn Computers Ltd and Acornsoft Ltd.

Typeset and printed in Great Britain by Watmoughs Ltd, Bradford. Print production by Aquarius Print and Design, London. Distributed to the news trade by Comag, Tavistock Rd, West Drayton, Middlesex UB7 7QE. Tel: (0895) 44405.



Be converted

Neil Gordon shows you how to transfer Wordwise programs to Basic or Basic programs to Wordwise, making editing easier

Automatic View

Add some useful utilities to your View operations with David Andrews' suite of programs

Wise words

145

Patrick Quick drops some hints about Wordwise - based on hours of frustration and hair-tearing - and Bruce Smith tips you off about View

Wordwise Plus secrets

Martin Phillips reveals what the Wordwise Plus manual misses out, followed by other hints and tips

Run Silent, Run Deep

Play Phil Martin's deep sea game where you must locate the submarine and destroy it!

Hints and Tips

Games on CP/M

123

127

Martin Phillips takes up the wordprocessing theme revealing what the Wordwise Plus manual doesn't tell you and then serves up an automatic disc menu

The Z80 is for fun as well as business - Edward Brown runs through the games available on CP/M

First Byte

CP/M Corner

40

A unified style of presentation of program listings in magazines makes everyone's life easier. Tessie Revivis presents her guidelines

A bumper bundle of advice for CP/M users hosted by Edward Brown and Richard Clement



Acorn User September 1985 Issue number 38

A graphics pack for artists Fractal generator


Cover photograph by Gary Bryan

Pretty patterns from motifs

COMPUTER **GRAPHICS SPECIAL**

Introduction to networking


Notes for authors



Also follow the style used in presenting listings in the yellow pages sec-

tion. Photos should be 35mm, or larger, transparencies, or 5in by 7in

copy. Enclose a suitable stamped, addressed envelope if the submission is to be returned. Attach a short letter with the article giving its title with a daytime phone number if possible. Address your article to the Technical editor. Articles are acknowledged on receipt, but not submissions for the regular columns, letters pages and competitions. Please limit telephone





INTER-SHEET

The electronic spreadsheet program


Spreadsheet programs have become powerful and very popular applications for micro-computers, second only to word processors. They can be regarded as a totally general purpose tool.

INTER-SHEET supports a full range of high precision mathematical functions, and a variety of special sheet functions, such as SUM, MAX, MIN, LOOKUP, AVERAGE etc.

Numbers may be printed in three different formats, and with up to nine decimal places. Labels may be left, centre or right justified. All the box formats are alterable on a box by box basis.

INTER-SHEET is supplied on two ROMs. If there is only one socket spare, then it is still possible to access most of the features of INTER-SHEET. The facilities lost are mostly to do with the ROM-LINK integration and multiple spreadsheets.

The INTER-SHEET ROMs are not designed to work with the 2nd processor. However a HI-INTER- SHEET is available on disc that allows 42K of storage on the 2nd 6502 processor. This program requires that one INTER-SHEET ROM is present in the BBC micro, and is supplied at £4.95.



From the same stable as WORDWISE, INTER-SHEET is the first of a new generation of programs, and provides the most powerful and flexible spreadsheet on the market for this machine. This package has many quite unique features-

- Up to 16 spreadsheets in memory at the same time.
- 2 Data from one spreadsheet can be used directly by others.
- 3 Compact, tokenised data storage means that larger than normal spreadsheets can be supported.
- 40, 80 or 105 column screen modes. The special 105 column mode allows a far greater proportion of the spreadsheet to be seen on screen.
- 5 Fast re-calculation and replication times (see table).
- 6 Complete documentation—an introduction manual, reference manual and quick reference card.
- 7 Data can be transferred to and from popular word-processors like WORDWISE and VIEW.
- 8 Extensive built-in help menus.
- 9 Will integrate directly with INTER-CHART and other ROM-LINK compatible products.
- 10 Simple to use self prompting commands.

The above points are unique to INTER-SHEET. The last unique feature is the price, lower than any other ROM based spreadsheet.

Spreadsheet comparisons

Times in seconds	VIEW-SHEET	ULTRA-CALC 2	INTER-SHEET
Replicate SIN(PI) into boxes A1 to Z50	66	65	7
Recalculate the above	28	33	5
Number of bytes free with above sheet	4664	1415	8400
Price (Exclusive of VAT)	£52.00	£69.13	£49.00

£49.00+VAT (£56.35)


The ROM-LINK concept provides a system that allows true integration on the BBC machine. The system takes full advantage of the BBC micro's ability to switch between ROMs and allows direct communication between a variety of different programs. Any ROM-LINK compatible program will integrate directly with any other ROM-LINK program. INTER-SHEET and INTER-CHART are the first in a planned range of ROM-LINK compatible application packages.

ROM-LINK has two great advantages. Firstly it allows multiple packages (up to 16) to occupy the machine at the same time, so when switching from one task to another there is

INTER-CHART

The chart and graph plotting program

The perfect partner for INTER-SHEET, allowing data to be displayed in a variety of graph formats. Strings of numbers are usually difficult to digest, and it is almost impossible to find any trends in data when displayed numerically. However when displayed graphically even the most complex data can be easily studied.



INTER-CHART can accept data from three quite distinct sources. Firstly, directly from other ROM-LINK packages such as INTER-SHEET. Data can be obtained directly from any box, row, column or area of the spreadsheet.

Secondly, data can be entered at the keyboard. At the simplest level the user can type in a series of numbers, and a graph will be plotted from that data.

Thirdly, data can be read from ASCII files on disc or tape. This enables data to be used from other languages or programs or from practically any source that can store the data onto file in the first place.

£32.00+VAT (£34.80)


Available from all good software dealers or directly from ourselves at the address below






INTER-CHART supports three main types of graph. The pie chart, the line graph and the bar chart. In the pie and bar chart any particular element of data can be highlighted.


Up to 16 separate sets of data (graphs) can be held in INTER-CHART, but because this product is ROM-LINK compatible up to 16 separate INTER-CHARTs can be on the go at once. Many graphs can be overlayed on top of each other (not pie charts) so comparisons can be made between separate sets of data.



INTER-CHART has screen dump facilities for EPSON compatible printers although other printers can be catered for.

Supplied with a full manual and fitting instructions.





no need to save the data before entering the next package. Secondly it provides a means of directly transferring data from program to program.

The system works even if only one ROM-LINK package is present in the machine, for example INTER-SHEET. In this case up to 16 separate spreadsheets may be held in memory and any spreadsheet can use the data from any other.


The ROM-LINK concept will provide a degree of integration not found on any other system.

Computer Concepts

Gaddesden Place, Hemel Hempstead, Herts. HP2 6EX (0442) 63933







Imagine Software is available from: WHSMITH, John Mentes, WOOLWORTH, LASKYS, Rumbelows, Greens, Spectrum Shops and all good dealers

New government rules may hinder computer exports

SERIOUS export obstacles for Acorn computers and other British hi-tech equipment – including software – have been predicted in Parliament as a result of new government regulations.

According to Liberal MP Paddy Ashdown during a Commons committee hearing, the result could be devastating for future export hopes.

The controls are the result of American government demands, intended to prevent the export from the West to the Eastern bloc of militarily sensitive technology.

But the real result, claims Mr Ashdown, will be to place export licence controls over virtually all technology relating to computers sent anywhere out of the country.

This means he says, that even computers such as a Sinclair Spectrum now require export licences from the Department of Trade.

Even large areas of software would now need licences for export to EEC countries.

Mr Ashdown revealed that at a recent legal seminar a Department of Trade and Industry official conceded that a child swapping computer game software with his Geman pen pal could fall foul of the new Export of Goods (Control) Order 1985. 'The categories laid out in the order exempt almost nothing from one form of licence restriction or another,' he said.

But he believed the regulations would be virtually unworkable. How, Mr Ashdown queried, could the DTI stop people passing software down telephone lines, how could customs officials check what is on a cassette... or how could they decide from long strings of indecipherable bar codes, which were licensable and which not?

Dial-a-prospectus

PARENTS of children at Garth Hill Secondary School in Bracknell can dial-in to the school's computer network using their own micros.

The school runs a private viewdata system for parents and pupils. There are plans to put on the school's prospectus and details of adult classes.

The saving of Acorn – Part 2

ACORN has announced a second major refinancing of the company by Olivetti – and the appointment of a new managing director.

Olivetti put its industrial influence into action to force through a financial package with three major elements:

Major creditors agree to write off half of the money owed them in return for payment of the rest now.

Olivetti funds Acorn by buying up a further £4 millionworth of shares, reducing the stake of joint founders Hermann Hauser and Chris Curry to less than 15 per cent.

•Increased overdraft from the banks as a result of the reduction of debts.

Olivetti now has control of Acorn with its equity raised from 49 to almost 80 per cent.

Negotiations to sell off Acornsoft have been suspended. Further redundancies look unlikely, said director Alex Reid, leaving a staff of about 270 from a peak of 480.

The new managing director is David Brian Long, 41, who was engaged in consultancy work with the de Havilland aircraft company for the Canada Development and Investment Corporation. Before then he was president of Massey-Ferguson Industries, the Canadian machinery group.

He will take over the reins

from acting managing director Alex Uboldi.

Two new products – the Communicator and Cambridge Workstation – have been given the thumbs-up by Olivetti. Acorn has great faith in the Communicator, a desktop computer/terminal it hopes to sell to other companies for them to use or market.

Hermann Hauser is set to announce a new project believed to be connected with VLSI chip design using a reduced instruction set.

The launch of the Workstation was delayed as a result of the share suspension, but re-scheduled for July 31.



Canadian Brian Long: takes the helm at Acorn

BBC affirms micro contract

BBC Enterprises has confirmed its support for the BBC micro project and assured the future of the BBC contract with Acorn under Olivetti.

The Enterprises division, which is responsible for all merchandising, has reduced royalties on products carrying the BBC name and written off £2m owed.

John Harrison, deputy sales director, said: 'We are sad (that Acorn has had problems) and we hope they can solve them. Olivetti are good people to have around.'

He added: 'The BBC contract is with Acorn. There have

been discussions with Olivetti, and we are establishing a good working relationship.'

On the controversy of whether the IBM-compatible operating system MS-DOS should become a standard for schools, Harrison said: 'We need to be very aware of what is happening in industry, but we are not convinced that MS-DOS is better.

'The need for an MS-DOS second processor for the BBC micro is being actively discussed, but will it be important in six months' time? Computing is full of seven-day wonders.'

MUD'fight to the death'

MUD (Multi-User Dungeon) is officially launched this month and in October's issue of Acorn User readers have a chance to win a night out in the London Dungeon and free tuition from an Arch Wizard.

MUD is an interactive textonly adventure game which runs on a British Telecom mainframe and is accessed over the phone lines. Up to 100 players can play simultaneously and influence the actions of other players. The first AU reader to open the tomb in the game's mauso-leum will be invited to a MUD Spectacular at the London Dungeon on November 5, where he or she will play against winners from other magazines in a 'fight to the death'. The outright winner gets £1,000 and free time on the system.

It costs £20 to join MUD and £2 per hour in time charges. Further details from the MUDline on 01-608 1173.

Solidisk rapped

SOLIDISK Technology has come to the attention of the Advertising Standards Authority with three complaints partly upheld and two upheld.

Most related to product availability, and the ASA expressed concern that items were advertised when not in stock, and that enquiries were not properly dealt with.

Only Sinclair Vehicles comes out worse in the ASA's Case Report 123 with 17 objections, mainly about safety claims.

We can easily picture your variable vital statistics...

Bel Plot Choose Fields/Variables for Vertical and Horizontal Axes. Graphs may be overlaid and there is a Least Squares Curve Fitting routine which gives the derived equation, plots it and shows the data points. Equations in Y and X and also Parametrics may be entered and plotted.

Figures really come to life and start making sense with Bel Charts, Bel Plot and, when supplied together, Bel Graph.

Developed for the amateur and professional alike it's the Graphics Software that's powerful, sophisticated yet menu driven, easy to use with extensive use of function keys and is available in tape or disc form.

Just look at the features common to Bel Charts and Bel Plot:

- Automatic drawing and scaling of axes with optional self labelling facilities, titles, etc. (Coarse/Fine Cursor movement).
- Data entry from file or keyboard into 4 fields. (Range, All or Select Records on Disc).
- Comprehensive edit facilities move, delete, change, swap, integer, invert, average, scale, default values.
- Sort (ascend/descend).
- Screen dump access own rom, append own or supplied (for Epson).
- Save/load screens.
- Two colour mode change colours if required.
- Test familiarisation files and full instruction manual.

Bel Charts Up to 3 fields may be plotted against the 4th as Line Graphs, Bar Charts, Vertical Bar Chart or Histograms.

Charts may be plain or 3D and up to 60 Bars can be displayed (20 intervals).

Pie Charts may show the 4 Fields or have up to 10 segments using a special routine.

Bar and Pie Charts can be displayed together. Plain, solid, line and striped shading. Negative numbers catered for.

...while you draw on our dream of a disc data base

BelBase 2 With Bel Base 2 the ultimate data base for the disc user has arrived. With these fantastic features you're set up for almost anything.

 20 Fields of up to 60 characters each and up to 2400 Records/File. Fields can be alpha, numeric or date in type.

 Menu driven and easily used in both single and multi disc drive systems.

 Dual drive users may have Extension Files which allow data files to occupy 2 disc sides!

Global and Selective Field/Record Edit – Word Processor style

• Default Values for data.

Calculations and re-calculate option.

- Configuration allows easy selection of drives, filenames, etc.
- Fast Sort (Ascend/Descend) on up to 3 Fields at a time.

• Search on up to 3 Fields at a time using <, >, <>, <=, >=, =, "Includes", AND, OR.

 Report Generator, Mail Merge, Form Design (in MODE O), Label Printing, other special prints/displays. Counter for numbering documents, etc.

 Create sub-files, alter file structure, input and output from/to word processor file.

Start to make the data at your fingertips more useful by sending off this coupon, with your remittance today or, if you want to save time, 'phone us through your credit card

Bel Charts, Bel Plot, Bel Graph and Bel Base 2 from Bel Tech

Innovations in sophisticated software.

ORDER FORM	Tape	Qty	Disc	Qty	TOTAL
BEL BASE 2	N/A		27.00		
BEL CHARTS	16.00		17.00		
BEL PLOT	16.00		17.00		E LIVE
BEL GRAPH (Plot & Charts)	25.00		27.00		
BASE 2 & CHARTS	N/A		42.00		
BASE 2 & PLOT	N/A		42.00		
BASE 2 & GRAPH	N/A		52.00	10	NO.
. 0	ther P	rogra	ms	N. W.	

DITOL E & OIGH	1 14111	02.00	
	Other Prog	grams	
BEL BASE (1)	16.00	18.00	
BEL GEN			
Genealogy	15.00	23.00	
MAILSHOT	11.50	13.50	

TOTAL inc. P&P £

BEL TECH Limited,College House, St. Leonard's Close, Bridgnorth
Shropshire WV16 4EW. Tel: 07462 5420 (24 hrs).

BEL BASE 2 and BEL GRAPH FILES CAN BE ACCESSED BY EITHER PROGRAM!

SAVE MONEY BY BUYING THE COMPLETE PACKAGE!

NAME

ADDRESS

COMPUTER TYPE

MODEL

DISC (if applicable)

CREDIT CARD No. PAYMENT BY CHEQUE. P.O., VISA, ACCESS

Please Complete and Return to: BEL TECH Limited, College House,
St Leonard's Close, Bridgnorth, Shropshire WV16 4EW. Tel: 07462 5420 (24 hrs).

Carried to the Control of the Party of

Leading ROM publishers including Computer Concepts and Watford are accusing Roorn User magazine of encouraging software piracy, following its decision to market its own sideways RAM board.

Watford Electronic's boss, Nazir Jessa, told the Net: "It's inviting official piracy". He stressed that it's not the actual board that's the problem — Watford in fact produce their own sideways RM — but the fact that Acorn User is producing it.

Computer Concepts' Managing Director, Charles Small, said "There are other. More.. GOTO 1 Next story 8 Newsflashes GOTO 2 News Index 9 R - Z Index

The first two frames from the offending phrase: '... are piracy . .'. The companies offending Micronet story. accusing Acorn User maga-quoted have all denied rame 1, first paragraph gives zine of encouraging software making such an attack

ROMS?

You've read the review, you've played the game...NOW...GOTO 5 to win the game. .. boards available, but this one has the official backing of Acorn User." Adrian Calcraft, software manager at Beebugsoft, said: "It's not a very go idea — our ROMs are protected so they don't work in sideways RAM." But Tony Quinn, Editor of.... more...# GOTO 1 Next story 8 Newsflashes GOTO 2 News Index 9 A - Z Index

MICRONET 800 (C)

Acorn User hits back over piracy accusation

angrily to accusations on Micronet of encouraging software piracy by backing a 16k sideways RAM product called UserRAM.

The story claimed that at least three ROM publishers had made the accusation (see above); but all the companies have denied this.

However, Micronet editor David Babsky defended the story: 'In their conversations with us, Computer Concepts, Watford Electronics and Beebugsoft accused Acorn User of encouraging software piracy.'

Tony Quinn, editor of Acorn User said: 'I've spoken to all parties and all have denied making such an accusation. They repeated their concern about the possibilities of such a board being used for piracy, but that exists for all hardware and software, from disc drives

Charles Moir of Computer Concepts said: 'There's no way I would have said that. The board is open to use by pirates, but exactly the same can be said of Disc Doctor.

Nazir Jessa of Watford felt the whole issue has blown up out of all proportion, and confirmed his comments had been misinterpreted.

Lee Calcraft of Beebugsoft explained he had talked to Micronet, but on hearing that his name had been used in the accusation, asked for it to be removed. 'I had no intention of saying Acorn User was encouraging software piracy.'

Quinn said the original story was full of inaccuracies and the quotes used from the software companies did not back up the contentious opening paragraph.

He explained: 'The accu-

person. How a reporter can interpret the statement "There are other boards available but this one has the official backing of Acorn User' as accusing us of encouraging piracy is beyond me.'

Acorn User wrote to firmware publishers in May asking them for details of licensing for schools and businesses and about the possibility of releasing ROM software on disc for sideways RAM users. First to reply was Dave Clare: 'We already supply our utility ROM Brom on disc . . . We will of course be willing to consider additional discounts to educational establishments . . . I see no reason for any problems."

Both the BBC and Acornsoft have responded favourably, but have yet to make an official statement

When fiction becomes fact

SIDEWAYS RAM is one of the most useful techniques on the BBC micro. It takes the sideways ROM concept beyond the limitations of the number of chip sockets. Swapping discs is a lot easier than swapping chips.

Acorn User has carried articles on sideways RAM boards since May. However, we are not in the business of promoting software piracy with this technology or any other. The 16k UserRAM was released as a result of demand, initially from schools, for a product that was easy to fit, had good software, and was well supported. It is aimed at schools and others who do not want to play around inside their micros.

Acorn User wrote to ROM producers asking them whether they had a licensing scheme for network users and

EDITORIAL

then whether they had any plans to release ROM software on disc for sideways RAM users.

We respect the views of software companies and their legitimate concern over piracy. We defend their right to say 'No' to supporting sideways RAM users. They have nothing to fear from this magazine. We value their expertise and products far too highly.

What we will react to are smears against the reputation of Acorn User built up over the last three years. We hope readers will support us in

In trying to address an issue in a responsible way for the benefit of our readers and the industry as a whole, we have been accused of 'encouraging software piracy'. That statement made on Micronet is inaccurate and is totally refuted by this magazine.

Micronet is wide open to anyone with a grudge, an axe to grind, or who just wants to indulge in gossip. That's fine if it's labelled as such, but when it's blown up and treated as an accurate, factual news report. that's a different matter.

Grow up Micronet and live up to your responsibilities. Cast aside the cowboy image. Rather than sensationalise and throw up smoke screens. address the real issues.

Twice bitten, but still keen

SNAKES and reptiles are the stock in trade of Mark O'Shea, who's been using a BBC micro to identify them as part of the Operation Raleigh expedition to the Honduras.

Our picture shows Mark holding a pair of Thunder-and-Lightning snakes. which although non-poisonous still managed to deliver two nasty bites to his right arm.

Mark, a postgraduate herpetologist, is now back in this country but hopes to go to Papua New Guinea next year, and actually take BBC micros out into the field to assist with identification.

Previously they have been confined to the Operation's flagship, the Sir Walter Raleigh, but purpose-built 'jungle boxes' will keep the Beebs protected from the damp and the bugs.

Meanwhile, the Sir Walter Raleigh sails on to Peru and Chile. In Peru young people will be using BBC micros to survey the Tambopata wildlife reserve, near Cuzco, and in Chile others will be carrying out vegetation mapping with COMAF, the Chilean forestry

Mark O'Shea, struck by Thunder-and-Lightning snakes



ash & Carry

Advice • Everything on Demonstration • Open 9am-6pm Monday-Saturday • Monday-Saturday • Open 9am-6pm



London's Specialist BBC Dealer

London's Largest Range of Printers on Demonstration

DOT MATRIX PRI	NTERS	
Brother HR5. Brother M1009 Brother 2024L NLQ. Epson P40 Thermal AC/DC Epson BXB0/FX100/RX10	£86.91+VAT= £155.90+VAT= £899.90+VAT= £81.90+VAT=	£99.95 £179.29 £1034.88 £94.18
Epson LX80 NLQ (New) Epson LQ1500 NLQ Epson JX80 Colour Canon PW1080A NLQ Canon PW1156A NLQ Canon PU1080A Colour Panasonic KP1091 NLQ Oki-Mate 20 Colour Shinwa CPA80 Anadex Data Prods. Paper Tiger Newbury Seikosha GP50S	£229.90 + VAT = £895.90 + VAT = £449.90 + VAT = £289.90 + VAT = £365.90 + VAT = £479.90 + VAT =	£551.88
Selkosha GP505 (Sinclair Spectrum). Seikosha GP500A. Smith Corona Fastext 80. Smith Corona D100, D200 Star SG10 (IBM) NLQ. Kaga Taxan KP810 NLQ. Kaga Taxan KP910 NLQ. Commodore MPS801. DAISYWHEEL PR	£99.90 + VAT = £99.90 + VAT = £139.05 + VAT = NLG & D300 NLG. £225.90 + VAT = £249.90 + VAT = £379.90 + VAT = £139.90 + VAT =	£114.89
Brother HR10	£249.90+VAT=	£287.39 £363.29
Brother HR25 Brother HR35 + sheet feed Daisystep 2000 Diablo 630 Juki 6000 Juki 6100 Smith Corona TP1 NEC Ricoh Epson DX100 Commodore DPS1101	POA 6.8829.90 + VAT = £219.90 + VAT = POA Silver Reec £199.90 + VAT = £319.90 + VAT = £179.90 + VAT = POA Gume POA Tec £339.90 + VAT = £309.90 + VAT =	£954.39 £252.89 POA £229.89 £367.89 £206.89
PRINTER/TYPEW Brother EP44	RITERS	
Brother EP44. Brother TC600. Brother FB100 Disk Drive for TC600. Juki 2200 Daisywheel	. £3/3.50+VAT=	£218.39 £429.53 £185.73
Juki 2200 Daisywheel (P or S)	. £269.90+VAT=	£310.39
All popular interfaces, cable Custom cables made to ord Let our experts match your	s, etc. available from er.	
choice. Printers — All models parall RS232C available at same of Prices correct at copy date, due to currency fluctuations MONITORS Microvitec Colour	or slightly higher price Subject to change w	es.

Wildi delega dollari	
1431 DS STD RES RGB £169.90 + VAT=	£195.39
1431 DZ STD RES Spectrum.£199.90 + VAT=	£229.89
1451 DS MED RES AGB £229.90 + VAT=	£264.39
1451 DQ MED RES QL £229.90 + VAT=	€264.39
1451 APDS MED RES	
RGB/Composite £289.90+VAT=	£333.39
1441 DS High RES RGB £389.90 + VAT=	€448.39
1456 LI MED RES IBM PC £395.90 + VAT=	€455.29
1456 DA MED RES Apricot . £349.90 + VAT=	€402.39

1456 LI MED RES IBM PC . £395.90 + VAT = 1456 DA MED RES Apricot . £349.90 + VAT = Philips Monitors Full Range.
Ferguson Monitors Full Range We accept official orders from PLC's. Government Departments and Educational establishments

These prices correct until superceeded by next advertisement

CASH & CARRY COMPU

53-59 High Street, Croydon, Surrey CRO 19D.

BBC COMPUTERS +	SOFTWARE	044.00
BBC B £29 BBC + DFS £34	46.90 + VAT = £	398.95
Torch Graduate (IBM comp.)	£924.00+VAT=	£1062.60
View. Wordwise Wordwise Plus. Communicator Printmaster Caretaker Logo. AMX Mouse. Printer Switch Boxes from. Hard tinted perspex dust cover	£45.90 + VAT = £31.90 + VAT = £46.90 + VAT = £57.90 + VAT = £27.90 + VAT = £27.90 + VAT = £59.90 + VAT = £68.50 + VAT = £46.00 + VAT = £11.90 + VAT =	£52.79 £36.69 £53.94 £66.59 £32.09 £32.09 £68.89 £78.78 £52.90 £13.69
Opus 5400 100K disk drive Opus 5400 + double density	£84.90+VAT=	£97.64
DFS disk drive	£134.90+VAT=	£155.14
PSU disk drive	£116.90+VAT=	£134.44
5402D 2 x 200K inc PSU disk drive 5802D 2 x 400/200K inc	£259.90+VAT=	£298.89
PSU disk drive		

PRICE ONLY AVAILABLE BY MAIL ORDER OR UPON PRESENTATION OF THIS ADVERT.

OF ORTHEOLIST AND TO THE ADVENT.					
SUPERDISKS Prices per box of ten ex VAT					
	SSDD	DSDD	SS96TP1	DS96TP1	
	40TR	40TR	80TR	80TR	
BASF 51/4"	£10.00	£17.80	£18.50	£21.00	
3M 51/4"	£13.50	£19.50	£19.90	£23.90	
VERBATIM 51/4"	£14.50	£18.40	£18.40	£24.50	
DYSAN 51/4"	£15.90	£23.50	£23.50	£28.50	
TDK 51/4"	£17.50	£16.90	_	£32.00	
SONY DS/DD 31/8	2"	£37.50	MAXELL 3"	£38.90	
Add 70p for P&P per order of Disks or Ribbons					

PRINTER RIBBONS (Ex-VAT Prices)

Single prices, less 10% for 5+ Brother HR15 Corr . £2.65 Brother HR15 MS . £4.95 Brother HR5 . £2.70 Brother EP44 . £2.50 Brother M1009 . £3.60 Canon PW1080A . £9.50 CBM 801 . £6.50 CBM 802/1526 . £5.90 CBM 1525 . £4.00	Epson 80 Series. £2.80 Epson 100 Series. £3.40 Juki 6100 SS. £1.80 Juki 6100 MS. £3.50 Juki 2200. £3.50 Juki 2200. £9.50 Mannesman MT80. £5.90 Seikosha GP50. £6.50 Seikosha GP50. £6.50
CBM DPS1101 MS . £3.50 Daisystep 2000 £3.50	Seikosha GP700 £18.50 Shinwa CP80 £5.90

Mail Order + Export + Trade Hot Line Phone 01-686 6362



POA

Delivery by Securicor (3 day) please add £5.00 + VAT per item. Delivery by T.N.T. (overnight) please add £9.50 + VAT per item.

Send off the coupon or order by 'phone quoting your Access, Barclaycard No. 'Phone 01-686 6362. Immediate despatch on receipt of order or cheque clearance.

Or you can Telex your order on: 946240 Attn 19001335

Please supply	
I enclose my cheque for £_ or charge my Access/Bard	including delivery by Securicor/T.N.T.*
Name	Signature
Address	

News in brief

□SPIDER is a hardware addon for the Beeb which allows control of real-time events from Basic. The unit can handle digital and analogue I/O signals, and it has process timers which are independent of the main program flow.

The Spider board combines sideways RAM with ROMbased software and plugs into the User VIA socket.

The Spider costs £65 and uses the printer and user ports. A de-luxe version at £115 uses the 1MHz bus. Details from Paul Fray, Willowcroft, Histon Road, Cambridge CB43JD

LSL LOGO is now available BBC micro Econet systems. The licence fee is £40 per network, and the minimum package of disc software plus four manuals costs £100.

The software is claimed to be fully compatible with Econet 3.6 and 6502 second processor systems; older 3.34 systems need upgrading. Each Beeb also needs 16k of sideways RAM to use LSL Logo over the network.

Logo Software, 316a Rich-Road, Twickenham, Middlesex TW1 2PD.

PRACTICALC II is a spreadsheet program for the Beeb which also has wordprocessing and database capabilities.

The software costs £69.95. and complete compatibility is claimed with the 6502 second processor and shadow RAM boards. Details from Practicorp Ltd on (0473) 462721.

□ STOCKCHECK teaches secondary school students the rudiments of stock control. The package costs £19.50 (£27.50 for colleges of further education) and works on a BBC micro with an Epson or Canon printer.

Stocksystem is a more advanced version, priced at £33.50. It can print serially numbered purchase orders and goods received notes, sort by supplier, and value stock using the moving average cost from method. Details Reeves, 24 Carthona Drive, Fleet, Hants GU13 9SF.

ENTHAR Seven is an adventure game on two discs for the BBC micro. It has a science fiction setting and over 450 locations.

Enthar Seven costs £17.95 from Robico Software, 3 Fairland Close, Llantrisant, Mid Glamorgan CF7 8QH.



Sir Clive and Jane meet for the first time on July 4 in the Mirror's strip

ive stars as cartoon cupid

SIR Clive Sinclair must be wondering what he let himself in for. After Robert Maxwell's buyout of Sinclair Research, Uncle Clive now finds himself portraved as a cartoon character in the Mirror newspaper - also owned by Maxwell.

In the Jane cartoon strip, Uncle Clive is seen helping girl-about-town Jane find her ideal partner using computer dating, while he simultaneously explains the innermost workings of the micro.

As Mirror readers will know, Jane succeeds

in losing most of her clothes at the earliest opportunity but Uncle Clive manages to resist her charms throughout.

This little piece of nonsense was commissioned by the Mirror ten weeks before Robert Maxwell's well-publicised rescue of Sinclair Research and, according to a Mirror spokesman, its appearance in the paper at the same time as the take-over announcement was pure coincidence'

There are no plans for Jane to visit Acorn.

£13m pledge for school computing

MONTHS of uncertainty over the future funding of classroom computer education has been ended with promises of more than £13 million of government cash over the coming years.

Most of the money will be for training the trainers, developing curriculum material and providing a central source of information for education authorities. It will also allow the creation of a new body the Microelectronics Support Unit - to provide advice and information for local education authorities in England, Wales and Northern Ireland.

In addition some £3½ million has been earmarked specifically for schools to buy more educational software.

Confirmation that there will be life after the death of the Microelectronics Education Programme (MEP) next March was given by Education Secretary Sir Keith Joseph just before Parliament rose for its long summer recess.

Whitehall reckons that the MEP, launched in 1980, has proved a major success, putting micros - the vast majority of them Acorn BBCs - into virtually every secondary and primary school.

The government has committed £2.2 million a year in England alone for the next five years to support computer education through the MSU.

Meanwhile cash is being made available to local education authorities to help buy educational software. Of the £31 million promised by the Department of Trade and Industry, £500,000 will be allocated during this financial year, £2 million in 1986-87 and £1 million in 1987-88

FIF utilities aid data transfer

FILE Interchange Format (FIF) is a set of utilities which allows data to be transferred from one database program to another - and ultimately from one machine to another.

FIF creates two programs for each database - one to convert data from the database into standard FIF format and the other to do the opposite. Once data is in FIF format, it can be converted to run on different databases or sent to other computers.

The FIF standard (which is still provisional) has been developed by the Council for Educational Technology (CET) who are handling enquiries at 3 Devonshire Street, London


Compact awaits Acorn's word

COMPACT Software, pubthe Nucleus program-generator software for the Acorn Z80 second processor, is up in arms about the treatment it is claiming it has received from Acorn.

Compact recently changed ownership and wanted to know if Acorn intended to continue distributing the Nucleus software which comes 'bundled in' with the Z80 add-on.

The company's new managing director, Neville Potter, tried to contact Acorn at the beginning of July but was unable to get a firm commitment from the strike-torn company

David Bell of Acorn told AU that the person who previously dealt with Compact had left and he was taking over. He said: 'Compact's complaint is due to sheer overload of work but it is something which obviously has to be addressed. We intend to continue selling the Z80 and Nucleus software.



The Nightingale modem is now established as the most popular multi-baud rate modem in its class. Nightingale lets you get on with the job. Whether you need to extract information from Prestel®, send telexes via Telecom Gold, download telesoftware or simply swap files with a colleague. Did you know that you can search British Library records through their on-line system BLAISE, or access your bank account through homebanking services. The possibilities are endless.

Nightingale operates at the two most popular baud rates, 1200/75 as used by both private and public viewdata systems, and 300/300 baud for communication with remote mainframe, mini or micro systems. Also included is 'reverse viewdata mode', 75/1200 and an optional auto-answer/auto-dial board.

Approved for use in the UK and several other countries, Nightingale can be supplied with quality software for a variety of the most popular micros. If you own or use any micro with a standard RS232 Interface, including the BBC micro, IBM PC, Apricot, Sirius or an Apple //e, //c or Macintosh, etc, then we may be able to help you.

With the increasing number of valuable information systems coming on-line, how much longer can you afford to be incommunicado?

Nightingale modem £119 plus VAT

Payment accepted by Cheque, Access or Visa.

Prestel is registered trademark of British Telecommunications Plc.

Pace Micro Technology, a division of Pace Software Supplies Ltd.

For further details contact:

Pace Micro Technology Juniper View Allerton Road Bradford BD15 7AG Telephone 0274 488211 Telex 51564 International tel. no. +44 274 4488211

Prestel is a registered trademark of British Telecommunications Plc. Pace Micro Technology, a division of Pace Software Supplies Ltd.



APPROVED for use with telecommunication systems run by British Telecommunications in accordance with the conditions in the instructions for use.



COMMSTAR Nominated for the 1985 British Microcomputing award, Commstar is an outstanding piece of software. With it's powerful combination of Viewdata and ASCII terminal capabilities, Commistar is probably the only communications software you will ever need.

Developed specially for the BBC in an 8K eprom, Commstar once fitted, is always ready to use. Although it is unusually versatile Commstar is also very easy to use. Full advantage is made of the BBC's function keys and a comprehensive manual describes each of Commistar's features in simple terms. In addition to preprogrammed functions, items such as logon strings and passwords can be placed under the function keys to facilitate automatic access to the vast range of services which are available. When used in conjunction with the Nightingale modem or other multi-standard modems, Commstar opens up a host of possibilities. Did you know that you could access your bank account from your own home or search British Lending Library's records through their on-line system, BLAISE. Accessing Prestel for the latest news or downloading telesoftware from Micronet is just the beginning. . . .

NIGHTINGALE ACCESSORY BOARD This new accessory for Nightingale offers

three new facilities on a single card. The auto-dialler now means that you can dial any number without using the telephone. Software designed for use with Commstar will dial a specified number or sequence of numbers once or more until a connection is established. each call being optionally monitored through a loud speaker. Any number of directories can be created and for each telephone number in a directory you may specify a series of attributes which allow Commistar to configure itself automatically for that particular system. Nothing could be easier. Any baud rate may be configured under software control including two new operating speeds 1200 and 600 half duplex which were not previously available. Finally, if you hope to set up your own database or bulletin board, the accessory board includes auto-answering.

Nightingale and accessory board, a complete solution.


Nightingale modem £119, Accessory board £49, Commstar £29.57, Commstar dialling software available on disc for £10 plus VAT

Commstar & Nightingale Combination £139

All prices exclude VAT. Payment accepted by Cheque, Visa or Access.



For further details contact: Pace Micro Technology Juniper View Allerton Road Bradford BD15 7AG Telephone 0274 488211 Telex 51564 International tel. no. +44 274 4488211 Prestel is a registered trademark of British Telecommunications Plc. Pace Micro Technology, a division of Pace Software Supplies Ltd.





Mushroom has answered a special need of all BBC computer users with their new WORKSTATION — no more untidy wiring, no more pulled plugs, transforms your system into a handsome console unit.

* ADVANCED CABLE MANAGEMENT
* TWIN 400K MITSUBISHI SLIM LINE DRIVES SWITCHABLE FROM 40 TO 80 TRACK WITH STATUS INDICATOR LED'S

 ON BOARD REGULATED 4 AMP POWER SUPPLY WITH OVERLOAD PROTECTION
 MAINS INPUT FILTER FOR CLEAN POWER SUPPLY
 FILTERED POWER TO THE 3 TAKE-OFF SOCKETS AT REAR FOR MICRO, MONITOR AND PRINTER

The WORKSTATION is manufactured to the highest safety specifications from lightweight aluminium attractively finished in oatmeal with orange trim. When not in use the computer is stored underneath, affording useful protection from accidental knocks or spillage



COMPUTERS LIMITED

Another Mushroom product from Broadway Electronics.



The WORKSTATION, complete with twin disc drives, is suitable for all. Areas of use — Domestic, Schools, Local Authorities, Commercial and

This is a must for every user at only £399.00 Exc. VAT.

Those people already owning disc drives can have them fitted into the WORKSTATION. Prices on request.

Available direct from: Broadway Electronics, 55 Tavistock Street, Bedford, MK40 2RF Telephone: (0234) 58303. Telex: 826112 MUSCOM G, and selected computer dealers nationwide.

Cheapest interactive video claim

BEVAN Technology has produced an interface unit for the BBC micro which turns a video recorder into an interactive video system.

The Good Companion costs £399 and, as well as the necessary electronics to control a video machine - tape or disc - it comes with its own 31 in disc drive.

Text screens can created, saved to disc and then inserted into video sequences, and the system is fully interactive - pressing various keys causes the video player to jump to different video sequences.




Good Companion: video interface

ROM software to control the unit costs £49.95 and there's a disc-based authoring langcreation and editing of text frames. Display is a £49.95 menu-based program for point of sale (POS) applications in

Grenville Bradder of Bevan Technology claims that the Good Companion is the cheapest method of setting up an interactive video system and he sees its main markets as training in schools and industry and POS display.

Further details from Bevan Technology, Gresham Chambers, 14 Lichfield Street, Wolverhampton, West Midlands WV1 1DG



Our regular columnist turns down a full-time job

RESCUE at last (or so it Bob has Cap'n seems) lowered a lifeboat and hauled aboard Uncle Clive - soggy but still defiant. Nice to see a happy ending for once. Mind vou. I think the title 'President for life' has an ominous, South American ring to it. I've advised the ginger wizard to employ a full-time food taster (politely declining the job myself) and to start wearing a wig, dark glasses and false beard in daylight hours.

I thought he was being a bit rash when he scorned this suggestion until I saw his most recent purchase - a Colt 45 Magnum. No fly is safe, but those dumdum bullets make an awful mess of the wall. His office looks like downtown Beirut and his secretary operates from behind sandbags. I think the Bouncing Czech will eventually have to use the SAS to get him. Ordinary hit-men from Detroit just won't cut the mustard.

It makes social life a mite unnerving though. There you are, drink in hand, hearing in minute detail about our hero's latest wheeze (compact disc players for the deaf), when somebody steps on a stray Twiglet and the fount of all knowledge drops silently to all fours and disappears behind the settee. All you can see is one beady eye and the barrel of the Colt. Movement is not recommended.

I've only just convinced him that the injudicious use of stun grenades could result in him being declared persona non grata on the Cambridge party circuit. Some hostesses are getting a bit sniffy as it is - not surprising if the Red Menace has just blown away their favourite moggy for creeping up behind him.

Still, every cloud has a silver lining. No longer will we have to endure the maniacal stare of Britain's answer to Dale Carnegie (whoever he is) as he tells us on television how to succeed in business while being really trying.

Teletext adaptor price slashed

ACORN has reduced the price of its teletext adaptor for the BBC micro from £225 to £149 and it will now only be available by mail order-at least provisionally.

The BBC, who insisted on Acorn developing a teletext adaptor for the BBC micro system, considered the adaptor over-priced. A rival teletext receiver produced by Morley Electronics costs just £90.

The revamped Ceefax telesoftware pages will feature a major structured programming course

The Acorn adaptor is available from Vector Marketing, London Road, Wellingborough, Northants NN8 2RL. Morley is at 1 Morley Place, Shiremoor, Tyneside NE27 0OS.

Echo ROM software



Echo keyboard: new ROM

LVL has brought out ROM software for its Echo music keyboard for the BBC micro.

Echorom gives the Echo keyboard system additional including features faster operation, and the facility to record and play back music on disc or tape.

The software is available from LVL for £29.95. Further details on (0602) 394000.



Tim Lyons: 'Datarama will show listeners how they can use their machines

Commercial radio to network computer show nationwide

by Geoff Nairn

THE first national commercial radio programme for computer buffs takes to the airwaves this autumn. Datarama will be broadcast weekly as a series of half-hour pro-grammes by most indepenprodent local radio (ILR) stations to an estimated audience of 250,000 listeners.

Radio West has been broadcasting Datarama in the Bristol area for the past two years, but starting in September the programme will be going out on at least 30 of the 48 commercial radio stations around the country.

The programmes will include the usual mix of news, gossip and reviews, and will be hosted by a well-known

presenter - as vet to be chosen. The show will also transmit telesoftware for a variety of machines, including the Beeb and Electron, which can be recorded onto cassette and loaded into the computer.

Datarama will have commercial sponsors who will have no control over what goes into each programme, according to the Independent Broadcasting Authority (IBA) which regulates commercial radio stations.

With the BBC's own national radio computer show, Chip Shop, currently off the air Datarama has the field all to itself. But it will be interesting to see if the BBC tries similar spoiler tactics with a new series of Chip Shop.

COUNTDOWNTO



The girls of Waldegrove School: in search of the lost shopping precinct

URSERYLANDS shopping precinct in Hampton Hill, West London is not mentioned in William the Conqueror's Domesday Book of 1086; more surprisingly, it is also not to be found on the local authority's planning maps for the area. This was discovered by pupils from the Waldegrove School for Girls when they surveyed the area as part of their contribution to the BBC's Domesday Project - an ambitious rewriting of the original Domesday Book using BBC micros and interactive video disc technology, involving over 13,000 schools around Britain.

Fifty first-year girls from the school, which is in nearby Twickenham, went out in mini-buses one sunny day in July accompanied by three teachers and your intrepid AU reporter. The girls had been working on the Domesday Project on and off throughout the summer term, meticulously colouring in large-scale planning maps of the 12 square kilo-

metre area around the school according to land use – residential, industrial, farming, etc. But when it came to the Nurserylands area, the maps showed it as just that – nurserylands. The shopping precinct was only built five years ago and the maps had not been revised; to the girls this was a dramatic illustration of the usefulness of their data, which the BBC will eventually combine with that from all the other schools taking part and put onto a single video disc.

Outside a supermarket in Nurserylands precinct, groups of girls were interviewing shoppers, to work out the 'sphere of influence' of the precinct – how far people travel to shop there and what they come to buy. They also classified the shops there – food, specialist, department store, etc – and entered this information onto sketch maps of the precinct. Back at school the information was typed into BBC micros using the Domesday discs supplied by the BBC. By the end of term the children will have 20 pages of text on disc, plus some 35mm slide photographs to illustrate the area, ready to send to the BBC.

Earlier in the day the girls had been counting vehicles on the Uxbridge Road as part of a traffic survey: this busy road links the M3 and M4 motorways and is the subject of many local complaints. By counting the numbers and types of vehicles using the road at different times during the day, the girls were collecting data which has a real use instead of information for a sterile school project. In fact, the school intends to repeat the survey in subsequent years, to see if there is any reduction in traffic when the M25 orbital motorway is completed.

The Waldegrove School is a secondary school in a predominantly residential suburban area and within its 12 square kilometre Domesday block are nine primary schools. The school gave

DOMESDAY

each of these a one square kilometre block to map and some of the more interesting surveys: one school was let loose in Hampton Court counting trees, while others conducted social surveys into television viewing habits and fashion. The Waldegrove pupils took what was left and had to be content with surveying a rather boring area composed almost entirely of suburban housing – geography teacher Pauline



Collected data is recorded back in the classroom

Cox was somewhat envious of schools in the wilder parts of Britain.

Nevertheless, the staff at the Waldegrove School were enthusiastic about the Domesday Project and were going to repeat it as a 'stand alone' school project next year. Pauline Cox said: 'It's not just an historical land survey, it's more a contemporary record of Britain in the 1980s'.

The children were equally enthusiastic. Tamsin Honeybourne, aged 12, saw the Project as 'rewriting the Domesday Book', and until that year she had not used a computer – now she goes along to the school's lunchtime computer club. Joanna Severs, also aged 12, hoped that the results of the Project might be used 'to improve the environment'.

Schools such as Waldegrove School are inevitably the ones to benefit most from something like the Domesday Project: they have a physically undemanding area to survey, other schools

nearby to share the workload, a wellequipped computer room (12 networked BBC micros plus another 12 elsewhere), enthusiastic staff prepared to put time into preparation, a head willing to reorganise the timetable to fit in field trips, and children interested in the project. In other parts of the country things haven't been quite as easy.

In North Wales, for example, a row broke out when the BBC insisted that all the text entered onto the Domesday discs must be in English, despite the fact that some local education authorities have a bilingual policy – English and Welsh. Charles Davies, Domesday co-ordinator for Clwyd, insisted that Welsh should be allowed. He said: 'There's no way you can ask children whose first language is Welsh to write about their local area in a foreign language.'

The original Domesday Book only covered England and it must have been tempting for the BBC to exclude the Welsh once again, but the BBC compromised and allowed each Welsh school 10 pages in Welsh and 10 pages of English translation. To some this still smacks of discrimination, for English schools are allowed 20 pages of text in their native language, and consequently a few Welsh schools are boycotting the Project. Charles Davies also criticised the BBC for not providing large-scale maps of the Domesday blocks, as some schools were unable to get local authority planning maps.

Ysgol Penbarras is a Welsh-speaking primary school with 82 children in Ruthin, Clwyd - all but a couple of the seven schools in the Ruthin area teach in Welsh. The school's headmaster. Alun Edwards, also thought the BBC's decision on Welsh pages rather unfair, but his main criticism was about the 12 square kilometre block his school had been given. For 11 out of the 12 square kilometres - the ones which didn't include the town of Ruthin - his pupils had not been able to mark down even one of the 67 amenities mentioned in the Domesday Project amenity check list (shops, factories, schools, etc). Mr Edwards felt that the Domesday survey was biased in favour of urban areas, and sparsely populated rural areas such as that around Ruthin 'scored' badly. For the village of Llanbedr Dyffryn Clwyd, for example, his pupils

Geoff Nairn brings you up to date on the BBC's project

could only record a pub and a post office.

Another problem the school faced was trying to identify the border of its Domesday block when out in the fields, and Alun Edwards would have liked to have had until Christmas to collect the data, because visiting the countryside in a mini-bus was proving very time-consuming. Overall, however, he thought the project worthwhile – the pupils had learnt about different sorts of land cover and had realised just how good the dairy farming land was in their area.

Meanwhile in Scotland the Fife region boasted it had completed all its Domesday surveys by the end of June. Jim Birney, Curriculum Development Officer for Fife, attributed this enthusiasm to the variety of the area. He said 'The children were stimulated to find out about their environment. We've got everything; urban deprivation, new electronics industries, coal mines in the west, hill sheep-farming in the east and fishing on the coast. Fieldwork is quite common with schools in the region and the Domesday Project fits in well.'

The Benarty primary school visited the Lochore area of central Fife which consists of derelict open cast mines and was recently turned into a country park. Another school toured the Fortronics electronics factory as part of its Domesday survey – and came away with free samples.

Further north, in the Grampian region, some schools have been handicapped by their LEA's decision to plump for Sinclair Spectrum computers – the Domesday Project does not support these. To produce their Domesday pages they have had to borrow BBC micros from other schools.

It's too early to say just how successful the Domesday Project has been, and a lot depends on how comprehensive the coverage proves to be: in sparsely populated Northumberland, for example, coverage is quite patchy. Inevitably there have been problems, and it remains to be seen whether the resultant Domesday video discs find any commercial application. Nevertheless, the Project is one of the most innovative and ambitious attempts to take computers out of the classroom and into the real world.

On show

☐ September 4-8, Personal Computer World Show, Olympia, London. Details on 01-486 1951.

□ September 28, Micros in Weather Education, Chelsea College, London. Conference to discuss the usefulness of micros in weather education – plus hands-on experience of packages and systems. Cost £7.50. Further details from Royal Meteorological Society, James Glaisher House, Grenville Place, Bracknell, Berks.

October 16-18, Computer Graphics, Wembley, London. Details on 01-868 4466.

On radio

□ Commercial radio, not to be outdone by its big brothers in TV, gets its own national computer show − Datarama. The series of half-hour weekly broadcasts will go out in September on at least 30 local radio stations and it will carry a mix of news, gossip and reviews, and will broadcast software. Produced by Radio West in Bristol, the series will carry advertising and is due to run for at least a year (page 15).

On television

□ Database takes a wellearned break over the summer but there will be a special programme coming from the PCW Show. This will go out on September 5 at 11.30pm to Thames viewers (time may differ for other ITV regions).

□ With a Little Help from the Chip is finally broadcast this month after being postponed several times. The series of six programmes shows how micros can help the disabled and covers employment, education, mobility and communications. The first programme is a 50-minute documentary and goes out on BBC2 at 7.35pm on August 30. Subsequent programmes are 25

minutes long and broadcast at 7.45pm weekly.

☐ Women in Science and Technology. Few details at the moment of this important BBC series starting in October. Watch this space.

For help

☐ To contact *Acorn User* authors, write c/o the editorial address given on page 2.

☐ Seikosha AP/GP100 printer help sheets are available from Acorn User for 50p, plus sae. These consist of three programs, including a screen dump, and three pages of notes on using these printers. Monitor choice: Photocopies of the review of four monitors, plus a set of nine test programs from the June issue cost 72p (inc post). A copy of the issue costs £1.25 (page 93). For Acorn User cassettes, discs, back issues, binders. contact PHS Mailings on

To contact

☐ Technomatic's bulletin board service, containing information on products the company stocks, is open 24 hours on 01-450 9764. Baud rate: 1200/75.

(02937) 72208 (see page 96).

Acorn's own dial-in view-data service is on (0223) 243642. Baud rate is 1200/75.

☐ Teachers interested in the Acorn Micros in Schools scheme can contact Acorn's education division on (0223) 245200.

☐ BBC TV's *Micro Live* bulletin board is on 01-579 2288 (type INFO BBC on Telecom Gold electronic mail system).

☐ BBC Computer Literacy Project, Broadcasting Support Services, PO Box 7, London W3 6XJ. Please send sae.

☐ Bulletin Boards: CABB 01-631 3076 CBBS Cumbria (06992) 314 CBBS London 01-399 2136 Distel 01-679 1888 Forum 80 Hull (0482) 859169 Forum 80 London 01-902 2546 HAM-NET (0482) 497150

TWININGS

Collect two vouchers from Twinings tea bag boxes and you can get 30 per cent off these Acornsoft titles. All prices are for cassette versions and include post and packing.

For the BBC micro: Elite (£10.46), Podd (£4.89), Tetrapod (£6.96), Watch your Weight (£8.33), Crazy Tracer, Meteor Mission, Picture Maker, Go, Gateway to Koros, Paul Daniels Magic Show (all £6.96 each).

For the Electron: Elite (£9.06), Podd, Snapper, Watch your Weight, Crazy Tracer, Firebug, Picture Maker, Go, Sphinx Adventure, Paul Daniels Magic Show (all £4.89 each).

Liverpool Mailbox 051-428 8924 Mailbox 80 (0384) 635336 Microweb 061-456 4157 TBBS London 01-348 9400 TBBS Nottingham (0602) 289783

TBBS Southampton (0703) 437200

☐ Bardsoft database contains information on a wide range of software for the handicapped. Details from Handicapped Persons Research Unit, Newcastle-upon-Tyne Polytechnic, Newcastle NE7 7TW. (0632) 358211

□CABE (Computers in Adult Basic Education), c/o Pete Jeffs, Southern Neighbourhood Council, Hyslop Street, Liverpool 8. User group for ABE tutors in Adult and Further Education. Please send sae.

☐ MEP (Microelectronics Education Programme), Cheviot House, Coach Lane Campus, Newcastle-upon-Tyne NE7 7XA. Hardware and software support for schools. Please send sae.

☐MAPE (Micros and Primary Education), c/o Barry Holmes, St Helen's Primary School, Bluntisham, Cambs. User group for primary teachers. Please send sae.

Blunderbox

Some copies of the July issue contained a smudged line in the listing for Peter Rochford's Disc Menu program. The line should read:

990M%=T%?&F:N%= T%?&E:B%=T%?&D: P%=T%?&C

☐ Also in the July issue, Richard Gledhill's verify routine in Atom Forum is missing some lines at the end. Please add:

750 P = P + LENP;[
760 NOP
770 RTS
780 :LL9 JSR£FC63
\ REWIND TAPE
790 JMPLL1
800]
810 N.
820 P.\$6
830 E.

☐ The road safety software praised by Nick Evans in the July issue costs £14.50. Cheques should be made payable to D A Seume and sent to Surrey County Council Road Safety Section, Highway House, 21 Chessington Road, West Ewell, Epsom, Surrey KT17 1TT.

Martin Phillips has cured the following bugs in *Easyplot*. Insert the following line in PLOT 2 to stop the program ending if the wrong mode is entered:

50 ON ERROR MODE 4: PROCm

When using the character definer, two characters can become corrupted by the double height routine. This can be overcome by changing each occurrence of the value 240 to 158, and of the value 241 to 159. The following lines will need changing. In the August issue (pages 106 and 107):

PLOT: lines 1670, 1700, 1710 PLOT 2: line 490

On page 103 of this issue:

RUNPLOT: line 20100

How to present programs and articles

FIRST read the 'Notes for Authors' on the contents page.

Your submission should be original and have a practical use. We receive many articles on subjects we have already covered – often quite recently.

A neat and clear presentation is very important. A few hours' thought about how your article looks, diagrams, appli-

cations and documentation will ensure that it is evaluated quickly and efficiently, and is more likely to be accepted.

Program presentation is also important. Follow the 'standard' we've adopted in the yellow pages. Most importantly, your program must run on Basic 1. The only exception is if the program is of a Basic 2


tutorial nature. Basic and illegal calls to routines in the MOS should not be used. Program lines should increment in steps of 10, with the first four being REMed as per the format in the yellow pages.


Program listings should not be indented, and avoid multistatement lines.

Use the standard assembler


presentation, one mnemonic per line, upper case mnemonics with lower case labels. If the assembler is long include a checksum.

Provide a list of PROCs, FN's and variables detailing the operation of each on a separate sheet of paper, along with any hints or tips regarding entering the program.









When you give your BBC computer a Pace disc drive, you give yourself much more. More time, More confidence, More flexibility, and

more importantly, Peace of mind. A quality disc drive from Pace will give you the freedom to use your BBC the way you want to use it. Why be dictated to by the speed of a "Data Recorder" when all your programs and data can be loaded and saved in less than a tenth of the time with discs. You will very quickly become dependent on your drive.

become dependent on your drive.

At Pace Microtechnology we realise just how important At Face Microtechnology we realise just how important your drives will become so we build them to last. Each unit has a die-cast alloy chassis for rigidity and long-term stability. They use direct drive brushless DC motors for accurate speed control and L\$I technology for high reliability with low power consumption. The heads are long-life ceramic.

But the quality doesn't stop with the mechanism. The cases are functional yet attractive enamelled aluminium. Only the highest quality data cables are used and each drive is individually tested before and after building. Our after-sales service is second to-none.

Quite simply, what more could you want? For further information call us on 0274 729306 or write to the address below

NEW Self-powered Pace drives

With the addition to our range of self-powered drives, we now have the largest range of drives available for the BBC.

Single drives. Dual drives. Single drives in dual cases (for simple upgrading). Drives with power supplies.
Drives which use the BBC auxiliary power socket. 40/80 track switchable drives.

For further details contact:

Pace Micro Technology Juniper View Allerton Road Bradford BD15 7AG Telephone 0274 488211 Telex 51564 International tel. no. +44 274 4488211

Prestel is a registered trademark of British Telecommunications Plc. Pace Micro Technology, a division of Pace Software Supplies Ltd.

New Computer Games For Solidisk Sideways RAM

SOLIDISK's SIDEWAYS RAM is an almost indispensible add-on for the BBC user.

It is available in either 32k, 64k or 128k byte capacity and is compatible with all issues of BBC microcomputers along with most of the add-ons and ROMs obtainable for it.

To date, more than 40,000 units have been sold.

The sideways RAM occupies the right most ROM socket of the BBC and sits in the same position in the micro's memory map as the paged ROMs.

This means that the Sideways RAM can run almost all ROM type software including languages, utilities and filing systems.

The difference between Sideways RAM and Sideways ROM is that RAM can be written to meaning that only the presently required software has to be loaded into the machine, thus making redundant the multitude of high current consumption and often unsightly ROM extension boards.

Sideways RAM is also an invaluable tool for writing ROM type software to run on the BBC since software may be assembled straight into the area in which the final version will run.

For the user who is not interested in writing ROM type software but is in need of the utilities provided by the use of the Sideways RAM, we supply free software to make maximum use of the Sideways RAM facilities.

These are included in the Sideways RAM Software package, a collection of no less than 5 diskettes containing nearly 100 programs, from database, word processor, music system, sprite graphic, printer buffer, virtual memory, spelling checker, RAM disk, RAM filing system, VDU replay, disassembler, machine code monitor, macro basic, video digitised pictures etc...and Solidsk Most Advanced Disk

Another extremely interesting use is to run Solidisk 'Megagames'. They are too large for the non expanded BBC computer, as they make use of high resolution 8 colour (mode 2) screen, background music, sound and sprites at the same time.

Around 70 megagames are planned for release in 5 Megagames Packs at the official Acorn Show (25-28 July 85). Each Pack consists of 5 diskettes, available in either 40 or 80 tracks.

PRICES

The listed price comprises the Sideways RAM fully guaranteed for 1 year, comprehensive manual and software pack 1 consisting of 5 diskettes formatted either in 40 or 80 track.

- SWR32 + 5 discs (32k unit, by far the most popular): £58.00
- SWR64 + 5 discs (64k unit, new introduction model): £85.00
- SWR128 + 5 discs (128k unit, the second most popular): £135.00
- Any Extra Software Pack (5 discs): £10.00. Specify 40 or 80 tracks.

As Solidisk Software Support Service has to produce in excess of 25,000 diskettes every month, we regret that we can no longer provide personalised service for disk washing. In extreme cases, when you need to update your software diskette, either reorder a new software package (which is always sold to you at nominal media cost i.e. £10.00 for 5 disks, including new manual, post and packing) or return the old package with £2.00 to cover post and packing. You may avoid post and packing costs if you call at Solidisk's stand at any BBC micro exhibition or at the Solidisk office.

UPGRADING

Upgrading from a smaller model is very simple: you return the old RAM board to us with your payment for the difference.

The listed prices include new manuals when necessary.

Volume 1 contains all the general applications of no Sideways RAM. Menu, Printer Buffer, STL DFS 2.0, mil STL E00, RAMDISK, RFS (Rom generator), Fastlen Backup, Quickcopy, Index etc . . .

The Software package comprises 5 diskettes

formatted either in 40 or 80 track. Please specify when

Volume 1:

Volume 2 contains the Solidisk Wordprocessor, the Spelling Checker and the English Dictionary. fitt

on

(C

eto

Volume 3:

PX Volume 3 contains the Solidisk Macro Basic (aAc program generator), a Linker-Editor, VMP the Virtual Memory Program, Sigen, a program to create your Av own dictionary and a sample French dictionary.

Volume 4.

Volume 4 contains the Solidisk Database.

Volume 5:

Volume 5 contains the Solidisk Sprites System.

SOFTWARE PACK 2 (optional)

SOFTWARE PACK 1 (included with SWR)

Volume 6:

Volume 6 contains the Solidisk Spreadsheet.

Menu driven with standard options to create, edit, Wit recalculate, print, search, sort, report generator and Sco

Unlimited number of rows and columns. Each column So can be as small as 2 or as big as 70 characters. All math functions are supported. Complete with home fitti banking and simple portfolio management.

Volume 7 contains Solidisk Play Tunes System and lots of tunes and write music using ordinary ABCD Eve notation.

STL Toolkit has 24 star commands (Status, Rwipe, Check, Find, Search and Replace, Mode 8, Join, Sol Keyload, LVAR, Salvage, Expand, Edit etc...). STL SFX is Solidisk screen effects utility. In mode 2, abi

you can scale, move, reverse, mirror etc with ma superlative ease.

VDURECORDER is another screen aid utility. It remembers everything sent to the screen. When you want it, *REPLAY will show it all over again but with an incredible speed.

Solimon is a machine code monitor for both 6502 and SO

Volume 9:

Volume 9 contains the STL ADFS and disc utilities (see next page).


Volume 10:

Volume 10 contains the Solidisk Teletext Editor.

Megagame Packs:

Around 70 games are currently under compilation.

SOLIDISK TECHNOLOGY LIMITED, 17 SWEYNE AVE, SOUTHEND-ON-SEA, ESSEX SS2 6JQ. TEL. SOUTHEND (0702) 354674 (10 lines).



You Only Fit Disks Once. Fit the Best.

The SOLIDISK Double Density DFS is now the ultimate in reliability with a 2.0, Fast lent software. The DDFS consists of only 4 components to be plugged in to the BBC Microcomputer and can be fitted in just a few minutes by novice and expert alike. It can now run all Acornsoft games (such as Elite, Aviator, Revs, Magic Mushrooms etc. . .) and most other protected discs (Castle Quest, Island's Music system etc. . .)

SOLIDISK relies on a good product and a large support network to win the heart of the user.

With over 75 local experts, covering England, and Scotland and Wales, a SOLIDISK National User Group in Holland and soon in Australia, SOLIDISK can offer many users regional free fitting and advice. Also with an ever increasing catalogue of free software, available to all SOLIDISK users.

Even users who are new to the Disc System can expect to build up a large disc program library in a fairly short time.

Join, Solidisk Software Support Service now has a responsibility for over 50,000 users and the ability to give you the best possible support matched only by the largest companies.

WHICH DFS DO YOU NEED?

and SOLIDISK produce no less than three types of Disc Filing Systems to cover all your requirements.

1. THE FLEXIBLE DDFS

The basic SOLIDISK DDFS is suitable for all ordinary users.

The 1.9 ROM handles both single and double density formats, with built in disc formatter and verifier, along with such features as automatic density sensing and 40/80 track software controlled switching. The disc speed is programmable by the keyboard links to suit almost any type of disc drive.

The 1.9 ROM supports also file size up to disc size.

PRICE

han

ities

The STL DDFS with 1.9 ROM	£40.00
The STL DDFS with 2.0 ROM	£45.00
The STL DDFS with 2.1 ADFS	£55.00



2. THE DFDC TO UPGRADE ACORD DFS:

Ideally suitable if you already have an Acorn DFS. The DFDC will not only add Double Density capability but also improve the speed of your 8271 chip.

The SOLIDISC DFDC (Dual Floppy Disc Controllers) is making a very large impact on the BBC user community with its versatility.

The DFDC board simply sits in the place of the 8271 FDC chip (i.c. 78) in the BBC. The 8271 is then inserted into the DFDC board and the ROM 2.0 inserted in place of the original DFS ROM.

Once the machine is up and running it is then simplicity itself to change FDC's; just throw the switch attached to the DFDC board, press BREAK and the other FDC is now selected.

PRICE

The STL	DFDC	with 2.0	ROM	£55.00
The STL	DFDC	with 2.1	ADFS	£65.00

THE SOLIDISK WINCHESTER DISC SYSTEM (XD20-40)

This most powerful Winchester system for the BBC computer to date plugs straight into the 1Mhz bus in a few seconds.

Based around the WD1002 SHD controller, Mitsubishi Winchester drive, Astec PSU and the Solidisk ADFS 2.1, it offers 20 Megabytes (26 MB unformatted) and can easily be upgraded to a theoretical maximum of 1300 Gigabytes.

Its phenomenal capacity, huge potential and excellent features make the most expensive Winchester systems look green.

On the technical side, it has very fast seek and an exceptionally low skew factor of 11 (meaning 3 sectors are read or written in one single revolution). It gets ready very quickly too, needing only a few seconds from power up.


Unlike many other sources of Winchester disc drives, Solidisk Winchester system is properly driven by the Solidisk ADFS 2.1 ROM, compatible with Acorn Winchester specifications and with Acornsoft View, Viewsheet and Viewstore database.

It also runs Gemini's Datagem and Acorn second processors.

It has nice features such as read after write, Password protection, Automatic Winchester to Winchester and Winchester to floppies Backup facilities and a fantastic average file transfer speed of 64k bytes per second.

PRICE:

20 MB Winchester (excluding VAT)£700.00 30 MB Winchester (excluding VAT)£900.00 40 MB Winchester (excluding VAT) ...£1100.00 60 MB Winchester (excluding VAT) ..£1300.00



SOLIDISK TECHNOLOGY LIMITED 17 SWEYNE AVE, SOUTHEND-ON-SEA, ESSEX SS2 6JQ TEL. SOUTHEND (0702) 354674 (10 lines)

YOU SHOULD KNOW ABOUT ADFS AND USE IT

ANNOUNCING THE SOLIDISK ADFS 2.1

What is important on a Disc Filing System is how effectively it uses the disc, how fast it loads the programs, how many entries are on the disc and how big they are.

The old BBC DFS leaves most 80 track discs half empty on side 0 and wastes side 2 of most double sided discs.

The new ADFS treats side 0 and side two (if available) as a single disc and uses them to the full.

The old BBC DFS uses single density, the ADFS double density which is twice as fast and stores twice as much.

The old BBC DFS can only handle 31 files of less than 256k bytes in size.

The ADFS can handle thousands of files, up to 600 Gigabytes in size!

If you are afraid that the ADFS is complicated to learn, don't be put off. It isn't complicated at all.

Most of the commands are the same in both systems and the ADFS ones are very much intuitive.

If you know the BBC DFS, a few hours are all you need to master the new ADFS.

You won't regret it. After all, each ADFS disc saves you £2.00 or more on media cost, and the ADFS ROM will pay for itself in a few days.

The Solidisk Advanced Disk Filing System for the BBC computer is now available for both Solidisk DFS and Acorn BBC Plus users.

This massive piece of software is supplied on two 16k ROMs for the BBC B computers or on a 32k ROM for the BBC Plus computers. It supports both the old BBC DFS and the Acorn ADFS. It also provides the users with 20 extra disc utilities.

Standard features for both implementations include:

1) Automatic Write Error Correction.

Every disk write operation is automatically followed by a read operation to ensure that the recorded data is free of all errors. Then if need be, the STL ADFS 2.1 will restart the write operation from the unsafe sector.

2) Automatic 40/80 track stepping.

The STL ADFS will let you read and write 40 track discs on an 80 track drive and copy over from any format to any other format.

3) Disc repair facilities

Disc sector editor (*DZAP), memory editor (*MZAP), recover good sectors (*RECOVER), rewrite multiple sectors (*RESTORE), read bad sectors and bad track (*RTRACK), repair and restore bad sectors and track (*WTRACK) and the

powerful disc copy (*DCOPY) which is capable of duplicating even some non BBC discs.

4) Tape to disc facilities.

Direct transfer from tapes to disc (*TAPEDISC) will work with all unprotected programs. *TAPELOAD and *TAPESAVE will cope with more difficult ones. Only in some cases (multipart games cassettes) will you need Solidisk tape copier.

5) Wordprocessing facilities.

This facility allows BOOT and other text files to be edited, saved and printed in any screen mode.

6) automatic disc sensing.

On Shift Break, the STL ADFS will automatically detect the disc format and use the right disc filing system to run it.

Special features for the ADFS implementation:

1) Disc formatting facilities.

*FORM40, *FORM80, *FORM160 and *WFORM (for the Winchester) allow you to format ADFS discs in any drive.

2) Disc verifying facilities.

*VERIFY will check all disc sizes including Winchester for media defects.

3) Number of opened channels.

This is one of the star features of Solidisk ADFS.

This facility (*OPEN) allows you to specify how many files will be opened in a program, thus maximising the available RAM while avoiding buffer page swapping as in the Acorn ADFS.

D

R

P

It leaves PAGE at &1900 for most programs, gives extra memory to View and Viewsheet and also avoids unnecessary conversion work on programs originated for the BBC DFS.

Special features for the BBC DFS implementation.

Solidisk ADFS 2.1 handles both single and double density. In addition, it supports:

- 1) Unlimited catalogue entries (up to disc capacity) without any preparation.
- 2) Unlimited filesize.
- 3) Automatic media detection.

8) PRICE

2.1 ROM set	£20.00
Upgrade from 1.9	£15.00
Upgrade from 2.0	£10.00

SOLIDISK KEYBOARD AND CPU ARE NOT JUST PRETTY . . .

The keyboard is 12 mm lower than the normal BBC case, 2-3 degrees more angled, weighs only 5lbs, does not skid about on the desk while enjoying 2 feet of freedom from the computer unit — and makes a lot of difference to typists (even 2 fingered ones!).

The CPU accommodates 2 disk drives and withstands any heavy weight monitor while providing easy attachment for the whole system, CPU and disk drives, to the desk if need be. Good ventilation to the power supply too and hides all untidy cables away.

PRICE

The complete CPU and keyboard case costs £30.000 inclusive +£3.00 post and packing.
The system could be yours free as part of the Mitsubishi twin discs offer.



SOLIDISK MITSUBISHI DISC OFFER

A Complete Disc System containing everything you need, including 1 Blank Diskette, at a new low price of only £199.00 inclusive.

The Mitsubishi Offer Comprises:

- One Mitsubishi MF4853, Double Sided, 80 Track Disc Drive. Cased in beige with all leads.
- One Solidisk DDFS complete Disc Upgrade with 2.0 ROM.
- 1 Verbatim MD525 Blank Diskette.
- 1 Software Pack and User Manuals.
- Full one year guarantee.

PRICE: 200.00.

non

ed in

luse

ping

0.00 5.00 0.00

HARDWARE:

As described earlier as shown opposite.

THE SOFTWARE:

The software comprises 5 diskettes, formatted in 80 tracks.

Volume 1:

Solidisk Word Processor and Spelling checker with English dictionary. Easier than View, Wordwise or Scribe, you enter the WP by *WP filename, then start typing. What you see on the screen will be exactly printed on paper.

Most useful commands are all displayed on the top part of the screen.

It features 80 column screen throughout with direct on screen justification, automatic margins, page numbering, Wordstar like editing commands for block move, block delete, block copy, print, save, load text to

cursor, insert and overwrite, search and replace, total word count, word frequency count, free space, *commands etc. Solidisk WP loads and saves texts in under 1 second flat and also you may save the edited version as many times and under any filename you like.

It has the unusual ability to spellcheck your document without leaving it, simply by typing in Control-U.

It has self dictionary generating capability too. You may create any dictionary you like by just simply entering the words.

Solidisk WP is also excellent as secretarial training for Wordstar.

Volume 2:

Volume 2 contains Solidisk Database. It is a random access system, completely menu driven and easily customised to suit any particular filing need.

It features unlimited filesize and number of records, supports all maths functions and 80 column screen throughout.

It is simple to understand and to use. You take one of the 15 different options to start. Each option will then lead to a new menu and so on. Mostly you only have to enter an appropriate data or hit the RETURN key.

You can design new databases list all records, edit them, merge them, split them, making mailshot with Solidisk WP etc. . . We use it to process all your orders.

Volume 3:

Volume 3 contains Solidisk Spreadsheet. Menu driven with standard options to create, edit, recalculate, print, search,

sort, report generator and mailmerge.

Unlimited number of rows and columns. Each column can be as small as 2 or as big as 70 characters. All math functions are supported. Complete with home banking and simple portfolio management.

Volume 4:

Volume 4 contains the Solidisk tape to disc program and a selection of computer games.

Volume 5:

Volume 5 contains MBASIC, SIGEN and other disc utilities.



IMPORTANT:

If you upgrade to a twin Mitsubishi disc system, Solidisk will offer you, subject to stock availability, a completely free set of CPU and keyboard case as shown earlier.

You should return your disc drive with payment for another Mitsubishi MF4853 (£160.00) or alternatively, save by ordering right now a Fantastic Offer at only £340.00.

SOLIDISK EFS COMBINES DISCUAND A SOCKET FOR THE WA

Solidisk Double Density DFS is now the ultimate in reliability and supported by the largest amount of software available for the Electron.

Solidisk relies on a good product and a large support network to win the heart of the user.

With over 75 Local Experts, covering England, Scotland and Wales, Solidisk can offer many users regional free fitting and advice

With an ever increasing catalogue of free software, even users who are new to the Disc system can expect to build up a large library in a fairly short time.

Solidisk Software Support Service already has responsibility for over 50,000 BBC computer users and the ability to give you the best service matched only by the largest companies.

Solidisk Double Density DFS handles both BBC Discs and Electron Discs, in single and double density whereas the Acorn's PLUS 3 can only handle ADFS discs.

Solidisk ADFS has nice features such as automatic disc format sensing, built-in disc formatter and verifier and programmable disc speed.

It also has more than 20 disc utilities built into the ROM.

Standard features for both BBC DFS and ELECTRON ADFS implementations include:

- 1) Automatic Write Error Correction.
- 2) Automatic 40/80 track stepping, the ADFS 2.1 will let you read and write 40 trak discs if you have an 80 track drive.

3) Disc repair facilities.

Disc sector editor (*DZAP), memory editor (*MZAP), recover good sectors (*RECOVER) rewrite multiple sectors (*RE-STORE), read bad sectors and bad track (*RTRACK), repair

and restore bad sectors and track (*WTRACK) and the powerful disc copy (*DCOPY) which is capable of duplicating even some

non BBC discs

4) Tape to disc facilities.

Direct transfer from tapes to disc (*TAPEDISC) will work with all unprotected programs. *TAPELOAD and *TAPESAVE will cope with more difficult ones. Only in some cases (multipart games cassettes) will you need Solidisk tape copier.

Wordprocessing facilities.

This facility allows *BOOT and other text tiles to be edited, saved and printed in any screen mode.

6) Automatic disc format sensing.

On Shift-Break, the STL ADFS 2.1 will detect the disc format and use the right BBC DFS or Electron ADFS to run.

On the Electron ADFS side, the 2.1 ROM also has some very nice features:

1) Extensive Disc formatting facilities.

*FORM40, *FORM80, *FORM160 and *WFORM (for the Winchester) are available to handle any disc drive.

2) Disc verifying facilities.

- *VERIFIFY will check all disc sizes including Winchester for media defects.
- 3) Number of opened channels.

This is the star feature of Solidisk ADFS.

This facility (*OPEN) allows you to specify how many files will be opened in a program, thus maximising the available RAM while avoiding buffer page swapping as on the Acorn ADFS.

It leaves PAGE at &1900 for most programs, gives more room to View and Viewsheet and avoids unnecessary conversion work for many programs originated for the BBC DFS to be run on your Electron.

On the BBC DFS side, the STL ADFS 2.1 handles both single and double density and in addition, it supports:

- 1) Unlimited catalogue entries.
- 2) Unlimited filesize.

THE SOLIDISK 16k SIDEWAYS RAM:

Solidisk Sideways RAM is an almost indispensible add-on for the Electron with disc drives.

The Sideways RAM occupies the same memory area as the BASIC or ADFS ROM in the micro's memory map. This means that Sideways RAM can run almost any ROM type software,

including languages, utilities

and games.

Sideways RAM is notably invaluable to run games and specially "MEGAGAMES".

Games and programs run at 2MHz clock speed in Sideways RAM, if loaded into the Electron RAM, they can only run at 1MHz clock speed, ie half the speed of Sideways based games.

Megagames are too large to be run on the unexpanded Electron. They use extensively 8 colour high resolution screen (mode 2), background music, sound and

high speed sprites.

Solidisk supply free software to maximise the use of Sideways RAM on the Electron. These include Wordprocessor, Spreadsheet, Database, Toolkit, Machine Code Monitor, Printer Buffer, Sprites, Playtunes, Virtual Memory Processor, VDU Replay, Screen Effects, digitised pictures etc...

THE WINCHESTER SOCKET:

Solidisk has the most powerful Winchester system for the BBC computers and the Electron. The Winchester system can provide from 20 Megabytes to a theoretically possible 1300 Gigabytes of storage, directly on line with the Electron.

The same Winchester unit can be used on the BBC B, the BBC PLUS and the Electron without any change.

You can read more about it in BBC Micro User or in Acorn User Magazines. Price of a 20 Megabytes system is only £700.00+VAT (£805.00).



UPGRADE, 16K SIDEWAYS RAM NCHESTER FOR ONLY £59.00

SOLIDISK SPECIAL MITSUBISHI DISC OFFER:

This offer comprises:

— One 80 track Double Sided (640 kbytes) 3.5" Mitsubishi disc drive with its own PSU. Cased in beige.

 Solidisk EFS Disc Upgrade, 16K Sideways RAM and Winchester socket.

 One software package containing four 3.5" discs, detailed below.

Full one year guarantee and 2 manuals.

PRICE: £200.00

You can also order as many Megagame Packs at the same time as you like. Each Megagame Pack consists of three 3.5" discs and contains on average 20 games.

THE SOFTWARE:

The software contains everything to start a library: the big four (Database, Wordprocessor, Spreadsheet and Graphic), Utilities and Games.

Database:

Solidisk Database is very easy to understand and use. You are presented with a 15 option Menu. Each option will lead to a new Menu and so on. Mode 3, 80 column screen is used throughout so that what you see is what will be printed on paper. With Solidisk Database, you can create as many records as you like, each record can be up to 15 fields of up to 60 characters. You can sort, search, index, mailmerge, append, create subset, calculate etc. Solidisk use the same Database to process all your orders.


Wordprocessor:

Solidisk Wordprocessor is WYSIWYG type (What You See Is What You Get) and has all the commands of a professional tool. It features 80 column screen, on screen justification, page numbering, search and replace, word count, free space, Wordstar like editing commands: insert and overwrite, block mark, move, copy, delete, save, load to cursor, * commands etc...

Spreadsheet:

Solidisk Spreadsheet is also Menu driven and has the same file

structure as Solidisk Database. You can have as many rows and columns as you like, each column can be as small as two characters wide or as big as 70 characters. All maths functions are



supported. Recalculate, Replicate, Print, Print If, Sort, Search, Define Zone, Mailmerge, Text Input/Output etc... are included.

Toolkit:

Solidisk Toolkit is almost indispensible for Electron programmers, it has 24 star commands (Status, Rwipe, LVAR, Move, Search and Replace, Expand, Salvage, Keyload etc...).

ORDER FORM

PRICE LIST and ORDER FORM.

I IIICL LIC	of and Onders Com.	Tilce	1 GCI
Diskettes.			
Verbatim 3	.5" box of 10	£40.00	£1.00
Software Pa	ack	£10.00	£1.00
Solidisk EF	S	£59.00	£1.00
Disc Offers			
	bishi MF453 Disc Outfit	£200.00	£3.00
	itastic Offer	£310.00	£3.00
20 MB Win	chester system	£805.00	£10.00
		Total =	
Name:			
Address:			
-			
The state of the s			
Payment	Cheque	Cash or Postal Orders	
	Bank transfer	Other means.	
	Barclay Credit		
Card Accou	int:		
You can	0702-354 674		
also order	9AM-5.30PM		
by phone	21111 0.001 111		

SOLIDISK TECHNOLOGY LIMITED, 17 SWEYNE AVE, SOUTHEND ON SEA, ESSEX SS2 6JQ.

We reserve the right to change specifications and prices for improvements

* SEE SOLIDISK MODEM AND ELECTRONIC NETWORK AT THE ACORN SHOW! *

SOLIDISK LOCAL EXPERTS

We have people able to fit your equipment free of charge in all of the following towns. If your area is not mentioned, ring the office!

Dunstable, Leighton Buzzard, Reading, Peterborough, Penzance, Torquay, Wimborne, Basildon, Stroud, Southampton, Hoddesdon, Watford, Bexley, Margate, Rochdale, Boston, London (all areas), Oldham, Hunts Cross, East Dereham, Rushden, West Bridgford, Wantage, Bambury, Grimsby, Kingston, New Malden, Woking, Taunton, King Norton, Sutton Coldfield, Halesowen, Leamington Spa, Hassocks, Salisbury, Swallowne, Leeds, Huddersfield, Treowen Newtown, Newtownards, Co Fermanagh, Co Londonderry, Le Mesnil St Denis (France), Kalgoolie (Australia), Paramatta (New Sth Wales), Manawatu (New Zealand).

Short form price list.					
Qty Items.	Prices	P&P	SWR256+	£190.00	£1.00
For the BBC B:			640k Disc Offer	£200.00	£3.00
Sideways RAMs:			1.3MB Fantastic Offer	£340.00	£5.00
SWR32	£58.00	£1.00	Winchester Units same as above.		
SWR64	£85.00	£1.00			
SWR128	£135.00	£1.00			
CPU & Keyboard			For the ELECTRON:		
Case (both)	£30.00	£3.00	EFS	£59.00	£1.00
Solidisk DDFS.			Special Disc Offer	£200.00	£3.00
DDFS (with 1.9 ROM)	£40.00	£1.00	Winchester Units same as above.		
DDFS (with 2.0 ROM)	£45.00	£1.00			
DDFS (with 2.1 ROM)	£55.00	£1.00	Eprom Equipment		
DFDC (with 2.0 ROM)	£55.00	£1.00	Programmer	£20.00	£1.00
DFDC (with 2.1 ROM)	£65.00	£1.00	Eraser	£20.00	£1.00
Special Offers.			2764 × 5 new low price	£24.00	£1.00
640k Disc Offer	£200.00	£3.00	27128 × 3 new low price	£24.00	£1.00
1.3MB Fantastic Offer	£340.00	£5.00	Datalife Diskettes		
20MB Winchester	£805.00	£12.00	MD525 SS/DD	£17.00	£1.00
30MB Winchester	£1035.00	£12.00	MD557 2S/4D	£28.00	£1.00
40MB Winchester	£1265.00	£12.00	3.5" Datalife	£35.00	£1.00
60MB Winchester	£1495.00	£12.00	Misc.		
For the BBC PLUS:			65C02 with Software	£13.00	£1.00
SWR16+	£58.00	£1.00	Solimon-2 16k ROM	£13.00	£1.00
SWR64+	£85.00	£1.00	2.0 DFS 16k ROM	£15.00	£1.00
SWR128+	£135.00	£1.00	2.1 ADFS 32k ROM	£20.00	£1.00

SWR128+	£135.00	£1.00 2.1 ADFS 32k ROM	£20.00	£1.00
Total =				
lotal =				
Name:				
Address:				
Barclay/Access:				
We reserve the right to change	prices and specific	cations for improvement without not	ice.	
SOLIDISK TECHNOLOGY LIMITE	D, 17 SWEYNE AVE,	SOUTHEND-ON-SEA, ESSEX SS2 6JQ. T	EL. SOUTHEND (0702) 35467	4 (10 lines).

ULTIMATE GRAPHICS FOR THE BBC MICRO MODEL B

AMX PAINT POT DISC ONLY £14.95 WAT

Finalist for Peripheral of the Year...that's how successful the AMX MOUSE is. Supplied as a package with the superb ICON DESIGNER and AMX ART programs, it has proved enormously popular. Not to mention the recently launched AMX UTILITIES and AMX DESK. And now Advanced Memory Systems brings you an exciting new addition to the AMX software range — AMX PAINT POT! PAINT POT lets you fill in with colour any pictures you've made with AMX ART. Now you can bring your drawings to life with rich, vibrant colours. And with a palette of 256 different shades, you certainly won't be short of inspiration! The software even includes eight exciting pictures to start you off.

There' more, too. You can store up to twenty coloured illustrations in 'Picture Show' mode, which will then display your works of art in sequence, automatically or manually at the touch of a MOUSE



button

It's brand new...it's educational...and it's great fun! Don't miss this quality product from AMS; avoid the rush by ordering NOW.

AMX MOUSE PACKAGE


0

0

£89.95 VAT

Got your MOUSE yet? This amazing opto-mechanical device brings facilities once only available on the most expensive computers. Use it with any Model B fitted with the Operating System 1.2. It's compatible with the 6502 second processor, and disc or tape filing systems. Great for Wordwise + and View.


Also included are two superb graphics programs: AMX ART, which makes full use of windows, icons, menus & pointers; and ICON DESIGNER, for creating and storing icons for use in your own programs. The complete AMX MOUSE package includes Disc, Cassette, Two manuals, EPROM and of course the MOUSE.





AMX DESK

DISC ONLY £24.95 INC




DIARY ALARM MEMO PAD CALCULATOR ADDRESS BOOK TELEPHONE BOOK

Get organised at home or in the office with AMX DESK. Main screen shows a desktop with header offering SYSTEM, FILE, EDIT and additional menus. Point your MOUSE to select these invaluable aids: MEMO-PAD for up to 3 pages of text, TELEPHONE/ADDRESS BOOK with 200 or 400 scrolling entries, DIARY with 3 months' calendar, or ALARM to remind you of appointments. And bring a full-function CALCULATOR on-screen at any time. Any window can be dumped to your printer at the touch of a button. You'll wonder how you ever managed without DESK!

AMX UTILITIES

DISC ONLY £14-95 UNC



ZOOM ICON USER ROTATE/REFLECT PATTERN DESIGNER

AMX UTILITIES is another excellent program with a host of graphics features. There's a zoom facility for accurate amendments to your drawings: one dot becomes a character. You can also move, copy, rotate and reflect; enhance circles; draw ellipses and arcs; and print icons. Borders can be added, and pictures stripped and centred for saving and printing.

All these exciting products are available from good computer dealers. Or POST-FREE from Advanced Memory Systems Ltd, Green Lane, Appleton, Warrington WA4 5NG. Please send cheque or PO. For instant ACCESS or VISA orders, Ring (0925) 62907/602690.

FOR THE LARGEST RANGE OF ACORN & BBC PERIPHER

DISK DRIVES

CUMANA

		-			•	_	7	•	-	۰	۰	•	-	۰	•	۰	•	-	-		
CSXL10	0	ŧ,																	 £	99	.95
CSX100																			£1	09	.95
0011000																					
CSX200	U					*											×	×	£1	29	.95
CSX400																			£1	49	.95
CS100		ij	ï	ľ	ï	ı	í	ï	8										£1	29	95
CS200D																			£1	59	.95
CS400S																			£1	79	.95
CS100E																			£1	23	45
CD200								,											12	49	.95
CD800S								4	2										£3	29	.95
351				٠				×				*							EI	69	.95
354																			63	29	95
00		*	*			*					*	*		*	*	*			Au de	~	

OPUS

5401												£1	49	.95
5402														
DDOS.												. £	99	.95

ACORN

	Single	
Acorn	Dual Drive	£499.00
Acorn	Plus 3	£229.00

DISK INTERFACES

Acorn DNFS ROM	£20.60
Acorn Disk Interface Kit	£97.00
Acorn Electron 31/2" DD I/F	229.00
Opus Dual Density I/F	£99.95
Cumana Electron Disk I/F §	114.95

DISKS & ACCESSORIES

AND THE TOTAL OF THE PERSON O	A CONTRACTOR
3M SSDD (10 Pack)	£28.52
3M DSDD (10 Pack)	£41 40
3M SSDD 80 Track	
(10 Pack)	643 70
3M DSDD 80 Track	. L43.70
(10 Pools)	CEO CO
(10 Pack) Memorex 3½" SSDD (Single).	. £50.60
Memorex 31/2 SSDD (Single).	£6.95
Memorex SSDD (Twin Pack)	£5.95
Memorex SSSD (Twin Pack)	£4.95
Memorex SSSD (10 Pack)	£22.95
Memorex SSDD (10 Pack)	£24.95
Memorex DSDD (Twin Pack)	£6.95
Memorex DSDD (10 Pack)	£29.95
Memorex SSQD 96 tpi	
(10 Pack)	£32 Q5
Memorex DSQD 96 tpi	. 202.33
(10 Pack)	COE OF
Elephant - List Range	. £35.95
	004.05
Cumana DSDD 80 Track	£24.95
Sony 31/2" DS Diskette	222.22
(10 Pack)	£69.00
Maintenance Disk	
Cleaning Kit	£22.94
DG 51/4" Disk Cleaning Kit	£22.94

JOYSTICKS

Shado J/S (Pair)£16.95
Spectravideo QS Mk I £9.95
Kempston Formula I for BBC £16.95

Not all stores carry every advertised item, please phone before making a journey.

Acorn Games

7.25

Reg. £59.80

Sale Price £39.80

Acorn View Word Processor SAVE

QFS Cumana Quad Density Filing System for BBC

Reg. £79.95

£69.95



Electron Price £59.95 Plus One Interface

£49.95



RD Digital racer



JOYSTICK

Aztec Pro-Link BBC J/S I/F	£9.95
First Byte Electron J/S I/F	£19.95
Power Electron J/S I/F	£24.95
Computerama J/S I/F	£12.95

RAM PACKS & EXPANSIONS

BBC 2nd Processor 6502 £199.00
BBC 2nd Processor Z80 £399.00
Computer Village
BBC 16K Exp £49.95

BOOKS &

BBC Lisp Book	27.50
Electron Forth Book	6.50
BBC Graphics Book £7.50	21.95
BBC Graphs & Charts £7.50	
Acorn Utilities Disc & Manual £3	34.50
Acorn 80 Track Utilities	
Disc & Manual£3	34.50

SOUND & SPEECH UNITS

Acorn Speech Upgrade	£55.00
Acorn Music Synth 500	£199.00
Cheetah Sweet Talker	£24.95

MONITORS

AVT Amber Screen	£109.95
Fidelity CM14	
Fidelity CM14 to BBC Lead .	
Microvitec Cub 452	
1431/DS	£249.00

REPLACEMENT DATA RECORDERS

Acorn Data Recorder of BBC Electron	£39.00
Shado BBC Compatible Recorder	
Omega Data Recorder — Free Azimuth Tape	£24.95
Sanyo Slim II	£34.95
Azimuth Calibration Tape DK Tronics Panther Lead Viscount BBC to Centronics	£12.95
Printer Lead	£14.95

COMPUTER

A TANK OF THE PARTY OF THE PART	THE RESERVE OF THE PARTY OF THE
Shincrest 450	£59.85
Shinecrest 500	£54.95
Shinecrest 600	£65.00

See Opus Model 10 Special Offer on opposite page

Prices correct at time of going to press E&OE.

PRINTERS: Canon Juki Brother Quendata Panther AVT Star

Product	Regular Price	Sale Price	SAVE
Brother HR15	£458.85	£399.00	over £59
Brother M1009	£235.76	£199.99	over £35
Brother HR5	£149.00	£99.00	£50
AVT 100 Beta	£265.00	£199.00	£66
Canon PW1080A	£349.00	£329.00	£20
Quendata DMP1100	£269.99	£229.99	£40
Quandata DWP1120	£324.99	£269.99	£55
Juki 2200	£343.85	£329.85	£14
Juki 6100	£399.00	£369.00	£30
Panther 1	£319.70	THE RESERVE OF THE PARTY OF THE	
Panther 2	£366.93		Complete State
Star SD10	£447.35	以 然為學學之一,因此學學學	MANAGEMENT OF THE PARTY OF THE
Star SG10	£297.85	元人,200 0年,1000年	

MODEMS

Teletext Receiver £225.00

Prestel Receiver £139.00

Opus Model 10 Computer Work Station £230.00 Sale Price £149.95

United Disk Memories Disk Interface Chips for BBC

Reg. Price £99.95 Sale Price

£59.95

ACCESSORIES

RH Light Pen for BBC £49.95 **Bowthorpe Surge** Protector £11.95

Your Computer Specialist Nationwide

AVON

Tel: (0225) 61676 WESTON-S-MARE K & K Computers. 32 Alfred St Tel: (0934)419324

BEDFORDSHIRE

BIGGLESWADE HCCS Ltd. 22 Market Sq., Tel: (0767) 318844 DUWSTABLE Dormans 7-11 Broad Walk Tel: (0582) 65515 LEIGHTON BUZZARD DJ Computers & Cameras Ltd. 17 Bridge St. Tel: (0525) 383929 LUTON Terry-More, 49 George St. Tel: (0582) 23391/2

BERKSHIRE

BRACKNELL Computer Centre, 44 The Broadway Tei (0)144) 427317 READIME Reading Video Centre, 73 Whitley St. Tei. (0734) 751690 SIBUSH MU Games and Computers 245 High St. Tei. (0753) 21594

BUCKINGHAMSHIRE

CHESNAM Reed Photography & Computers, 113 High St. Tel. (0494) 783373

CAMBRIDGESHIRE

HUNTINGOON T.S.C. Electronics, 3 All Saints Passage, High St. Tel. (0480) 411579

CHANNEL ISLANDS

GUERNSEY Gruts, 3-5 The Pollett, St. Peter Port Tel: (0481) 24682 JERSEY Audio & Computer Centre. 7 Peter St. St Helier. Tel: (0534) 74000

CHESHIRE

ALTRINCHAM Mr Micro 28 High St Tel (061) 941 6213 CHESTER Computer Link, 21 St. Werburgh St. Tel (0244) 316516 WARRINGTOR Pyramid Micros, Cairo St. Tel (0925) 35713.

CORNWALL

ST AUSTELL A B & C Computers, Duchy House, 6 Lower Aylmer Sq. Tel: (0726) 67337

CUMBRIA

BARROW IN FURRESS Cumbria Audio Visual & Electrical (C.A.V.E.). 48 Cavendish Street Tel. (0.2.2). 29.109 FURRITH Pernith Communications, 14 Castlegate Tel. (0.768). 67.146 Open Mon-Fin till Spin WHITEMAREN P. D. Hendren 15 King St. Tel. (0.946). 2063

DERBYSHIRE

ALFRETON Gordon Harwood 69-71 High St Tel: (0773) 832078

DEVON

BRIXAM Discus Computers, Beach Approach, Tel: (08045) 555.32 EUETER Seven Counties (Computers) Ltd., 7 Pans Street, Tel: (0392) 211211 PLYMOUTS VANAL Ltd. 76 Communit St. Tel: (0752) 28705 TIMEATOM ACTOR Micro Computers, 37 Bampton St. Tel: (0884) 252854

DORSET

BOURNEMOUTH Lansdowne Computer Centre, 1 Lansdowne Crescent Tet (0/20/2 990165 DORCHESTER Seven Counties Cptrs. 20 High Street East Tet (0/305) 66022 PROLE Lansdowne Cptr Centre 14 Arndale Centre Tet (0/202) 670901

FSSFX

BASILDON Godfrey's 28-32 East Walk, Tel: (0268) 289379 Tel: (10268) 289379

BASSLIDBN Godfrey's Computer Centre. 5 Laindon
Main Centre Laindon. Tel: (10268) 416747

CRELINSFORM Maxton Hayman. Ltd.
5 Broomfield Rif Tel: (10245) 354595

BRATS H Reynolds. 7 9 Drisett Rd.
Tel: (10375) 5948 **SOUTHEND** Computer Centre 332 London Rd. Tel: (0702) 337161

HAMPSHIRE

PORTSMOUTH (Waterlooville) G B Microland, London Rd. (Opp. Co-op) Tel. (0705) 259911 SOUTHAMPTON LTC. Ltd. 112 East St. Tel. (0703) 333958/24703

HERTFORDSHIRE

STEVENAGE D J Computers, 11 Town Square Tel (0438) 65501 WATFORD SRS Microsystems Ltd. 94 The Parade. High St. Tel. (0923) 26602 WELWYN SARDEN CITY D. J. Computers, 40 Fretherne Rd., Tel. (07073) 28435/28444

HUMBERSIDE

BEVERLEY Computing World, 10 Swaby's Yard Dyer Lane, Tet (0482) 881831 ENIMSSY RC, Johnson Ltd, 22 Friargate, Riverhead Centre, Tet (0472) 42031 WBL The Computer Centre, 26 Anlaby Rd. Tet (0482) 26237

ISLE OF MAN

DOUGLAS T H Colebourn Ltd., 57-61 Victoria St. Tel. (0624) 3482

ISLE OF WIGHT

COWES Beken & Son 15 Bath Rd Tel: (0983) 297181

KENT

BECKENNAM Supa Computers Ltd. 425 Croydon Rd., Tel: (01) 658 8800 Rid. Tet. (01) 558 8800 CAMTFEBURY Controller Centre, 56-57 Palace Street, Tet. (0227) 62101 DOYER Kent Photos 5 Computers. 4 King St. Tet. (0304) 202020 RAINHAM Microway Computers Ltd., 39 High St. Medway Towns, Kent Tet (0634) 376702 SITTINBBUBNE Computers Plus, 65 High St. Tet. (10294) 5761

TUMBRIDGE WELLS Modata Computers Ltd 28-30 St Johns Rd. Tel: (0892) 41555

LANCASHIRE

PRESTON 4-Mat Computing Ltd. 67 Friargate Tel. (0772) 561952

LONDON

EN Percivals, 85 High St. North, East Ham.
Tel (01) 472 8941
E17 Erol Computers Ltd. 125 High Street
Walthamstow Fel (01) 520 7763
E62 Devino Computer Centre. 155 Moorgate
Fel (01) 460 238391/830
E62 Castelmars Ltd. 1791 High Rd.
E62 Castelmars Ltd. 1791 High Rd.
E63 (01) 460 2280
E64 (01) 460 2280
E65 (01) 460 2280
E65 (01) 460 2280
E65 (01) 460 280
E65 (01) 4

MANCHESTER

SWINTON Mr Micro Ltd., 69 Partington Lane. Tel. (061) 728 2282 Late Night Enday. WISAN Wilding Ltd., 11 Mesnes St. Tel. (0942) 44382

MERSEYSIDE

LIVERPOOL (Aintree) Hargreaves, 31-37 Warbreck Moor, Tel. (051) 525-1782

NORFOLK

KING'S LYNN Computer Plus 40 Conduit St. Tel. (0553) 774550 NRRWIGK Norwich Camera Centre 20 White Lion. Str. Tel. (0503) 512537 NRRWIGK Spectrum. 11A Castle Meadow Tel. (0603) 653796 THETFORD C B & Micros. 21 Guildhall Street. Tel. (0842) 61645

NORTHAMPTONSHIRE

NORTHAMPTON Dormans, 22 Princes Walk Grosvenor Centre, Tel. (0604) 37031

NOTTINGHAMSHIRE

NOTTINGHAM Jacobs Computers, 13 Middlegate Newark, Tel: (0636) 72594 WORKSOP Computagrafix, 132 Bridge St. Tel: (0909) 472248

NORTHERN IRELAND

MEWRY Newry Computer Centre 34 Monaghan St. Tel. (0693) 66545

NORTHUMBERLAND

MORPETN Telerents 31 Newgate St. Tel. (0665) 513-537

SCOTLAND

ABERDEEN Dee Micro 278 George Street
Tel: (0224 | 644350
CUMBERNAUD Sortwarehouse: 12 Ettrick
Square, Cumbernaud; Lanarkshire
Tel: (02367) 389999
DUNDEE Micromana 50 Gray St. Boughty Ferry
Tel: (0382) 771-084son Computers; 8-12
Cautrow St. Tel: (0569) 283133

SHROPSHIRE

SHREWSBURY Computerama.
13 Castlegate Tel (0743) 60528
TELFORD Computer Village, 4 Hazeldine House
Telford Town Centre. Tel (0952) 506771

SOMERSET

TAUNTON Grays, 1 St James St Tel (0823) 72986

SUFFOLK

BURY ST EDMUNDS Guildhall Cptr Ctr. 11 Guildhall St Tel (0284) 705772

CROYOUN Vision Technology Ltd. 53/59 High Street Tel. (01) 681 3022 PEPSON The Micro Workshop. 12 Station Approach Tel. 003/27/21533 WALLINSTON SURRY Micro Systems Ltd. 53 Woodcote Rd Tel. (01) 647 5636 Wowldood Rd Tel. (01) 647 5636 WWKIRE Harpers, 7.173 Commercial Way Tel. (04862) 25657

SUSSEX

BEXNILL-ON-SEA Computerware, 22 St Leonards Rd Tet (0424) 223340 BOGNOR REGIS Bits & Bytes High Str Tet (0243) 867143 BRIGHTON Gamer 71 East St. Tet (0273) 728681

WALES

CARDIFF Randall Cox, 18-22 High St Arcade. Tet: (0222) 31960 WREXHAM Wrexham Computer Centre, 24 Abbot St, Clywd Tet (0978) 358832

WARWICKSHIRE

NUNEATON Micro City 1.A Queens Road Tel: (0203) 382049

WEST MIDLANDS

COVENTAT Greens, 22 Market Way. Tel. (1903) 28342 DBUEST Central Computers, 35 Church Hill Precinct. Tel. (1934) 238150 MALSALL New Horizon Computer Centres, 1 Goodal St. Tel. (1992) 24821 WEST 8808WICE Rell. 8 Jones, 39 Queens Square Tel. (1921) 553 0820

WORGESTER

KIDDERMINSTER Central Computers, 20-21 Blackwell Street, Tel. (0562) 746941 WORCESTER David Waring Ltd., 1 Marmion House High St. Tel. (0905) 27551

YORKSHIRE

BRABFORD Empire Electrio Centres Ltd., Victoria Shopping Centre 441 Thornton Rd.
En (10774) 492190
BRABFORD Ernicks, Fotosonic House Raswon Sogians Tel (10724) 3092666
LEBES Micro Power Ltd. Northwood House. North St. 1et (10524) 3545800 world.
BRITERIAN CO. Lesserword 1090 67391
BREFFILE BSE Computers Ltd. 202
Wintham Rd. Broomhill Tel. (0742) 68251
SMEFFILE BSE Computers Ltd. 202
Wintham Rd. Broomhill Tel. (0742) 68251
Let (0742) 661328
TORK YOK COMPUTER STE SECLESIAI Rd. 1et (0742) 661328

Tel (0742) 661328 YORK York Computer Centre 7 Stonegate Arcade Tel (0904) 641862




*There's up to £1,000 worth of Instant Credit available on a Spectrum Chargecard. See your local SPECTRUM for written details (UK mainland only). Typical APR 29.8%.





Spectrum Computer Centres have no connection whatsoever with the ZX-Spectrum Computer manufactured by Sinclair Research Ltd.



Nice Password. Shame about the Identity.

It's a unique combination.

Your Special Identity Number and Personal Password. The valuable key to huge databases teeming with activity, set on our Mainframes across the nation.

On Micronet 800, you're a valued individual, adding your own special flavour and personality to the database.

Take our exciting new "Gallery"-You control your personal screens for all to see. The intriguing "Chatline" public conversation service gives you freedom to express your views and meet some remarkable people.

All part of a tremendous Communications section that networks you to 60,000 Micronet and Prestel users across the country. Try Teleshopping, or interview celebrities live on "Celebrity Chatline" every Wednesday night.

And there's FREE (& instant) National Electronic Mail, plus International Telex, and the Contact and SwapShop bulletin boards.

Get computer news first on Micronet's daily (and controversial)


"Newsflashes" and read up on the latest reviews and courses. Feast from our regularly changing menu of programs to download straight into your micro - absolutely free.

You also get access to Educational Computing's "School Link" and Prestel's huge 300,000 page database, including world news, business & share bulletins and optional homebanking. For only £16.50 per quarter, that's less than the price of a daily paper!

Micronet is unique amongst networks and bulletin boards as it keeps your phone costs very low with special local* rate calls whenever you connect up – that's around 40p for a whole hours entertainment each evening.

The only accessory you need is a Modem, to get the best value for money around in micro communications.

Fill in the coupon for the full facts and send to Micronet 800, 8 Herbal Hill, London EC1R5EJ. But be warned, Micronet 800 is a 'living' service with ever-expanding features. So maybe you'd be better to call in at your local Micronet 800 Action Station. There are thousands of Micronetters waiting to meet you!



SEE MICRONET 800 IN ACTION

At selected Boots, Laskys, John Lewis & your local computer store

AVON

Bath. Boots, 1 Marchants Passage,
Southgate. Tet 0,225 64402.
Bristol. Boots, 59 Broadmead.
Tet 0272 293631.
Weston Super Mare. Peter
Castell Ltd, 28 Orchard Street.
Tet: 0934 24778.

Bedford, Boots, The Harpur Centre, Harpur Street. Tel: 0234 56231. Bedford. Software Centre, 52a Bromham Road, Tel: 0234 44733. Leighton Buzzard. DJ Computers 17 Bridge Street, Tel: 0525 383929. Luton. Boots, 82-86 Arndale Centre Tel: 0582 20592.

Tel: 0582 20592.

BERKSHIRE

Slough. Boots, 178-184 High
Street, Tel: 0753. 27267.

Maidenhead. Boots, 54-58 High
Street. Tel: 0628 27892.

BUCKINGHAMSHIRE

Milton Keynes. Boots,
18 Crown Walk, Secklow Gate Wes
Tel: 0908 607327.

Tel: 0908 607327. Depson Business Systems, 65 Aylesbury Street, Bletchley. Tel: 0908 367446. Aylesbury. Boots, 69-70 Friars Square. Tel: 0296 83661. Chesham. Reed Photo & Computers, 113 High Street. Tel: 0494 783373.

Cambridge. Boots, 65-67 Sidney Street and 28 Petty Curry Street. Tel: 0223 350213 Tel: 0223 350213
Cambridge Cambridge Computer
Store, 4 Emmanuel Street.
Tel: 0223 358264
Peterborough. Boots, 40-42 Bridge
Street. Tel: 0733 65352.
Peterborough. Logic Sales,
Unit 6 Midgate Parade,
Tel: 0733 49696. Tel: 0733 49696. **St Neots.** Compute, 3 Cross Keys. Tel: 0480 72013

Keys. Tel: 0480 72013

CHESHIRE

Chester. Boots, 47-55 Foregate
Street. Tel: 0244 28421
Chester. Computer Link, 21 St.
Werburgh Street. Tel: 0244 316516.
Crewe. Midshires Computer
Centre, 57 Earle Street.
Tel: 0270 589191.
Macclesfield. Computer Centre,
68 Chestergate. Tel: 0625 618827.
Warrington. Boots, 39-45 Bridge
Street. Tel: 0925 574825.

CLEVELAND

CLEVELAND
Middlesborough. Boots,
88-90 Linthorpe Road, The
Cleveland Centre. Tel: 0642 249616
Darlington. Darlington Computer
Shon, 75 Bondeate. Shop, 75 Bondgate. Tel: 0325 487478.

CORNWALL
St. Austell. AB&C Computers,
Duchy House, 6 Lower Aylmer
Square, Tel: 0726 64463.
Bodmin. Microtest,
18 Normandy Way,
Tel: 0208 3171/3182

CUMBRIA
Kendal. The Kendal Computer Centre, Stramongate. Tel: 0539 22559. Tel: 0539 22559, Whitehaven. PD Hendren, 15 King Street. Tel: 0946 2063. Workington. Technology Store, 12 Finkle Street. Tel: 0900 66972. Tel: 0900 66972. Penrith. Penrith Communications, 14 Castlegate. Tel: 0768 67146.

DERBYSHIRE
Alfreton. Gordon Harwood,
69-71 High Street. Tel: 0773 836781.
Chesterfield. Boots, 35-37 Low
Pavement, Market Place.
Tel: 0246 203591. Derby, Boots, 1 Devonshire Walk, Tel: 0332 45886. Derby, First Byte Computers, 10 Main Centre, London Road. Tel: 0332 365280.

DEVON

Exeter. Boots, 251 High Street, Tel: 0392 32244. Exeter. Open Channel, Central Station, Queen Street. Tel: 0392 218187. Tel: 0392 218187.

Paignton. Computer Systems Ltd, 35 Hyde Road. Tel: 0803 524284.

Plymouth. Syntax, 76 Cornwall, Street. Tel: 0752 28705.

Plymouth. Computer Base, 21 Market Avenue. Tel: 0752 2672128.

Plymouth. Boots, 2-6 New George Street. Tel: 0752 266271.

Seaton. Curtis Computer Services, Seaton Computer Shop, 51c Harbour Road. Tel: 0297 22347.

Tiverton. Actron Microcomputers. Tiverton. Actron Microcomputers, 37 Bampton Street. Tel: 0884 252854.

DORSET

Bournemouth. Lansdowne
Computer Centre, 1 Lansdowne
Crescent. Lansdowne. 0202 20165.

Dorchester. The Paper Shop, Kings Road. Tel: 0305 64564. Poole. Lansdowne Computer Centre, 14 Arndale Centre. Tel: 0202 670901.

Tel: 0202 670901.

ESSEX

Basildon. Basildon Software
Centre, 78-80 Liberty Shopping
Hall, East Square. Tel: 0268 27922.

Braintree. Mirage Micros,
24 Bank Street. Tel: 0376 48321.
Chelmsford. Maxton Hayman,
5 Broomfield Road. Tel: 0245 354595.
Colchester. Boots, 5-6 Lion
Walk. Tel: 0206 577303.
Colchester. Colchester Computer
Centre, 3a Short Wyre Street.
Tel: 0206 47242.

Grays. H. Reynolds, 79 Orsett Grays. H. Reynolds, 79 Orsett Road. Tel: 0375 5948. Grays. H. Reynolds, 79 Orsett
Road. Tel: 0375 5948.

Harlow. Harlow Computer Centre,
17 Staple Tye. Tel: 0279 22846.

Hornchurch. Comptel Computer
Systems, 112a North Street.
Tel: 0402 446741.

Ilford. Boots, 177-185 High Road.
Tel: 01-553 2116.
Romford. Software Plus,
72 North Street. Tel: 70 65271.
Southend-on-Sea. Computerama,
88 London Road. Tel: 0702 335443.
Southend-on-Sea. Computer Centre, 336 London Road.
Tel: 0702 337161.
Southend-on-Sea. Estuary
Personal Computers, 318 Chartwell
North, Victoria Circus Shopping
Centre. Tel: 0702 614131.

GLOUCESTER

Centre. Tel: 0702 614131.

GLOUCESTER

Cheltenham. Screen Scene, 144 St Georges Road. Tel: 0242 528979.
Gloucester. Boots, 38-46 Eastgate Street. Tel: 0452 423501.
HAMPSHIRE

Basingstoke. Boots, 15 Old Basing Mall. Tel: 0256 51611.
Bournemouth. Boots, 18-20
Commercial Road. Tel: 0202 21713.
Fareham. Electroneguin, 36-38 Bournemouth. Boots, 18-20
Commercial Road. Tel: 0202 21713.
Fareham. Electronequip, 36-38
West Street. Tel: 0329 230670.
Fareham. Boots, 21 Westbury
Mall. Tel: 0329 232011
Portsmouth. Micro Choice,
159 Havant Road, Drayton.
Tel: 0705 327591.
Portsmouth. RDS Electrical
(Portsmouth) Ltd, 157-161
Kingston Road. Tel: 0705 812478.
Portsmouth. Boots, 194/204
Commercial Road, Tel: 0705 825248.
Southampton. Boots, 23-29
Above Bar Street. Tel: 0703 333983.
Waterlooville. GB Microland,
7 Queens Parade, London Rd.
Tel: 0705 259911.
HERTFORDSHIRE

Tef: 0705 259911.

HERTFORDSHIRE

Potters Bar. The Computer Shop. 197 High Street. Tel: 0707 44417.

Stevenage. DJ Computers, 11 Town Square. Tel: 0438 65501.

Watford. SRS Microsystems, 94 The Parade, High Street. Tel: 0923 26602.

Welvyn Garden City. DJ Computers. 40 Fretherne Road. Tel: 96 28444

HUMBERSIDE

HUMBERSIDE
Beverley. Computing World,
10 Swabys Yard, Dyer Lane.
Tel: 0482 881831. Tel: 0482 881831.
Grimsby, R.C. Johnson Ltd,
22 Friargate, River Head Centre,
14 0472 42031.
Hull. Boots, 48-58 Prospect
Centre. Tel: 0482 22334.
Hull. Computer Centre, 26 Analby
Road. Tel: 0482 26297.

ISLE OF MAN
Douglas. T.H. Colebourn, 57-61 Victoria Street. Tel: 0624 73482.

KENT
Ashford. DGH, 10 North Street. Tel: 0233 32597.

Beckenham. Supa Computers, 425 Croydon Road.
Tel: 01-650 3569.

Tel: 01-650 3569.

Bromley. Boots, 148-154 High Street. Tel: 01-460 6688.

Chatham. Boots, 30-34 Wilmott Square, Pentagon Centre. Tel: 0634 405471.

Gravesend. Gravesend Home Computers, 39 The Terrace. Tel: 0474 28871.

Folkstone. Boots, 24-26 Sandgate Road. Tel: 0303 54007

Maidstone. Boots, 56-62 King Street. Tel: 0622 33912.

Maidstone. Kent Micros. 52 Union.

Maidstone. Kent Micros, 52 Union Street. Tel: 0622 52784. Rainham. Microway Computers, 39 High Street. Tel: 0634 376702. Sevenoaks. Ernest Fielder

Sevenoaks. Ernest Fielder Computers, Dorset Street. Tel: 0732 456800. Shortlands. The Village House of Computers, 87 Beckenham Lane. Tel: 01-460 7122. Sittingbourne. Computer Plus, 65 High Street. Tel: 0795 25677. Tunbridge Wells. Boots, 7-11 Calverley Road. Tel: 0892 26486.

Tunbridge Wells. Modata Computer Centre, 28-30 St. Johns Road. Tel: 0892 41555.

Road. Tel: 0892 41555.

LANCASHIRE
Blackpool. Boots, 28-38 Bank Hey
St & Victoria St. Tel: 0253 22276.
Blackpool. Blackpool Computer
Store, 179 Church Street.
Tel: 0253 20239.
Bolton. Computer World UK.
208 Chorley Old Road.
Tel: 0204 494304
Burnley. IMO Computer Centre,
39-43 Standish Street.
Tel: 0282 54299.
Lancaster. Northern Lights.

Lancaster. Northern Lights, 89 Scotforth Road. Tel: 0524 62634. Preston. 4Mat Computing, 67 Friargate. tel: 0772 561952, Rochdale. Boots, 50 Market Way. Tel: 0706 53225.

LEICESTERSHIRE LEICESTERSHIRE
Leicester. Boots, 30-36 Gallowtree
Gate. Tel: 05033 21641.
Leicester. DA Computers
104 London Road. Tel: 0533 549407.
Market Harborough. Harborough
Home Computers. 7 Church Street.
Tel: 0858 63056.

Home Computers. 7 Church Street
Tel: 0858 63056.

LONDON
W1. Computers of Wigmore
Street, 104 Wigmore Street.
Tel: 01486 0373.
W1. Galaxy. 230 Tottenham
Court Road. Tel: 01-636 6500.
W1. Sonic Foto Micro Center,
256 Tottenham Court Road,
Tel: 01-580 5826.
W1. Tomorrows World Today,
27 Oxford Street. Tel: 01-439 7799.
WC1. Transam Micro Systems,
59-61 Theobalds Road.
Tel: 01-495 5240.
W8. Boots, 127a Kensington High
Street. Tel: 01-937 6882.
SE7. Vic Oddens Micros,
6 London Bridge Walk.
Tel: 01-403 1988.
SE15. Castlehurst Ltd, 152 Rye
Lane, Peckham. Tel: 01-639 2205.
EC2. Devron Computer Centre,
155 Moorgate. Tel: 01-638 3339.
N14. Logic Sales, 19 The Bourne,
The Broadway, Southgate,
Tel: 01-803 4942.
N22. Boots, 38-40 High Road,
Wood Green. Tel: 01-81 10101.

The Broadway, Southgate, Feb 01-882 4942.

N22. Boots, 38-40 High Road, Wood Green. Teb 01-881 0101.

NW4. Davinci Computer Store, 112 Brent Street, Hendon. Teb 01-202 2272.

NW4. Boots, Brent Cross
Shopping Centre. Teb 01-202 5256/7.

NW11. Computers Inc, 86 Golders Green. Teb 01-209 0401.

GREATER MANCHESTER
Altrincham. Boots, 13-17
George Sreet. Teb 061-366 8223
Manchester. Boots, 32 Market Street. Teb 061-366 8223
Manchester. Mighty Micro, Sherwood Centre, 268 Wilmslow Road, Fallowfield. Teb 061-224 8117.
Manchester. NSC Computer Shops, 29 Hanging Ditch.

Manchester. NSC Computer Shops, 29 Hanging Ditch. Tel: 061-832 2269. Marple. Marple Computer Centre, 106 Church Lane. Tel: 061-449 9933. Oldham. Home & Business Computers, 54 Yorkshire Street. Tel: 061-633 1608. Oldham. Boots, 1 Town Square Shopping Centre. Tel: 061-624 2525 Stockport. National Micro Centres, 36 St. Peters Gate. Tel: 061-429 8080

Tet 061-429 8080

MERSEYSIDE

Liverpool. Hargreaves, 31-37
Warbreck Moor, Walton.
Tet 051-525 1782.
St Helens. Microman Computers,
Rainford Industrial Estate, Mill
Lane, Rainford. Tet 0744 885242.
Southport. Boots, 31-39 Chapel
Street. Tet 0704 33907.
St. Helens. Boots, 8 Church
Street, 24 La Grange Arcade.
Tet 0744 25488.

MIDDLESEY

MIDDLESEX
Harrow. Camera Arts, 42 St.
Anns Road, Tel: 01-427 5469.
Hounslow. Boots, 193-199 High
Street. Tel: 01-570 0156.

Hounslow, Boots, 197-197 right Street. Tet 01-570 0156.

Southall. Twillstar Computers Ltd, 7 Regina Road. Tet 01-574 5271.
Teddington. Andrews, Broad Street. Tet 01-977 4716.

Twickenham. Productive Computers Ltd, 72 Heath Road. Tet 01-891 4991.
Uxbridge. JKL. Computers, 7 Windsor Street. Tet 0895 51815.

NORFOLK.

NORFOLK.

Norwich. Adams, 125-129 King Street. Tet 0603 22129.
Thetford. Thetford CB & Micros, 21 Guildhall Street. Tet: 0842 61645.

NOTTINGHAMSHIRE

Mansfield. Boots, 39 Four Seasons Shopping Centre, Tet 0623 23089.

Nottingham. Boots, 11-19 Victoria Centre. Tel: 0602 470676. Nottingham. Telstar, 280 Huntingdon Street. Tel: 0602 505585. Worksop. Computer Graphix, 32 Bridge Street. Tel: 0909 472248.

NORTHAMPTONSHIRE NORTHAM: ASS Gold Street. Tel: 0536 514675. Northampton. Boots, 9 The Parade. Tel: 0604 22573

NORTHUMBERLAND
Morpeth. Telerents (Northern)
Ltd, 31 New Gate Street.
Tel: 0607 513537.

OXFORDSHIRE
Abingdon. Ivor Fields
Computers, 21 Stert Street,
Tel: 0235 21207. net U.55 21.807.

Banbury. Computer Plus,
2 Church lane. Tel; 0.295 55890.

Oxford. Science Studio, 7 Little,
Clarenden Street. Tel: 0.865 540.22.

Oxford. Absolute Sound and Video,
19 Old High Street, Headington,
Tel: 0.865 65661.

Tet: 0865 8560.
SCOTLAND
Aberdeen. Boots, 133-141 Union Street. Tet: 0224 585349.
Dundee. Boots, 49-53 High Street, Tet: 0382 21756.
Edinburgh. Boots, 101-103 Princes Street. Tet: 031-225 8331.
Bdinburgh. Microworld Computer Group, 12 Leven Street. Tet: 031 228 1111
Edinburgh. Edinburgh. Computers. Tet 631 228 1111
Edinburgh. Edinburgh Computers, 51-57 Lothian Road.
Tet 031 229 4418.
Edinburgh. Silicon Centre, 7 Antigua Street. Tet 031 557 4546.
Glasgow. Boots, 200 Sauchiehall Street. Tet 041 332 1925.
Glasgow. Microworld Computer Group, 11 Bath Street.
Tet 041 332 1116.
Glasgow. Roots. Linion Street and Glasgow. Roots. Linion Street and Group, 11 Sath Street.
Tel: 041 332 1116.
Glasgow. Boots, Union Street and Angyle Street. Tel: 041 248 7387.
Glasgow. Tom Dixon Cameras, 15-17 Queen Street.
Tel: 041-204 0826.
Glasgow. Commscot Ltd,
30 Gordon Street. Tel: 041 226 4878.
East Kilbride. Boots, 33-37 The Plaza. Tel: 035 52 20629.
Palkirk. Boots, 79-91 High Street. Tel: 0324 20535.
Hamilton. Tom Dixon Cameras, 8 Cadzou Street. Tel: 0598 283193.
Peterhead. North East
Computers. 1 Ellis Street.
Tel: 0779 79900.

Tet: 0779 79900.
SHROPSHIRE
Shrewsbury. Computerama,
13 Castlegate. Tet: 0743 60528.
Tetiford. Computer Village,
2/3 Hazeldine House, Central
Square. Tet: 0952 506771.
Telford. Telford Electronics,
38 Mall 4. Tet: 0952 504911.
SOMERSET
Taunton. Boots, 64-65 High
Street. Tet: 0823 76061.

STAFFORDSHIRE
Newcastle-under-Lyme.
Computer Cabin, 24 The Parade,
Silverdale. Tel: 0782 636911.
Stoke on Trent. Town Computer
Store, 30 Town Road, Hanley.
Tel: 0782 287540.
Stoke on Trent. Boots, 3-5 Market
Square, Hanley. Tel: 0782 23271.
SUFFOLK
Bury St. Edmunds. Boots,
11-13 Comhill. Tel: 0284 701516.
Bury St. Edmunds. The Suffolk
Computer Centre, 1-3 Garland
Street. Tel: 0284 705503.
Ipswich. Computer Magic,
24 Crown Street. Tel: 0473 50965.
SURREY STAFFORDSHIRE

SURREY
South Croydon. Concise
Computer Consultants. 1 Carlton
Road. Tel: 01-681 6842.
Croydon. The Vision Store,
53-59 High Street. Tel: 01-686 6362. 53-59 High Street. Tel: 01-686 6362.
Croydon. Boots, The Mall,
12-18 Whitgiff Centre.
Tel: 01-688 6021.
Epsom. The Micro Workshop,
12 Station Approach.
Tel: 0372-72153.
Guildford, Guildford Computer
Centre, 5 The Quadrant, Bridge
Street. Tel: 0483 578848.
Wallington. Surrey Micro
Systems, 53 Woodcote Road.
Tel: 01-647 5636.
Woking. Harpers, 71-73
Commercial Way. Tel: 0486 225657.
SUSSEX

SUSSEX
Brighton. Boots, 129 North Street.
Tel: 0273 27088.
Brighton. Gamer, 71 East Street.
Tel: 0273 728681.

Bognor Regis. Bits & Bytes, High Street. Tet 0243 867143. Eastbourne. Boots, 15 Eastbourne Arndale Centre. Tet 0323 27742. Horsham. Boots, 1 Swan Walk, Tet 0403 53053. Tet 0403 33033. Horsham. Orchard Computer Centre, 34 East Street. Tet 0403 64884. Worthing. Boots, 48-52 Montague Street. Tet 0903 207106.

TYNE & WEAR
Newcastle-upon-Tyne. Boots,
Eldon Square. Tel: 0632 329844.
Newcastle-upon-Tyne.
RE Computing, Parkview House,
Front Street, 4 Lane Ends.
Tel: 091 2701740. Tet: 091 2701740.

Sunderland. Business Micro
Communications Ltd, Refuge
Assurance Buildings, Saint Thomas
Street, West Sunniside.
Tet: 0783 654916.

MALES

WALES

WALES

Aberdare. Inkey Computer
Services, 70 Mill Street, The Square,
Trecynon. Tet 0685 881828.
Aberystwyth. Aberdata at
Galloways. 23 Pier Street.
Tet 9976 615522.
Cardiff. Boots, 36 Queens Street
& 105 Frederick Street.
Tet 0220 31291.
Cardiff. The Computer Shop,
41 The Hayes. Tet 0222 26666.
Cardiff. Cardiff Microcomputers,
46 Charles Street. Tet 0222 373072.
Newport. Gwent Computers,
92 Chepstow Road
Tet 0633 841760.
Newport. Boots, 155-156 Tet 0633 841760.
Newport. Boots, 155-156
Commercial Street. Tet 0633 51212.
Swansea. Boots, 17 St. Marys
Arcade, The Quadrant Shopping
Centre. Tet 0792 43461.
Swansea. The Micro Store, 35-36
Singleton Street. Tet 0792 46980.

WARWICKSHIRE
Coventry. Boots, 38-42 Corporation
Street. Tel. 0203 26561.
Learnington Spa. Boots,
31 Parade. Tel. 0926 24945. Learnington Spa. Learnington Hobby Centre 121 Regent Street. Tel: 0926 29211. Nuneaton. Micro City, 1a Queens Road. Tel: 0203 382049. Rugby. O.E.M., 9-11 Regent Street. Tel: 0788 70522.

WEST MIDLANDS
Birmingham. Boots, City Centre
House, 16-17 New Street.
Tet 021-643 7582.
Dudley. Central Computers,
35 Churchill Precinct.
Tet 0384 238169.
Stourbridge, Walters Computer
Systems. 17 Hagley Road.
Tet 0384 370811.
Walsall. New Horizon, 1 Goodall
Street. Tet 0922 24821.
WILTSHIRE WEST MIDLANDS

WILTSHIRE
Trowbridge. West Wiltshire
Micros, Whiteheart Yard.
Tel: 02214 67259.

VORKSHIRE

Bradford. Boots, 11 Darley Street.
Tel: 0274 390891.
Doncaster. Boots, 13-15 French
Gate, Tel: 0302 62238.
Barnsley. Boots, 34-40 Cheapside.
Tel: 0226 82616.
Huddersfield. Micro World
Computers, 1006-1010 Manchester
Road, Linthwaite. Tel: 0484 846117.
Huddersfield. Boots, 22 King
Street. Tel: 0484 21756.
Leeds. Boots, 19 Albion Arcade,
Bond Street Centre. Tel: 0532 33551.
Leeds. Micro Power, Northwood
House, North Street.
Tel: 0532 458800.
Sheffield. PIP Micro Tel: 0532 458800.
Sheffield. PIP Micro
Communications, 9 Taptown
Crescent, Broomhill.
Tel: 0742 661096.
Sheffield. Boots, 4-6 High
Street. Tel: 0742 78333.
Wakefield. Boots, 26-28 Upper
Kirkgate. Tel: 0924 376181.
York. York Computer Centre,
7 Stonegate Arcade.
Tel: 0904 641862.



Phone 01-278 3143 for your free information pack now! Micronet 800, 8 Herbal Hill, London EC1.

TECHNOMATIC

SEPTEMBER'85 **BBC Computer & Econet Referral Centre** 17 Burnley Road, London NW10 1ED Tel: 01-208 1177 305 Edgware Road, London W2 Tel: 01-723 0233

Please add carriage: (a) £8; (b) £2.50; (c) £1.50; (d) £1 and 15% VAT to order value

ACORN COMPUTER SYSTEMS

BBC Model B	£299(a)
BBC Model B + DFS	. £346(a)
BBC Model B + Econet	. £335(a)
BBC Model B + Econet + DFS	£399(a)
BBC Dust Cover	£4(d)
BBC Carrying Case	£12(b)

UPGRADE KITS

Acorn DFS Kit£80 (d) 1.2 OS ROM.£7.50 (d) Econet Kit £55 (d) DNFS ROM£17.50 (d) BASIC TI ROM with User Guide £22.50 (d)

TECHNO-LINE IS NOW ON-LINE 24 HOURS Tel: 01-450 9764

TECHNOLINE offers you 24 hour, 7 days a week ordering/information.

- *New Products *Comment Box
- *Technical Pages *Comments on Stock and availability of Products
- *Placing of Orders and many others. . .

Techno-Line 01-450 9764 24 hour, 7 days a week.

Technical Information:

1200/75 Baud, Standard Viewdata/Prestel Protocols.

Please note that a 'Prestel' type terminal must be used.

ECONET ACCESSORIES

Econet Starter Kit£85 (b)	Printer Server Rom£41 (d)
File Server Level I£75 (d)	10 Station Lead Set£26 (c)
File Server Level II£210 (d)	Adv. Econet User Guide£10 (d)

BBC B PLUS £409 (a)

Now available from stock

ACORN BITSTICK

The renowned 'BITSTICK' graphic CAD package. Using the onscreen menu and colour pallette, it can draw freehand as well as lines and shapes with great accuracy. Any part of a drawing may be magnified many times, and up to 48 drawings may be saved on a disc. In total, a friendly yet sophisticated CAD system offering tremendous value. £325(a)

ACORN's multiplotter driver for Bitstick graphics. £79(c) (All popular plotters included) Epson FX80 screen dump routine for Bit Stick. £35 (d)

ACORN WINCHESTER DRIVES

Acorn Hard Discs are now available in 10 and 30 Mbyte versions. The drive plugs into the 1 MHz bus. The ADFS filing system with its hierarchical filing structure provides excellent file management facilities. Data transfer rate of 1 Mbit/sec and average seek time of 85 ms provides the user very fast access to very large amounts of data. File Server Level III can be installed on the Hard Disc before delivery.

10 Mbyte Winchester Drive £1299 (a)

30 Mbyte Winchester Drive £1999 (a)

Add £200 to the cost if File Server Level III is to be installed.

ACORN 2nd PROCESSORS

The Z80 2nd Processor converts your BBC into a CP/M business computer. Complete with comprehensive free software. £348(a)

The 6502 2nd Processor provides both an increase in speed and memory

ACORN P-SYSTEM

The long-awaited-for portable operating system has arrived. Intended for use with the 6502 Second processor, this portable operating system is a complete implementation and comes complete with a Filer, Editor, and compilers for two languages, USCD PASCAL and FORTRAN-77. Widely used in universities and colleges, as well as being popular with business software authors, P-System is user-friendly, offering ease of program development as well as portability. £263(b)

EPROMs/RAMS

2764-25	£2.60	(d)	6264LP-15£6.00	(d)
27128-25	£5.00	(d)		

TORCH PRODUCTS

GRADUATE: The ultimate upgrade - converts your BBC into a powerful 16 Bit business computer and makes it disc and hardware compatible with the IBM PC. With 256K RAM and dual drives, it simply connects through the 1 MHz bus. (The disc drives can be used in both BBC and IBM mode, without requiring a disc interface.). The top-of-the-range Model G800/2 comes complete with the free Xchange range of software, and includes a full feature word processor, a financial package planner, a database and a business graphics all linkable. (This highly acclaimed software is now available for SPECIAL the IBM PC at a cost of over £400!)

Graduate G800/2.....£899 (a) (Offer valid for limited period only).

ROMOTION on Torch Disc Z80 Card ZEP100 with PERFECT Software Packages + Z80 Basic £275 (a) Z80 Disc Pack ZDP240 with software as above. £550 (a) £275 (a) 20Mb Hard Disc + 1 × 400K Floppy Drive£1,950 (a) Unicorn 68000, Unix OS/Z80B/512K, 20MB Hard Disc, 400K Floppy.....

MULTI-FORM Z8O 2nd PROCESSOR

This is a unique Z80 2nd processor running CP/M and allowing use of the massive range of CP/M software. What makes this unit rather special, is that it can be used with software from other CP/M computers, without the user needing specially configured software for the BBC. As supplied, the unit will read many formats and it is possible to configure the unit for virtually any other CP/M machine. Please contact us for further information.

ACORN MUSIC 500

Convert your BBC micro into a sophisticated music composition aid and sound effects generator. Custom made software will provide you with the flexibility to compose, experiment, perform and teach music. Stereo output can be connected to a sound system including your home stereo unit. Full specification on request.

SYMPHONY KEYBOARD

SYMPHONY KEYBOARD FROM ATPL — a professional 4 octave keyboard with sophisticated controlling software. Its multitude of facilities include simulation of musical instruments, sound effects, octave shift, pitch bend etc. etc. £108(a) Synth-500 disc allows its use with the Acorn Music 500 £10(d)

PRINTERS

ALL PRINTERS HAVE A 12 MONTH GUARANTEE

DOT MATRIX

LX-80 NLQ — a new low-cost high performance dot matrix printer from Epson. Its many features include Near Letter Quality, Draft mode, programmable characters, a variety of print styles, graphics etc. Supplied with friction feed.

LX-80 £242(a) Optional Tractor Feed £20(c)

JX80 COLOUR — a full colour dot matrix printer with colour text and graphics as well as many advanced printer features. £499(a)

RX 80T + £210(a) RX 100 + £345(a) FX 100 + £430(a)

RX 80FT + £220(a) FX 80 + £315(a)

KP 810 (80 col) £245(a) KP

KP 910 (156 col) £339(a)

BUFFALO 32K Buffer for EPSON PRINTERS

This compact 32K buffer can be fitted internally on any EPSON printer within a few minutes. It does not require external power or any modification to the printer. It will hold about 15 A4 pages of text freeing your computer for other jobs in a fraction of the time it would normally have to wait for the printer to finish all that printing. Supplied with full fitting instructions. £99(d)

DAISY WHEEL

BROTHER HR15: • 14 cps • 3K Buffer • Two colour printing • Proportional spacing * Underline * * Bold * Shadow print * Super/Subscript + many other features.

BROTHER HR15 £315(a)


JUKI 6100: * 15 cps * 2K Buffer * Switchable 10/12/15 cpi * Proportional printing * Linear Motor for max reliability.

JUKI 6100 £310(a)

GRAPHICS PLOTTER/WORK STATION

Equally at home in the artists studio, hobbyists workshop, science lab or a classroom, this system has something to offer for everyone. The 3 colour graphics plotter provides both precision and versatility. The carriage can be moved with an accuracy of 0.025cm over an A4 area — the plotter being able to accept paper and far thicker materials at sizes of up to A3. The basic plotter carries 3 colour pens each of which is software selectable. Additional accessories greatly enhance the versatility of the unit without losing the accuracy. The servo controlled drill/router, and scriber can be used on various materials. A unique Opto Sensor (using a Hewlett Packard device) turns the plotter into a high-res scanning digitiser to read & store whole diagrams and photographs. Workstation comes complete with all accessories.

Workstation Complete £490(a)



Basic Plotter £270(a)

Opto Sensor £72(c) Drill/Router Attachment £79(c) Power Supply: PS12V £42(c) PS24V £78(c) Scandump Utility Disc £14.95 (d)

TECHNOMATIC

All prices exclude VAT

PRINTER ACCESSORIES

EPSON

FX80 plus sheet feeder £129(b)

Paper Roll Holder£17(d) FX80 Tractor Attachment£37(c).
Interfaces: 8143 RS232£28(c); 8148 RS232 + 2K£57(c);
8132 Apple II£60(c) 8165 IEEE + Cable£65(c)

Serial & Parallel Interfaces with larger buffers available.
Ribbons: RX/FX/MX80£5.00(d): RX/FX/MX 100£10(d): LX80£6(d)

FX80 Dustcover £4.50(d); LX80 Tractor Unit £20(c);

Spare pens for HI80 £7.50/set (d)

KAGATAXAN: RS 232 Interface + 2K buffer £78(c); Ribbon KP810/910£6(d)

JUKI: RS232 Interface£65(c); Spare Daisy Wheel£14(d); Ribbon£2.50(d); Sheet Feeder £182(a) Tractor Feed Attach£129(a)

BROTHER HR15: Sheet Feeder £189(a) Ribbo

Ribbons Carbon or Nylon £4.50(d)

Tractor Feed £99(a)

BBC Printer Lead: Parallel (42")£7(d), Serial£7(d) Printer Leads can be supplied to any other length.

Plain Fanfold Paper with extra fine perforation (Clean Edge): 2000 sheets $9.5^{\circ} \times 11^{\circ} £13(b)$ 2000 sheets $14.5^{\circ} \times 11^{\circ} £18.50(b)$ Labels per 1000s: Single Row $3\frac{1}{2}^{\circ} \times 17/16^{\circ} £5.25(d)$ Triple Row $2-7/16^{\circ} \times 17/16^{\circ} £5.00(d)$

EPSON HI-80 PLOTTER

EPSON technology has once again scored a first by introducing a sophisticated A4 size plotter that does not need specialised software or programming skills to operate it and yet keep the cost within the reaches of all computer users. Features include 4 pens at a time — upto 10 colours to choose from, a variety of pen nibs, high speed plotting. Powerful software command codes include single commands to plot circles, ellipses or triangles. Line or bar graphs and pie charts can be plotted in a variety of exciting styles very simply by keying in the data into the computer. Detailed leaflet on request. £399 (a)

PRINTER SHARER/BUFFER

A unique sharer/buffer that provides a simple solution to improve system utilisation. It can be connected to up to three computers and it will automatically switch between the computers to scan for data — no manual switching required. High speed data input rate to the buffer cuts down the normal waiting time for the computers for the printing operation to complete and thus allowing the computers to be used for other uses. The 64K buffer would hold over 30 A4 pages of text.

Facilities include: COPY, PAUSE AND RESET. LED indication for percentage of memory available and data source. Mains powered. Send for detailed specification.

TSB 64 Buffer/Sharer £199 (a) BBC Cable Set£30

PERIPHERAL & COMPUTER SHARERS

We now offer an extended range of peripheral sharers to allow the user to switch between computers, printers and modems. High quality switching mechanisms housed in fully shielded metal cases ensure reliability. No external power input required.

All lines on the sharers are fully switched (36 on parallel and 25 on serial)

Parallel	Serial
36V36-3 £69(c)	25V25-3£64(c)
36V36-4£85(c)	25V25-4£74(c)
36V36-X £69(c)	25V25-X £69(c)
£32(c)	£34(c)
£39(c)	£41(c)
	36V36-3 £69(c) 36V36-4 £85(c) 36V36-X £69(c) £32(c)

Computer Sharer:

1 computer to 2 printers fitted with Cable for BBC TCS26£19.50(c).

BREAK-LOCK

A two-position key switch, fitting into the 'Ash-tray', that prevents accidential/unauthorised use of the Break key. £8.50(c).

17 Burnley Road, London NW10 1ED

Telephone: 01-208 1177. Telex: 922800

All Carriage Code (a) deliveries by DATAPOST guaranteed for delivery next working day.

01-208 1177

Please add carriage: (a) £8; (b) £2.50; (c) £1.50; (d) £1 and VAT at 15% to order. Carriage (a) sent by Datapost

MONITORS

All monitors supplied with BBC lead

MICROVITEC

All 14" monitors now available in plastic or metal cases, please specify your requirement.

14" RGE	3	WITH PAL & AUGIO				
1431 Std Res	£185(a)	1431 AP Std Res	£205(a			
1451 Med Res	£240(a)	1451 AP Med Res	£280(a			
1441 Hi Res	£389(a)	These monitors can rece programs thru a Video P				

Swivel Base for Plastic 14" Microvitecs £20(c)

20" RGB with PAL & Audio

2030CS Std Res £380(a) 2040CS Hi Res £685(a)

KAGA TAXAN 12" RGB

VISION II Hi Res £225 (a) VISION III Super Hi Res £325 (a)

SANYO CD3125NB 14" RGB Std Res £159(a)

MONOCHROME MONITORS:


KAGA KX1203A Hi Res 12" Etched Amber Screen PHILIPS BM7502 12" Hi Res Green Screen PHILIPS BM7522 12" Hi Res Amber Screen Swivel Base for Kaga Monochrome fitted with Digital Clock Monitor Plinth for the BBC £105(a) £75(a) £75(a) £79(a) £105(a)	SANYO DM8112CX Hi Res 12" Green Screen	£95(a)
PHILIPS BM7502 12" Hi Res Green Screen £75(a) PHILIPS BM7522 12" Hi Res Amber Screen £79(a) Swivel Base for Kaga Monochrome fitted with Digital Clock £21(c) Monitor Plinth for the BBC £13.50(b) Double Tier Plinth for BBC and flat pack dual drive £19.50(b)	KAGA KX1201G Hi Res 12" Etched Green Screen	£99(a)
PHILIPS BM7522 12" Hi Res Amber Screen £79(a) Swivel Base for Kaga Monochrome fitted with Digital Clock £21(c) Monitor Plinth for the BBC £13.50(b) Double Tier Plinth for BBC and flat pack dual drive £19.50(b)	KAGA KX1203A Hi Res 12" Etched Amber Screen	£105(a)
Swivel Base for Kaga Monochrome fitted with Digital Clock £21(c) Monitor Plinth for the BBC £13.50(b) Double Tier Plinth for BBC and flat pack dual drive £19.50(b)	PHILIPS BM7502 12" Hi Res Green Screen	£75(a)
Monitor Plinth for the BBC £13.50(b) Double Tier Plinth for BBC and flat pack dual drive £19.50(b)	PHILIPS BM7522 12" Hi Res Amber Screen	£79(a)
Double Tier Plinth for BBC and flat pack dual drive £19.50(b)	Swivel Base for Kaga Monochrome fitted with Digital Clock	£21(c)
	Monitor Plinth for the BBC	£13.50(b)
BBC Leads Kaga RGB £5(d) Microvitec £3.50(d) Monochrome £3.50(d)	Double Tier Plinth for BBC and flat pack dual drive	THE RESERVE OF THE PARTY OF THE
	BBC Leads Kaga RGB £5(d) Microvitec £3.50(d) Monochrom	e£3.50(d)

TOUCHTEC-501

Designed for use with Microvitec metal cased monitors, and using the RS-423 socket, this unit brings genuine touch-screen operation to your BBC. Ideal for the educational market. Supplied with a users handbook and utilities disc containing starter programs and development software.

DISC DRIVE MULTIPLEXER


The cost-effective alternative to networking! A self-contained unit that enables up to four computers to be connected to one single or dual disc drive. No hardware modifications — simply plugs into the computers disc interface connectors. No ROMs or other software needed. All DFS commands work as normal. The switching of drives between computers is totally automatic and completely invisible to the user. This unit is ideal for installing in classrooms and other situations, where networking is not planned or necessary, or where costs must be kept low. In many cases software needs to be shared, although full networking complexity and cost is not needed. Several of these units can be connected in series to allow more computers to access the same discs, i.e. two quads connected to one dual will allow 8 computers to share 1 drive. Units are supplied with 5' of cable per outlet as standard. Mains powered.



TDM4 Quad Unit (up to 4 computers)
TDM2 Dual Unit (2 computers)

£135(a) £75(b)

DISC DRIVES



TECHNOMATIC drives are fitted with high quality slimline Mitsubishi mechanisms and represent the state of the art in drive technology. The drives are built to the highest standards and are tested to their full performance capability before packaging.

Single drives are available with or without integral mains power supply. The dual drive power supplies are switch mode type and are generously rated to ensure minimum heat generation even over long periods of operation. All drives with integral power supply are fitted with a mains indicator.

The drives are housed in attractively designed metal casings painted in hard wearing BBC matching paint. The dual drives can be supplied in stacked version or with built-in plinths. The plinth version cases are of sturdy construction to carry any monitor and provide a simple method of having a compact computer installation.

The 80T drives are supplied with the 40/80 track switching modules at no extra charge. The 40/80 track switches are conveniently positioned in the front on dual drives to enable easy switching between the tracks.

front on dual drives to enable easy switching between the tracks.

All drives are supplied with all the necessary cables, manual and a formatting disc. The mains powered drives are also fitted with a 13A mains plug suitably fused. The drives are ready to be fitted to the computer. All drives are capable of operating in single or double density modes.

Single Drives:	With integral p	su:
1 × 100K 40T SS : TS100 £85(b) 1 × 400K 80/40T DS : TS400 £125(b)	PS100 PS400	£120(b) £145(b)
Dual Drives: (with integral psu)		

 Stacked Version:
 Plinth Versions:

 PD200 2 × 100K 40T SS
 £190(a)
 PD200P
 £215(a)

 PD800 2 × 400K 80/40T DS
 £265(a)
 PD800P
 £289(a)

Note: We can supply drives with Shugart mechanisms at considerably lower prices. Please phone for details.

5.5" Drives:

These compact drives, used with most of the new 16 bit micros offer fast access times and high performance with minimum of power consumption. The mechanisms are 80 track double sided and are capable of both single and double density operation. The single drive is offered in a dual case with a blanking plate for future upgrading. The drives come complete with cables, manual and formatting disc.

TS35 1 × 400K 80T DS £99(b) TD35 2 × 400K 80T DS £175(b)

3M FLOPPY DISCS

Authorised Distributor Data Recording Products 3M

Industry standard high quality discs with guaranteed error free pertormance for life. Discs in packs of 10:

40T SSDD £13(c) 80T SSDD £22(c) 40T DSDD **£18(c)** 80T DSDD **£24(c)**

3½" discs. Pack of ten £38(c)

FLOPPICLENE DRIVEHEAD CLEANING KIT

The FLOPPICLENE drive head cleaning kit is an ideal way to ensure the optimum performance of your drives. The use of disposable cleaning discs eliminates the risk of contamination and abrasion of sensitive driveheads. These risks are normally inherent in the reusable drivehead cleaning kits. Floppiclene with 20 disposable cleaning kits. £14.50(b)

DISC ACCESSORIES

Single Disc Cable £6(d) Dual Disc Cable £8.50(d)
10 Disc Library Case £1.80(d) 30 Disc Case £6.00(c)
Lockable Storage Boxes 40 Discs £14(c) 100 Discs £19(c)

17 Burnley Road, London NW10 1ED

Telephone: 01-208 1177. Telex: 922800

All Carriage Code (a) deliveries by DATAPOST guaranteed for delivery next working day.

COMMUNICATIONS

MODEMS

BUZZ BOX A full spec, BT approved, pocket size, direct connect modem with both originate & answer modes, full & half duplex, allowing access to many databases, bulletin-boards as well as Intercomputer communications. It conforms to CCITT V21 300/300 Baud Standard. Battery/mains powered £62(c) BBC Lead £6 External PSU £9(c)

MINOR MIRACLES WS2000 A world standard modem, having BT approval, covering V21, V23, (BELL 103/113/108 outside the UK) and including 75,300,600, 1200 Baud ratings. What possibly



gives this modem its biggest advantage is its option of computer control. A 25Way RS232 input as well as possible computer controlled auto/dial/auto-answer makes this modem unique. WS2000 £129(c) BBC Serial Cable £7.

WS2000 Auto-Dial card: includes an integral loudspeaker for monitoring of the phone line £30(d).

BBC User Port cable (for modern control) £7

SKI KIT (Allowing total control of the modem by your computer) £10.

DS1 Disc (for Commstar): When used with the Auto-dial card, SK1 Kit, and a user port cable, this software will dial out to Prestel, enter your password etc. and leave you in Commstar. Will also store many bulletin board telephone numbers and protocols or autodialling £10.

WS2000 Auto-Answer Card £30(d). (Please note that the A/D & A/A Cards are still awaiting BABT Approval.)

DATA-BEEB An advanced communication ROM from Miracle Technology. Its many features include both Viewdata (Prestel) and Terminal modes, Auto-Answer and Auto-dial for fully expanded WS 2000's etc. Macro facilities allow flexible use of its many facilities e.g. automatic dialling, log-on, going to a specific page, printing it, and going off-line, all in one operation. £25(d).

NEW WS3000 SERIES - a new range of microprocessor based modems, offering speeds of up to 2400 baud full duplex. Features include: 'Hayes' protocol compatability, Auto-Answer, Auto-Dial, speed buffering, printer port, data security option, etc.

WS3000 V2123 (V21 & V23) £295(a) WS3000 V22 (as above plus 1200 baud full duplex £495(a) WS3000 V22bis2400 (as above plus 2400 baud full duplex) £650(a)

COMMSTAR An ideal communications Rom. Extremely easy to use, yet very versatile. It features both a Prestel mode as well as a Terminal mode, thus offering very good value for money. In Prestel mode, all normal Prestel features are available including. downloading of software, saving and retrieving of pages on disc. page tag, revealing of hidden text etc. Its terminal mode is ideal for bulletin boards etc. Any type of file, (not just ASCII) may be sent using XModem protocols. Even includes an elapsed time clock, £27(d)

TERMI-II A good general purpose communications package for bulletin boards, electronic mail etc. (Not for PRESTEL)

COMMUNICATOR This is a full 80 col VT100 terminal emulation program on 16K eprom. It is a more advanced program than TERMI and features easy to follow screen menus. The rate at which data is sent or received is easily set up with rates up to 19200 Baud with 80 column text. Allows files to be transmitted from disc, or a copy of incoming data to be sent to a file or to a printer. (Communicator is not suitable for PRESTEL).

'TIME-WARP' REAL-TIME CLOCK CALENDER

We have broken the price barrier! A low cost unit, allowing the facilities of units costing far more. Built to professional standards, it opens up the total

spectrum of Real-Time applications. Possibilities include desk diary/planner, calender, continuous display of on-screen time and date information, automatic document dating, precise timing and control in scientific applications — its uses are endless. Simply plugs into the user port — battery backup is supplied as standard. A full manual as well as Extensive software on cassette (easily transferred to disc) — no ROMs needed. £29(c)




TECHNOMATIC

All prices exclude VAT

sophisticated eprom programmer that handles the full range of popular single rail eproms (incl 27256) and allows the user full control of the programming process.

Its powerful menu driven software makes the



Integral power supply ensures no power drain from the computer

Interfaces through 1 MHz bus, fully buffered.

- Clear and simple instructions displayed on the screen make the programming easy for both the first time user and the advanced user.
- Eproms upto 16K (27128) programmed in single pass.

Selectable programming voltage 25/21/12.5V

- Selectable programming method normal or high speed algorithmic. High speed programming enables 27128 to be programmed in just over 2 mins Normal programming skips addresses with FF data to increase programming speed. Automatic verification on completion of programming.
- User can select any section of the eprom from a single byte to its full address range to Blank Check/Read/Program/Verify enabling program development/changes very simple.

Full screen editor with HEX/ASCII input.

Full tape/disc filing facility. Data input from keyboard/Tape/ Disc/Eprom

- Constant display of all options selected. Several BBC BASIC programs can be entered on a single eprom.
- Checksum facility allows for easy identification of programmed roms.

EPROMER II with Manual & Cassette £99(b) Software on disc £3 ROM based software £10

UV ERASERS

UVT1T Eraser with built-in timer and mains indicator. Built-in safety interlock to avoid accidental exposure to the harmful UV rays. It can handle up to 5 eproms at a time with an average erasing time of about 20 mins. £59(b).

UV1B as above but without the timer. £47(b).

ROM/RAM EXPANSION SYSTEMS

COMPUTER VILLAGE ROM/RAM BOARD: A beautifully designed expansion board, simply plugs in — no soldering. (Fits into 6502 and Video ULA Skt.). Fully buffered with 16 paged Rom capacity. Option of 16K paged Ram, with software initiated write battery backup is included. It allows nine different ROM/RAM configurations. £43(c)

ATPL SIDEWISE ROM EXPANSION BOARD: A well constructed expansion board, simple to instal and requires no soldering. All buses are buffered. It allows full sideways rom expansion to 16 ROMs. One socket has been split into two 8K sockets to allow the use of 8K CMOS RAM. Battery backup option allows data retention in the RAM when the computer is switched off. Several link selectable options including write protect for the RAM. ATPL Board £39 (d) Battery Backup Kit £18 (d)

RAMROM-15: The advanced sideways ROM/RAM expansion system. This is an external unit, using high quality construction, attractively packaged in a BBC coloured metal case, allowing easy access to all the sockets. (Allows other units to be fitted inside the BBC). Absolutely no soldering is required. Allows 11/12 additional sideways ROMs to be fitted with an option of up to 16K sideways RAM. All commonly available RAM can be used i.e. 4801/6116/6264 or xx128. All the hardware to take the RAM is already fitted e.g. battery backup. For development work and further expansion, most of the 6502 processor signals are available. Supplied with utility disc and full instruction manual. £86(b).

ARIES B-12 Board £40 (d)

ARIES B-20 Board £78 (d)

17 Burnley Road, London NW10 1ED

Telephone: 01-208 1177, Telex: 922800

All Carriage Code (a) deliveries by DATAPOST guaranteed for delivery next working day.

01-208 1177

Please add carriage: (a) £8; (b) £2.50; (c) £1.50; (d) £1 and VAT at 15% to order. Carriage (a) sent by Datapost

RB2 TRACKER BALL

A precision built tracker ball. Software allows RB2 to function, instead of cursor keys, for word processing, CAD/CAM etc. Software includes a graphics/CAD package.

RB-2 (with 'microdraw'). £52 (b) RB-2I (with 'icon artmaster'). £60 (b)

AMX MOUSE

This sophisticated mouse has many advanced features such as Icons, Windows etc. The supplied 'AMX ART' is a superb, yet simple-to-use CAD package allowing the creation of amazing graphical designs. A screendump for drawings is included. It can also be used with Wordwise/View to replace the cursor keys. Supplied complete with CAD Package, ROM and full instruction manual.

AMX DESK — An organisational program, including memo-pad, telephone/address book, diary, alarm, calculator etc. On Disc. £22(d)

AMX PAINTBOX

£13(d)

AMX UTILITIES — provides new drawing facilities including Zoom, colour sketch and more. On Disc. £13(d)

ACORN TELETEXT ADAPTOR £192(a)

ACORN IEEE INTERFACE

This interfaces enables a BBC computer to control any scientific and technical equipment that conforms to the IEEE488 standard, at a lower price than other systems, but without sacrificing any aspect of the standard. The interface can link up to 14 IEEE compatible devices. Typical applications are in experimental work in academic and industrial laboratories, with the advantage of speed, accuracy and repeatability. The interface is mains powered and comes with cables, IEEEFS ROM, and user guide. £282(a)

GEMINI DATABASE MANAGEMENT SYSTEM

Features include * almost unlimited file size (max 10Mbyte) * supports up to 4 drives * Max of 5000 records per file * max 6K record size * max of 62 fields * generatres form letters from records.

Please ask for leaflet. £68(c)

VIEWSTORE: An exciting, powerful database with many features: Display can be 'spreadsheet' or 'card-layout' type. Powerful selection and sorting utilities. Any screen mode can be used. Data can be sent to View and ViewSheet. Maximum file size 4096MByte!. Maximum record size 60K.

STARdotoBASE: A fast machine code, true random access database program in a 16K Eprom. Up to 4096 records in a file, up to 69 fields in a record. The record layout is totally user defined. Entirely menu driven — thus very user friendly. Extremely fast searches are possible using the Keysearch facility. Mailmerging from View and Wordwise, and address labelling. Its printer configuration suits any BBC compatible printer. £69(d)

CLARES BETABASE

£18(d)

MASTERFILE II: The new version of the popular general purpose file management system. It allows large amounts of information to be stored and processed. It is extremely powerful yet flexible to use. The disc version allows up to 17 fields per record, and the only limitation as to the number of records is the capacity of the disc. Typically, using 5 fields, about 2000 records may be stored on a 100K disc. This latest version features many new facilities including use with WORDWISE/VIEW. £16.50(d) Disc (80 or 40T).

CP/M SOFTWARE FOR TORCH Z8O ACORN Z8O PROCESSOR

We can now supply almost any CP/M based software package in a format suitable for the Torch Z80 and Acorn Z80 second processors.

WORDSTAR PROFESSIONAL: The advanced word processing package comprising of WordStar, MailMerge, StarIndex and SpellStar, a total combination offering substantial savings on individual prices. WordStar is the best selling word processing program on the market. Extensive operator aids include a comprehensive yet friendly manual, step-by-step training guide, command cards, on-screen menus with four levels of help messages etc. etc. SpellStar checks text files against its 20,000 word-plus dictionary. You can both add to the dictionary and create specific supplementary ones. Mailmerge is ideal for mailing applications where lists are selected on a range of criteria. It enables the fast production of personalised form letters, mailing labels, invoices, etc. StarIndex creates alphabetical indexes, tables of contents, paragraph numbering and much more.

WORDSTAR PROFESSIONAL £310(a)
WORDSTAR £275(a) MAILMERGE £145(a)

DBose-II: Undoubtedly 'The Database', can be used for an almost limitless number of business applications, ranging from mailing list preparation and maintenance through to running accounting ledgers and payrolls. In addition to standard database features it provides much more. An on-disc tutorial takes you from setting up a simple file all the way through to setting up custom screens and reports. Automatic calculations may be performed on data, and fields or entire databases may be modified or replaced with single, English-like basic commands; Dbase-II can therefore be used by general personnel having no programming knowledge. It can be tailored to suit a variety of professions and individual needs, with files such as accounting, payroll, time billing, job costing, scheduling and mailing lists. It can access several files at a time. It is fast, flexible and powerful.

SuperCalc-2: A powerful decision making tool which helps to solve complex 'What if...' financial modelling and forecasting questions. With a working area of 63 columns and 255 rows, Supercalc 2 takes full advantage of colour and full memory. It allows consolidation of different spreadsheet files, sorting, a wide choice of formats. Full documentation with easy to follow lessons and single key commands make the use of Supercalc2 very easy. Separate windows provide for display of results and formulae simultaneously. Calendar and date calculations simplify calculations on loan repayment and periods.

Pro-Poscol: A full implementation of the International Standard for Pascal (ISO 7185) apart from the optional conformant parameters feature. In addition to the standard features of Pascal, Pro Pascal includes: dynamic strings for character and string manipulation, 9 digit integers and random access file handling for data processing applications, single and double precision floating point arithmetic, an assembler level interface for systems programmers, and separate compilation of program segments for building libraries of commonly used procedures and enabling very arge object programs to be constructed. Pro Pascal is a 3 pass compiler, converting a source program into efficient Z80 machine code. The package includes a compiler, run-time library, link editor, library manager and cross referencing utility.

BSTAM: A telecommunication facility used for transmitting any size CP/M file. £165(b)

Other packages available include CIS-COBOL, INFOSTAR, FRIDAY, DMS + , FMS, SAGE, ATITUTORIALS, MACRO-80 etc. Please telephone with your requirements.

TORCH GRADUATE SOFTWARE

We are able to supply most popular software packages including: FRAMEWORK, WORDSTAR, WORD, EASY-WRITER, DBase-II & III, LOTUS-123, VISICALC, SAGE etc. Please telephone with your requirements.

17 Burnley Road, London NW10 1ED

Telephone: 01-208 1177. Telex: 922800

All Carriage Code (a) deliveries by DATAPOST guaranteed for delivery next working day.

ROMs/SOFTWARE

WORD-PROCESSORS

VIEW Acorn's new version V2.1 word processor rom. Advantages include printing straight from memory and editing in any mode. £48(c)

HI VIEW Disc based version of VIEW word processor for use with the 6502 2nd processor. Allows 47K of user memory. £52(c)

VIEW INDEX Disc based program to create an index from VIEW text files Ideal for anyone concerned with writing extensive reports or books.

WORDWISE: One of the most popular word processors for general use

WORDWISE PLUS: The new advanced Wordwise on a 16K eprom, for the more specialised users who require added features and flexibility. Four new programs are also supplied allowing mail-merging, index generating, two-column text printout and continuous processing. 49(d) £15(d)

SPELLCHECK II: A ROM based fast machine code program that works with both VIEW and WORDWISE. Vocabulary disc supplied with 6000 words can be expanded to well over 17,000 words on 100K drive. Fully compatible with 6502 second processor.

SPREADSHEETS

VIEWSHEET: Acorn's spreadsheet provides 255 columns and 255 rows and will operate in any mode. Windows can be created which can then be rearranged to provide any print format required. Function keys provide for easy entry of commands. Printer control codes can be used using the printer driver. Fully compatible with VIEW and the 6502 2nd Processor. £48(d)

ULTRACALC 2: This enhanced version of the original BBC Publications popular spreadsheet ROM includes many new features including full compatability with the 6502 2nd processor running as HiCalc allowing 44K of user memory, operate in any mode, greater flexibility in printer control, spooling as ASCII file etc. All these features are in addition to the existing powerful features such as handling of labels and numbers as values. Column width control and features normality found in well designed spread £45(d)

INTERSHEET: The new spreadsheet from Computer Concepts. Many advanced facilities including 105 character display, several spreadsheets may be used at once, may be used with View & Wordwise etc. etc. £49(c)

INTERCHART: Graphics Package

£38(d)

LANGUAGES

6502 DEVELOPMENT PACKAGE: A Macro-Assembler with utilities for use with the 6502 2nd Processor. Enables the serious programmer to develop large programs in assembly language.

ISO-PASCAL: Acorn's full implementation of International Standard Pascal on two 16K ROMs. Disc Version for use on 6502 2nd Processor also supplied. Comprehensive manual.

ACORN LOGO: A full implementation of the Logo language from Acornsoft. Supplied as two ROMs with a tutorial course and technical £60(b)

BCPL: A full implementation of the BCPL compiler language consisting of the language ROM, disc containing the BCPL compiler, a screen editor 6502 assembler, other utilities and programming aids and examples of BCPL code and a 450 page manual

BCPL CALCULATIONS PACKAGE: Supplied on disc, it supports floating point, fixed point and fast integer calculations. It includes the BCPL calculation files, example files and a comprehensive user guide.

BCPL STAND ALONE GENERATOR: Utilities in this package enable the programs developed using the BCPL ROM to be converted so that they can be run on any BBC micro whether it has a BCPL ROM or not. Stand alone programs for other 6502 based systems can also be developed. £43(d)

ACORN LISP Rom £43(d); FORTH £43(d); COMAL £43(d)

MICROTEXT: The authoring system from the National Physical Laboratory. Disc £53(b) Cassette £43(b)

G:FORTH: An advanced implementation of FORTH which follows the 79-Standard specification on a 16K ROM and has a full double number extension set. It incorporates an editor, 6502 assembler, very fast turtle graphics and supports extensive string and file handling. It contains 540 predefined words including those for reading joystick ports, produce sounds, set and read the time and produce random numbers. Fully compatible with disc or tape filing systems and works in any mode. Package comes complete with a USER GUIDE. Introduction to FORTH and 16K GFORTH ROM. £41(d)

OXFORD PASCAL: A fast, compact P-Code compiler, that fully utilises BBC Graphics and sound, contains a powerful editor, and produces stand-£43(c)

UTILITIES

ACCELERATOR: From Computer Concepts comprehensive compiler that will compile existing BBC Basic programs, simply, and in most cases, without alteration. Compiles to either intermediate code or machine code. Supplied with two Roms, manual, utility disc etc.

SPEECH ROM: From Computer Concepts — allows infinite speech with the Acorn speech system using simple * commands. Pitch and emphasis can be altered — even singing is possible!

DISC DOCTOR: Computer Concept's popular disc utility ROM which adds 20 commands to the DFS system. £26(d)

GRAPHICS ROM £24(d)

PRINTMASTER: The ROM that features the most versatile screen dumps for the Epson MX/RX/FX80 and KAGA PRINTERS. Includes mode 7 magnification, character definition, enlarged text, etc. etc - in short - this ROM does it all!

BROM: The new utility ROM from Clares — a Toolkit ROM that gives you full screen editing. Many extra functions are included. £29(d) £9.75(d)

REPLICA II: 40 & 80 Track Versions available EXMON-II: Advanced M/C Monitor. £22(d)

TOOLKIT: Adds 27 new commands to BBC Basic. £21(d) SLEUTH: Basic Debugger £21(d)

HELP: ROM based comprehensive on screen HELP facility to aid and speed up programming

DUMPMASTER: Disc based dumps for many printers.

HERSEY CHARACTER: Font generator £11.00(d)

BILLBOARD: A useful program that enables your BBC to produce superlarge 'Billboard' type characters i.e. a continuous horizontal scrolling of super-large characters. Supplied in ROM.

DISCMASTER: Disc Utility. £15(d)

Cass £7.50(d) BEEBUG DESIGN BEEBUG SUPERPLOT

MUROM: Music Development ROM.

£15(d) £21(d)

£9(d)

MICROGUIDE: Keyboard Key-Plate.

£6.00 (d)

When ordering software on disc please specify track format (40/80)

BOOKS

(No VAT p&p £1.50 per book)

€9.95

(no thi pape)
CPU/Assembly Language Books 6502 Applications. £12.50 6502 Assy Lang Prog. £19.95 6502 M/C for Beginners £ 5.95 6502 Advanced Programming £11.95 6502 Programming £13.95
6809 Assy Lang Programming. £13.45 6809 Programming. £12.95 8086 Book. £23.95 Prog. the 8086/89. £14.95 68000 Assy Lang Prog. £19.95 8087 Applications and Programming (IBM) PC. £22.25
LANGUAGES BBC Micro Sideways Roms Rays £ 9.95 CP/M Handbook. £13.95 Mastering the CP/M £16.50 FORTRAN Cookbook. £ 8.00 Introduction to PASCAL £16.50 Prog the Micro with PASCAL £ 8.50 The UNIX Book. £12.50
BBC Micro Books Books for Beginners:
BASIC programming on the BBC — Cryer
Mathematical Programs in BBC Basic
15.95 Languages/Programming 30 Hour BASIC £ 6.95
Applied Assembly Lang on BBC £ 7.95

Applied Assembly Lang on BBC £ BASIC Rom User Guide.....£

BBC Micro Advanced Programming.....


1.30 per book)		
BBC Micro Sideways ROM's RAM's		9.95
BBC Rom Book B. Smith		20 95
BCPL User Manual Acorn		
Creative Assembler on BBC		
Discovering BBC M/C		6.00
Guide to the BBC ROM	E.	9.95
Exploiting BBC BASIC		6.95
FORTH Acorn		7.50
Further Programming for BBC.	E	4.00
LISP Acorn	. 2	7.50
Programming the BBC		6.50
Structured Programming		6.50
S-PASCAL Acorn	£	7.50
Using BBC BASIC	12	10.00
Word Processing on BBC		
(Wordwise + Epson)		€5.25
SOUND & GRAPHICS:		
Advanced Graphics with BBC	£	6.00
BBC Graphics & Sound	6	7.50
BBC Micro BASIC, Sound		1.00
& Graphics	0	7.50
Creative Graphics Acorn	c	7.50
Graphics on the BBC Micro	e	6.00
Turtle Graphics	5	7.50
EDUCATIONAL:		
BBC Micro in Education	3	6.50
Prog for Education (Pri.Sch)	. 2	5.95
DISC DRIVE SYSTEMS:		
Advanced Disc User Guide		
BBC Micro Disc Companion		7.95
Disc-Drive Projects for Micro's	£	5.95
Disc Book	3	3.50
Disc Programming Techniques	£	6.95
Disc Systems	3.	6.95
Using Floppy Discs	£	6.95
APPLICATIONS:		
BBC Filing Systems & Databases		7.05
BBC Software Projects	E	6.95
Business Programming on BBC. Business Applications on BBC.	ž	7.95
DIV Debation on BBC	8	7.95
DIY Robotics & Sensors	E	6.95 5.95
Essential Maths BBC/Electron Exploring Music with BBC	*	5.95
& Electron		9.95
Graphs & Charts Acorn	2	7.50
Interfacing Projects for BBC		
Making Music on the BBC		5.50
	-	5.50
GAMES:		
100 Programs for the BBC	3	6.00
Instant Arcade Games	£	2.95
BBC User Guide Acorn	£1	5.00
MISCELLANEOUS BOOKS:		
6522 VIA Book	8	4.50

17 Burnley Road, London NW10 1ED

Telephone: 01-208 1177. Telex: 922800 All Carriage Code (a) deliveries by DATAPOST guaranteed for delivery next working day.

NOVACAD

Computer Aided Draughting for the BBC Micro




A sophisticated CAD package with unique facilities which until now were confined to custom built CAD packages.

Whether you want to draw a complex electronic circuit diagram or plan your new kitchen or simply draw a cube NOVACAD will help you do it better and more easily.

All you need is a BBC micro model B fitted with Acorn DFs and a single disc drive. If you have a 6502 2nd processor and a dual disc drive then NOVACAD's capabilities are further enhanced.

- Very user friendly with all commands and controls from the keyboard. Special windowing techniques make available to the user almost one million dots allowing a lot more detail to be put on the drawing than one would normally expect the BBC to be capable of. (Mode O screen display only 1 6 the number of dots). The drawing can be 4 windows across and 5 up
- Libraries of user defined ICONS such as electronic symbols can be created easily and edited even in the middle of drawing another diagram. ICON size is not limited to a number of pixels. An ICON can contain upto 500 lines, so complete drawings or sections of large drawings can be saved as ICONS for use with other drawings.
- ICONS can be called by name from a library into any part of the diagram and can be moved, enlarged, reduced, rotated in 90° steps and have mirror images made before being finally positioned. COPY facility speeds up the drawing if particular shapes are repeatedly used.
- The zoom facility allows the user to magnify any section of a drawing by upto 20 times to make it easier to insert details.
- User definable grid helps the user set his own scaling for the



- Horizontal and vertical displacements can be measured in any
- Up to 8 'levels' can be used to produce multi layer drawings, and then user can decide which levels are to be displayed. This can be particularly useful in pcb drawings, architectural drawings with details of the services behind the walls displayed only when required and many other such applications.
- Text can be added at any position vertically or horizontally.
- Use of 2nd processor will allow use of colour, higher pixel density drawings, and considerably faster operation. (NOYACAD drawings and considerably faster operation. (NOVACAD without the 2nd processor is faster than any other CAD package we have seen for the BBC).
- Powerful delete facilities allow deletion of single lines or whole sections with minimum of key presses.
- Printer dump for Epson compatible printers incorporated in the software which allows a full or a sectional screen dump.
- An optional plotter utility will allow output to a range of popular plotters for high quality diagrams.
- Version with tracker ball utility to be available soon.

NOVACAD will prove to be an invaluable teaching aid in technical schools and colleges and for anyone involved in draughting it will be an ideal labour saving tool.

NOVACAD package with 16K ROM, Utility disc and a comprehensive manual £79(c).

Plotter Utility Program £21.50(d).

BBC COMPUTER SPARE PARTS (Carriage code (d)

Complete Keyboard €52 LM3 24 op-amp £0.24 £0.24 £52 **UHF** Modulator £4.50 €0.45 74LSOO 74LS244 £0.80 Power Supply Unit SAA5O5O-Teletext £9.00 74LSO4 74LS245 £1.10 6502A 2MHz CPU £6.50 Keyswitch 74LS373 £0.90 74LS10 £0 24 £4.50 65CO2 CMOS CPU £12.00 6845SP CRT Controller £6.50 Keyboard Connector 74LS123 £0.80 £15.00 £45.00 Video ULA £18.00 UPD7002

TECHNOMATIC LTD
MAIL ORDERS TO: 17 Burnley Road, London NW 10 1ED
(Tel: 01-208 1177 Telex 922800)

SHOPS AT: NW London: 15 Burnley Road, London NW10 1ED


(Dollis Hill 2 mins walk, ample car parking space)

West End: 305 Edgware Road, London Q. Tel: 01-723 0233

01-208 1177

All prices exclude VAT. Please add carriage (a) £8 (b) £2.50 (c) £1.50 (d) £1.00 and 15% VAT to order value Carriage (a) by Datapost.

NATIONALLY RECOGNISED PLCs WELCOME.



What the manual

misses out

MANY thanks to all those readers who wrote in to point out that there is a way of clearing the text using Wordwise Plus. There are now two editions of the Wordwise Plus manual (and three versions of Wordwise Plus, although Computer Concepts assures me there is little difference between these). Changes are mostly minor, but there are some worth listing. Computer Concepts does not intend to give an update to edition one as, sooner or later, such costs would have to be passed on to you, the customer. Therefore I have compiled a list of changes that I consider important or substantially different plus one or two other points. All page numbers refer to edition one, with the corresponding page in edition two given in brackets (where different). The function keys are given thus <f1>. The second edition can be identified by the inclusion of '2nd Addition 1985' in bold print at the start of the copyright notice (the first bug in the second edition?).

Page 4 Should have mentioned that the hash sign can be used as a wildcard symbol. When entered into the search string (either with option 5 or used from a segment) it will match with any character. If you want to search for the hash sign then use function key f4 to move to the next hash.

Page 12 (13) Has some text missing. The following should be added:


Special codes representing green and white, etc, may be used within a function key definition. These codes are *not* the same as those used with FIND and REPLACE commands. The codes to be used are listed below:

:!!-represents <f1>
:!''-represents <f2>
:I-represents TAB
:M-represents RETURN

For instance, to define a key to produce <f1>T15<f2> the sequence would be:

*KEY 1:!!T15:!"

Martin Phillips reveals what you can't find in the Wordwise Plus manual and presents an automatic disc menu program for BBC micros



Wordwise Plus manual: minor changes

Page 13 (14) Says that '<f2> is used to mark the end of a command'. This should read '<f2> or the Return key is used to mark the end of a command'. Putting both will cause a blank line to be printed in the text.

Page 17 Should have a note to say that if a * command is executed and the printer hangs up, then pressing Break will lose the text.

Page 19 Omits a note to say that the default footer can be removed by defining a blank footer:

<f1>DF<f2> RETURN

Page 20 When centring underlined text, it's necessary to separate the underlining command (US) from the centre command with a space to prevent underlining all the way from the left margin. (Daisy-wheel printers that only underline a printed character will not need this.) This makes the underlining command part of the text to be centred. Use the command thus:

<f1>CE<f2><f1>US <f2>Centred and underlined <f1>UE<f2>

Page 26 (25) All the examples given should be followed by Return according to edition two. Similarly for pages 27, 28. However my own experience shows that there must also be a white embedded command at the end if the header or footer ends with an OC statement.

Page 32 The list of TAB stops may not continue over one line.

Page 57 (56) The example should read:

<f1>DF<f2>CE<f2>Section 1-page <f1>PP<f2>RETURN

Page 59 (58) The redefine print sequence has a 50 character memory for up to 10 definitions, not a maximum of five for each definition. Also these definitions can be loaded and saved from the initial menu using:

:SAVE PARAMS "DAISY" RETURN :LOAD PARAMS "DAISY" RETURN

where DAISY is the name of the file. Page 62 (63) Here both editions are wrong. <f1>TI10<f2> will only cause text to be placed on the next line if there is already text on that line. Issuing a <f1>TI10<f2> at the start of a line will indent that line 10 spaces and print the text on the same line.

Page 82 (83) It's possible to search for special characters such as green and white using FIND. The codes are:

:G-green :W-white :R-RETURN

·T_TAR

Also the wildcard, hash, can be used. Page 90 (91) a whole page referring to the NEW command is missing here. This command will clear all text from memory, and Wordwise Plus will be in the same state as it was on switch on. Obviously it must be used with extreme care, but the text can be recovered by using the technique described elsewhere in this article.

Page 96 (98) All variables in a procedure are treated as global, and not local.

Page 134 A function has been missed out here. The STR\$ function converts a number into its corresponding string. For example:

A\$=STR\$(A%)

This is the same as the Basic statement.

Page 168 Should include '*' star command at the end of the list.

Page 171 Onwards has been changed to suit the differing page numbers.

Shadow preview

IT'S possible to make use of the shadow mode to preview long text files in mode 0. This is done by selecting *SHADOW from the menu page then previewing the text (option 7). On returning to the menu page, Wordwise Plus will hang up when Escape is pressed to edit the text. All is not lost—if *SHADOW 1 is entered from the menu page, then the text will be restored to normal. All this could be included in a segment to preview the text and then return things to normal afterwards:

*SHADOW DEFAULTS PREVIEW TEXT *SHADOW 1

To stop the text vanishing when it is displayed, insert a < f1 > PA < f2 > control code at the end of the text that is to be displayed.

It's not possible to make use of the SHADOW mode to give more text workspace however.

The road to

recovery

THERE are 1001 ways of losing text, even with Wordwise Plus, so always save your text at regular intervals to avoid losing it all. However, accidents do happen, usually with the most important text - perhaps you typed NEW before saving the text for instance, or pressed Break when previewing the text. You'll be pleased to hear that text can be recovered intact in many cases. Obviously if the dog trips over the mains lead and the computer loses power, then nothing will recover the data. When text is mysteriously lost, the actual text itself has not disappeared but the Wordwise pointers are reset by some means and give the appearance of an empty machine. If this happens, don't panic and switch the machine off, simply type:

*SAVE "HELP" 1D00 + 5000

This will then save the actual computer memory to disc or tape. It will start saving at location &1D00 and will save &5000 bytes of memory. Then select option two and load in the file called HELP. Now, as if by magic, all your text will reappear, perhaps with some rubbish at the start and the end, but hope-

fully intact with all the control codes. The rubbish is easy to delete using the markers and key f7.

The memory locations given above are rather rough and ready, and it's well worth playing around with your own machine to see exactly where in memory the text is stored. This can be done using a program which will examine the contents of memory for you, and these are provided on such ROM chips as *Toolkit* and *Disc Doctor*. If you don't have such a program (they are quite useful), then here is one that can be used from a *Wordwise Plus* segment, or be typed in as a Basic program if line numbers are included:

A% = &1900REPEAT A\$ = CHR\$(?A%)PRINT "&"; PRINT $\sim A\%$; PRINT "..."; IF A\$ > = "" THEN PRINT A\$; PRINT A% = A% + 1UNTIL A% = &7C00

This can then be called up from the normal menu page by pressing Shift and f0 if the program is stored in segment 0. Each memory location, starting at location &1900 will be searched (depending on the type of machine, this might need changing down as far as &E00). The contents of that location will be printed out as an ASCII character. The IF statement filters out any unwanted control codes. To stop the screen scrolling press Shift and CTRL together.

The length of the file (&5000) might be too long to fit in your machine. This can be tested at switch-on by looking at the characters free – it should be over 20500 to suit a file of this length.

It's worth finding out how the technique works on an unwanted or previously saved file before the actual day of disaster. Keep a note of the start memory location to begin saving from, and the maximum length of file that needs to be saved.

Serving up an

automatic menu

I LIKE to have things neatly organised, and always have a menu on a disc so I can easily see what's there, and load it quickly. The menu program I have used for the last couple of years had problems, so I decided to write my own. This one is totally automatic, so once it's on the disc I can add or delete programs without changing the menu program.

I had to work within certain con-

straints. First, if the menu program was to be totally automatic, then it would not be possible to have a description of the program displayed. At first sight this is a great drawback, but if the filename saved on disc is sensible, then a description is unnecessary. I also wanted a menu that would load or run machinecode programs, and thought it would be useful for the menu to display any files resident on the disc. It's annoying to load in a program, then be asked for the name of a file - at this point you have to break out of the program and catalogue the disc. Also the inclusion of the directory for the files would be useful as I always store certain files in special directories so that I know what they are, eg, Wordwise files under the directory W, View files under directory V, *EXEC files under directory E, etc. I wanted the menu to tell me whether I was using a 40 or an 80-track disc. (Switchable drives are useful, but it's annoying when one uses both formats.) Also the menu program would have to display those files on both drive 0 and drive 2. Another feature that could prove useful would be a means of easily printing out the catalogue.

Last, having decided on an easy-touse automatic menu program, it was worth going all the way and having a program that would put the menu onto a disc and do the fiddly things like putting a !BOOT file on and changing the *OPT to run.

This program is simple to use – load the file creation program, enter the title for the disc in question, put that disc in the disc drive, wait a second or two, and the menu is ready to use. There is no need to change directories to identify Basic or machine-code programs, the program will still do this. The TAB key is used to select drive 0 to drive 2, though the prompt message only appears if using an 80-track disc as most 40-track discs are single sided, but this can easily be changed.

The program will display up to 30 files. Two files are taken up by the automatic menu and the !BOOT file, which are not, of course, displayed. Hence it can display all the files resident on one side of a disc. It does not cater for the 62 file options on Watford or other DFSs. Now that the price of discs has dropped so much, this feature is less useful than it was. The program does all this by doing one or two 'naughty' things, hence it will not work with the second processor. However it has been tested on a 0.9 Acorn DFS, a 1.2 Acorn DFS, and the 2.0 DFS of a BBC B+. It will also work quite happily with a Watford DFS, and so, I suspect, with most other DFSs too.

The print facility can be selected by pressing the Copy key instead of

NAREFRANNARE

Buy direct through Prestel (Page *2582020 using your Access

Most programs available on Micronet

	1 6 and a canada diffinite		
105	MAILING Holds 218 addresses. Alpha & Post code sorts,		
	searches, any label format, delete, add and amend	£11.95	В
201	GAMES 1 5 Card, Minefield, Darts, Pontoon & Mrmidon	£5.95	B/E
202	STOCKMARKET Exciting world of Stocks and shares, 1-4 players.	£5.95	B/E
301	HANGMAN Word game in English, French, German, Italian, Spanish.	£7.95	В
302	DISTANCES Three graphic maps of U.K., EUROPE & the WORLD	27.33	В
200	Calculate the distance between any 2 places	£4.95	B/E
303	FLAGS 98 full colour flags of the world with questions	£4.95	B/E
304	STATPACK Statistics package giving over 30 results	£11.95	В
305	GRAPH Produce varied graphs & charts of functions	£7.95	В
306	FRENCH A New audio visual computer way to learn a language	£7.95	В
307	SPELL-CHECK Add to WORDWISE		
	15000 words in 12 dictionaries ideal in education	€17.95	В
504	PHOCAID includes SEARCHBAS to search a BASIC program and alter it.		
	PROCVAR to list variables in a BASIC program & PROCFLUSH to clear		
-2-2M	resident integers in RAM	£3.45	A/B
505	UTILITY-A Our best selling tape includes PROCAID, DEFCHER to		
	design & display graphic characters. SORTM/C a very fast machine		
500	code numeric sort, SORTBAS the undisputed fastest BASIC sort routine.	£5.95	A/B
520	BANNER Print giant text and graphics on paper for displays	£3.95	A/B
521	BIGLETR Print as above on screen/paper with screen dump	£5.95	A/B
600	FORTH '79 FORTH second language ROM	£34.74	В
601	LOGO-FORTH Advanced Turtle Graphics Language ROM with FORTH	657.50	В
602	PASCAL-T Structured language ROM with compiler interpreter	£57.50	9
603	XCAL Computer Assisted Learning ROM for presentations	£65.00	В
605	WORDWISE Super fast & easy to use wordprocessor in ROM	£33.95	В
606	CDUMP Screen dump, 8 colours, suitable for GP700A	£12.95	В
607	GDUMP Screen dump ROM, 8 shades, 8 sizes and windows	£17.95	В
608			2.8
700	The state of the spritter, EUGO, Circles, etc.	£27.50	В
801	The pactivity of the pa	£6.95	
810		£4.50	27
	5.25" DISCS MEMOREX: SS/SD 40/80T £19.95 SS/DD 40/80T	€20.95	
901	EPSON RX-80 T/F Superb 100cps with Tractor & Friction feed	£275.00	100
902	EPSON FX 80 Magnificent 160cps, 6 founts, graphics, F/T Roll	£365.00	
910	DISC DRIVES Slimline 3" or 5¼" 100K-800K Japanese Format disc	£369.00	100
	cable and excellent manual. Plus £50 of FREE Software	£189.00	100
915	DISC UPGRADE Double or Single Density available in one system	£89.00	
920		£19.95	
930		£79.95	100
931	COL CLUB LIBERT COLOR CONTROL	£179.95	SHITTE
	The state of the colour with the state of th	r1/9.95	10000

ADD VAT TO ALL PRICES EXCEPT BOOKS

Add £1.75 for programs on 40 or 80 Track Disc. No post charge in UK Send for our free brochure for more information before parting with your money

memo-calc

107 MEMO-CALC £12.95 B C/D
"IT MUST BE AMONG THE LEAST EXPENSIVE PIECES OF USEFUL SOFTWARE YOU WILL EVER BUY" Revue by Practical Computing July

Database/calcsheet program which allows up to 255 columns. The number of rows is automatically set from 5 to over 1000 depending on the columns declared. Both numeric and alphanumeric data can be stored in any cell and can be of any length up to 255 characters.

There are a multitude of uses for this program from accounts to diaries, club or personnel records etc. and is probably the one program that we all need. MODE7

107a Manual for MEMO-CALC included free otherwise £2.00 (0% VAT)



Part 1 is a BASIC program running in MODE7 which accepts new data on employees, allows additions, deletions and alterations, listing of P35 & automatic alterations to the codes as required by tax notice P7X. Fully 'user friendly' with colour and graphics to make life simple for the operator.

Fully user richary with colonial to the coperator.

Part 2 (WEEKLY) or Part 3 (MONTHLY) is designed to handle the calculations of wages and N.I. It allows for standard pay, two overtime rates, optional pension funds (monthly only) other pay, holiday pay, bonuses, post-tax adjustments and no pay, 106b COIN ANALYSIS £4.95 B C/D EXTRA

106d PAYSLIP FORMS £25.00 per 1000 EXTRA

Buy direct or Prestel No. 25821534.

£27.95 + VAT

CRIBBAGE * 5 or 6 CARD GAME * 2 LEVELS * PLAY THE COMPUTER £7.99 OR DOWNLOAD FROM MICRONET

ORGANISATION AT YOUR FINGERTIPS!

We are pleased to offer you a wide range of products primarily for the BBC microcomputer software, firmware and hardware for your computer system

PERSONALISED SOFTWARE

We are happy to quote for writing programs to suit your own specific purpose. Please telephone for detals in first instance.



騆

B

1

20

H

CASHBO

102 CASHBOOK £11.95 B C/D
FIRST CHOICE This is a double entry cashbook program showing cash and bank credits and debits. i.e. 4 columns. Any number of individual accounts can be used and analysed or totalled individually or cumulatively by associated group. A friendly but very practical, and reliable program which despite its low cost is used by many people in a range of situations from domestic and clubs to schools and businesses. MODE7
102d CASHBOOKd £19.95 B D
SECOND CHOICE This version of the above program uses random access disc files and can hold up to 1250 entries on 100K discs and up to 2500 on 200k discs. There is sophisticated protection against unauthorised use built in. MODE 7

102f ACCOUNT £29.95 B D
THIRD CHOICE This version of the above program uses random access disc files and an hold up to 1100 entries on 100K discs, and up to 2250 on 200K discs. Included is a choice of CASH/BANK or VAT/BANK headings. Over 830000 possible accounts combinations. Ledger sheets and summaries can be printed as well as full accounts. The latest balance is available at any time. This program is only available on disc MODE 7

Special Interest Items

NEW EXTENDED PAYROLL

(WEEKLY, FORTNIGHTLY, FOUR WEEKLY AND MONTHLY)

Disc only version of our very popular PAYROLL with extensions to include three O/T rates, SSP, contracted in and out, pensions, personnel records and many other features - £49.95 + VAT.

ACCOUNT and CASHBOOK d PROGRAM OWNERS Please note we can now offer monthly analysis feature. Return your disc with £10.00 for upgrade.

Top Mailing Program

RANDOM MAILING up to 1850 addresses, names, phone numbers & codes disc. Selective printing any number of labels, repeat, stationery or fan fold. Automatic WORDWISE & letters produced repeatedly with personalised names many other features such as automatic sorting by company or personal names. By far the best and most comprehensive program of its type for the BBC Micro Price £29.95 + VAT

25 Fore St. Praze, Camborne Cornwall. TR14 OJX tel: 0209 831274 selecting a program. It has been kept simple to be compatible with a variety of printers.

There are two programs to type in and enter. The first is the Menu creation program which will put the new menu, with title, onto a disc. The second is the automatic menu program itself. The second program must be saved to disc using the filename 'AUTOMNU'. Line 10 of the second program is most important. Type it in exactly as it is with the spaces between the letters. When the program is run, your own title will automatically be placed here.

The menu creation program is quite straightforward. An important part is line 70 which loads the second program, the automenu program itself, into memory starting at location &5000, for two reasons. First, it saves having to keep swapping discs when using a single disc drive, and second, it allows the title to be inserted into line 10 of the program as it is to be saved to the new disc. (This avoids having to save a separate file to disc with the title on it.) Lines 120 to 180 provide some colour on the screen. These can be changed if required. Lines 230 to 310 are a routine to input the title on the disc.

It's rather complicated, but great care must be taken to ensure that it's the correct length to insert into the automenu program. If anything goes wrong here then the second program will be corrupted when it's saved to disc, and will result in the 'Bad program' message. An added complication is the need to allow the Delete key to be used, and to enable the screen display to work correctly. The delete key has the ASCII value of 127.

If using a twin disc drive, then this program could easily be adapted to save the program on drive 1. Change lines 350, 360 and 370 as follows:

350 PRINT' "Insert your new disc in" 360 PRINT "drive 1" 370 *DRIVE 1

Lines 420 to 470 use the command line interpreter to put the correct *OPT command on the disc, and to create a !BOOT file. Notice all the speech marks at line 450. These are not mistakes, but must be there in order for a set to be printed round the filename. Line 480 pokes the title into the memory location which is where line 10 of the automenu program has been loaded. It also follows it by a return character, which would then corrupt the program if it was left there, therefore this is overwritten by poking a space into that position in

You'll find the automatic menu listings on yellow pages 97-98 memory – it does actually work! This technique could be adapted to insert data into a program skeleton, etc.

Last, the automenu is saved. The program length +C00 is longer than required, to allow for extra spaces or extensions to the automenu program itself. If this is adapted and extended, then check its length using *INFO, and increase this figure accordingly.

The command line interpreter procedure at lines 560-610 has been included for all those users with Basic 1. Basic 2 users might prefer to use the simpler OSCLI command that is available to them, but it makes little difference. There is an error routine at lines 630-690. If Escape is pressed, then the screen is cleared and the program ended, otherwise the error is printed and the program restarts. The sorts of errors that might occur include unformatted or write-protected discs, etc.

The automenu program itself is much more complicated. What the program does is use the OSGBPB call to load in something to memory. As it is doing this, it also puts the first two sectors of the first track into memory locations &E00 and &F00. These first two sectors contain the filenames and execution addresses of the files resident on the disc in exactly the same format as they are on the disc sector. Various other bits of information are present on the disc too, including the total number of tracks on the disc. This could also have been achieved by switching off the screen, using *CAT and switching on the screen again. This works with the Acorn DFS but not with such things as the Watford DFS. The filenames are stored in page &E00, and the execution addresses in page &F00.

Most disc handbooks give the structure of the catalogue sectors of a disc. It would have been possible to use the disc title that is stored on disc, but this would limit the user to a title only 12 characters long, whereas up to 30 characters can be inserted by the method described above.

Line 10 holds the screen title. The title given in this listing has only been included to simplify correct entry. It will be changed by the first program to your own title. It can of course be edited by simply listing the line and changing it, then resaving.

PROCinitialise sets up the variables needed for the program, provides DIM space, and calls up the routine to transfer the disc catalogue to memory. Then

the number of tracks on the disc can be determined, and the actual drive in use can be found in location ?& 1046.

PROCsetscreen formats the screen display. Again the colours can be changed to suit. Basic programs are displayed in red, machine-code programs in magenta and files are displayed in yellow. Lines 380 to 580 print out a catalogue first of the programs, and then of the files. This catalogue will not show the !BOOT file or the automenu program.

Line 400 has been included to stop the prompt to press TAB to see drive 2 being displayed. (It does not disable the facility though.) If you have a double-sided 40-track drive, then leave out line 400. Lines 600 to 780 allow any of the programs to be chained, *LOADed or *RUN, and a printed copy to be obtained. Care has been taken to ensure that the appropriate message is displayed at the bottom of the screen, depending on the number of programs


DEFPROCcat (lines 800-879) reads the catalogue sectors into memory. The number of catalogue entries multiplied by eight is given in location &F05. The routine then checks the execution addresses for each catalogue on the disc, if the middle order bit is 0 or &FF then the program branches to the PROCcatfile, otherwise it branches to PROCcatprogs.

or files on the disc.

PROCcatfile stores each file on the disc in the array file\$. It also stores the directory. The MOD 128 is necessary as values above 128 indicate that the file is locked. The !BOOT file is not stored in the array but ignored. PROCcatprogs performs a similar task for the programs detected. There are two arrays dir\$ and prog\$, dir\$ saves the directory and prog\$ the program filename. The directory needs to be saved so that before the program is chained, the directory can be changed to suit, when one program chains another. Also line 1120 checks for screen dumps and does not put them into the array. Of course AUTOMNU itself is not catalogued. Lines 1180 to 1270 are the error routine. Drive 0 is automatically selected to avoid an endless loop if side two of the disc is not formatted. PROCend ends the program tidily should there be no programs on the disc. PROCcopy is the routine to print a hard copy of the catalogue. It has been kept simple to work on most printers, but it could be embelished as required.

IF YOU have a technical hitch or a programming problem let Martin Phillips give his diagnosis. We'll pay £5 if you raise a really interesting point. Please give full details of the system you're using and include a listing where appropriate, making your question as specific as possible. WRITE TO: Hints & Tips, Acorn User, Redwood Publishing, 68 Long Acre, London WC2E 9JH.

Two fast-action brand new Arcade games from Kansas



BBC or ELECTRON

You've seen nothing like it! You can manipulate the Buggy three different ways as the ground speeds by with two firing directions to jump or splat the many obstacles. On the ground there are craters, boulders, debris, exploders, tanks, bridge traps, whilst in the air are spacecraft and rockets—all bent on your destruction! It's a very difficult one, with single hazards, multiple hazards and even combination hazards. Multiple scenes too.


Both these games have fast fluid action, full graphics, full colour and sound. Multiple levels with both keyboard or joystick control Offered at the new low price of £6,95 each, inclusive. Or the two at a special offer of just £5.95 each.

Fly the Tomahawk fighter-bomber into enemy teritory gunning down the heat-seaking missiles and planes whilst bombing the many and varied installations. Full control over the Tomahawk as the sea and land speeds underneath, with even height control. Realistic bombing and explosions as you go in low and risk death!

And for the gamblers... CARD SHARPER

Pontoon, Pairs and Hi-Lo all on one disk. Recognises all the rules-even five card trick. Play the computer or others, The graphics are so good you want to pick up the cards! £8.95

> KANSAS-the longest established software publishers in the business and STILL here though the cowboys HAVE deserted the BBC and Electron! And still we operate our famous lifetime guarantee on every program...



REMEMBER-we offer a first class return post service, with the program(s) despatched the very same day as the order is received, whether by cheque or credit card.
If you 'phone in before 4pm giving either an Access or
Barclaycard the program(s) will be in our private Post Office collection at 4.30

Kansas City Systems, Unit 3, Sutton Springs Wood, Chesterfield, S44 5XF. Tel. 0246 850357

: PROGRAMMERS:

- Earn some money from your hobby.
- We are always pleased to receive new programs and ideas which may be considered for inclusion in the Beebugsoft range.
- Whether your program is just an idea, partially written or fully coded we would be pleased to evaluate it.
- Our rates are generous and we will fully respect your copyright, so write in confidence to:
- The Software Manager, BEEBUGSOFT P.O. Box 50, St. Albans, Herts.

STYLECOUNSEL

Tessie Revivis advises on presenting listings

ou may have noticed that over the last six months or so the listings presented on the yellow pages of *Acorn User* have adopted a certain style. We hope this has made them easier to read, understand and, perhaps most important, type in!

The following notes are intended to provide a brief outline of the style adopted. They have been compiled with the co-operation of the BBC and we hope that you will adopt them in an effort to produce a standard style of listing. Of course we expect all programs submitted to *Acorn User* to conform to our style.

These notes are by no means conclusive, and readers comments and feedback are most welcome. Please mark any such correspondence 'Program Style'. This month's notes cover presentation of Basic listings, next month we will deal with assembler.

General

Programs must be written in Basic 1. The only exception is if the program is a Basic 2 tutorial. The Basic 2 EQU and OSCLI functions can be simulated in Basic 1 using FN's. Details of how to do this appear on page 46.

Program listings should be provided with line numbers incrementing in steps of 10, starting from 10, and line numbers should run consecutively.

The first five programs lines must begin:

```
10 REM Program Title
20 REM Author's Name
30 REM BBC B/B+/6502/Basic1
/OS>1.0/Electron
40 REM (C) Acorn User month
year
50:
```

Try to keep the program title to 30 characters. Line 30 should be as specific as possible, eg, if the program requires discs, say so. Will it run on all OSs or the 6502 SP? It should be clear at a glance whether a program will run on a particular system. REM statements must use upper and lower case letters as illustrated above. Keep REMs to a minimum, and place the REM above the line it concerns rather than at the end of the line. Multi-REMs

should only be used in programs of a tutorial nature.

If the program expects PAGE to be set to a specific value then the program should check for this – and produce an error message if it is not, eg:

70 IF PAGE < > &1900 PRINT "Page error": END

As a rule programs should aim for the highest Page setting to ensure maximum compatibility. The golden numbers are:

&E00	Cassette Page
&1100	Disc (no files) Page
&1200	Net (no discs) Page
&1900	Discs standard Page
&1B00	Net + Disc Page
&1D00	Electron ADFS Page

Simulating ON GOSUB

Patrick Quick described how functions can be used to simulate ON GOSUB type structures in the May 1985 Acorn User. Here's a brief resumé of his technique.

The listing below shows the technique involved. Here you are requested to enter a number, namely 1, 2 or 3. The appropriate FN will then be called and its number printed. If you enter any other number the result will be false and the string after the ELSE in line 70 will be printed.

```
10 REM Simulating ON GOSUB
20 REM by Bruce Smith
30 REM for BBC B/B+/6502/Electron
40 REM (c) Acorn User September 1985
50:
60 INPUT "Enter 1,2 or 3:"XX
70 IF FNnum("one,two,three",XX) ELSE
PRINT "I said 1, 2 or 3!"
80 END
90:
100 DEF FNnum(A$,AX)
110 IF AX:1 DR AX:3: =FALSE
120 LOCAL MX:MX=0
130 REPEAT
140 AX=AX-1
150 A$=MID$ (A$,MX+1)
160 MX=INSTR(A$+",",",")
170 UNILAX:1 OR MX>LEN(A$)
180 IF AX>=3:=FALSE
190 =EVAL("FN"+LEFT$(A$,MX-1))
200:
210 DEF FNone
220 PRINT"This is function ONE"
230 =TRUE
240:
250 DEF FNtwo
260 PRINT"This is function TWO"
270 =TRUE
280:
290 DEF FNthree
300 PRINT"This is function THREE"
310 =TRUE
```

&2400 Disc and Teletext Page

Do not use blank lines to separate sections of code – use a colon line as indicated in line 50 above.

Listings should not be indented as this confuses the inexperienced and makes them difficult to print. If you wish to examine a listings structure then use LISTO.

If a program is non-hardware specific and should run on an Electron please use mode 6 in preference to mode 7 for any title pages, etc.

All variable names should be lower case, unless the resident integer variables are being used. They should be chosen to reflect the function they are performing and kept as short as possible. Do not include numbers and, where possible, do not underline ("__") characters.

Do *not* use the variables I, I%, i, i%, O, O%, o, or o%. O% may be used in Basic 2 tutorials in its phantom assembly role in conjunction with P%.

All constants should be assigned to a variable.

Avoid multi-statement lines longer than 40 characters. Break listings into extra lines where possible. If long multi-statement lines are needed (eg, in the case of IF..THEN..ELSE sequences), try to restructure as a procedure or function.

The end of the main program must be marked with END and a colon line, eg:

```
550 PROCtext
560 UNTIL doomsday
570 END
580 :
590 DEF PROCmenu
```

Do ensure that your program is well structured. Multi-statement lines can be avoided by incorporating them into a procedure. The main program should be as short as possible, followed by function definitions, procedural definitions and, finally, any data lines.

Leave a space between a command and any parameters it requires, eg:

```
90 SOUND 1, - 15,100,100 rather than:
90 SOUND1, - 15,100,100
```

100 MODE 5

rather than

100 MODE5

All brackets are significant and must be included, eg, use:

CHR\$ (224)

not

CHR\$224

Do not use embedded control characters, use the CHR\$ alternative.

Do not use abbreviations in listings, especially star commands, eg, *DISC instead of *D., *ACCESS instead of *AC., to reduce possible conflict with other ROMs.

Avoid using the top and bottom lines of the screen for displaying text and use paged displays rather than scrolling ones.

Keep flashing text to a minimum, unless for a specific purpose such as a prompt, eg:

"Press SPACE to continue"

Do not include instructions as part of the program, provide these on a separate sheet with your documentation, or as a !BOOT file.

Use function keys to select actions wherever possible, and provide a suitable key strip – this is especially important in graphics programs.

Do not protect programs in any way. For example, the CTRL-Break keys should not be protected to re-run or hang up the micro. It is pointless with listed material and only confuses those who are beginners.

The Escape key should always return the user to any menu present, where there ought to be an option to quit the program.

Upper and lower case characters should be recognised on all single key input.

If programs take time to initialise or

process data, a suitable prompt informing the user of the fact should be printed, eq:

"Please wait - processing data"

If the program is of a tutorial nature a suitable and practical demonstration in the form of a PROC or program should be included.

If memory is tight envelopes, key definitions, user defined characters, integer variables, etc, should be set in a 'loader' program.

Use only legal OS calls - no peeks or pokes.

Procedures and loops

All PROC names should be lower case, for instance, PROCtest or PROCmenu. This is especially true for PROCoscli, as Basic 2 will tokenise an upper case PROCOSCLI!

All procedural definitions should have a space between DEF and PROC:

1000 DEF PROCmenu.

Procedural definitions should be separated by a colon line, eg:

1020 ENDPROC

1030

1040 DEF PROCtime

If embedded loops are being used, a new line should be used for each FOR statement. Similarly put all corresponding NEXT commands, including variables, on a new line, eg:

610 NEXTA%

620 NEXT B%

630 NEXT C%

Very short loops, eg, delay loops, may be kept to a single line, thus:

500 FOR D% = 0 TO 500:NEXT D%

Printing

Do not break words when arranging PRINT statements to keep to 40 characters width, eg, use:

100 PRINT "I read Acorn User each

110 PRINT "Month without fail"

rather than

100 PRINT "I read Acorn User each mon";

110 PRINT "th without fail"

Use the SPC(x) command instead of inserting spaces with the quotes of a PRINT line, eg use:

210 PRINT SPC(6);"HELLO!"

rather than

210 PRINT" HELLO!"

GOs

GOSUB and RETURN should only be used in the instance of the ON. .GOSUB sequence, but avoid if possible.

Use of GOTO should be restricted to the ON. GOTO sequence. All destination lines should be suitably REMed. In virtually all instances a GOTO can be replaced via a simple function.

Refer to the box on the preceding page or Patrick Quick's article in the May issue of *Acorn User*.

Data

DATA statements should be grouped together at the bottom of the listing. Each DATA line should be a maximum of 40 characters – use a new line if you have to.

A suitable checksum procedure should be included to check the validity of the data.

Destinations of RESTOREs should be marked with a suitable REM, as should all new areas of data.

Error checking should be performed on all DATA inputs.

Next month Tessie shows how to present assembler listings

```
370 =pass
 10 REM Simulating Basic II from I
                                       190 OPT FNequw (&4341)
                                       200 DPT FNegud (&204E524F)
 20 REM by Bruce Smith
                                       210 OFT FNequs("USER")
                                                                    390 DEF FNegud (doubleword)
 30 REM for BBC with Basic I
                                                                    400 P%=doubleword
 40 REM (c) Acorn User August 1985
                                       220 DFT FNequb (13)
                                                                    410 PX=PX+4
 50 :
                                       230 INEXT
 60 FOR pass=0 TO 3 STEP 3
                                       240 CALL &COO
                                                                    420 =pass
                                       250 PROCoscli("HELP")
                                                                    430 :
 70 P%=&C00
                                                                    440 DEF FNequs(string$)
80 LOPT pass
                                       260 END
                                                                    450 $P%=string$
90 LDX #0
                                       270 :
                                                                    460 P%=P%+LEN(string*)
100 .loop
                                       280 DEF FNegub (byte)
110 LDA base, X
                                       290 ?P%=byte
                                                                    470 =pass
                                       300 P%=P%+1
                                                                    480 :
120 JSR &FFE3
                                                                    490 DEF PROCoscli(A#)
130 INX
                                       310 =pass
140 CMP #13
                                       320 :
                                                                    500 DIM X% 256
                                                                    510 Y%=X% DIV &100
150 BNE 100p
                                       330 DEF FNequw(word)
                                       340 PP%=word MOD 256
                                                                    520 $X%=A$
160 RTS
                                       350 PX?1=word DIV 256
                                                                    530 CALL &FFF7
170 .base
                                                                    540 ENDPROC
180 OFT FNequb (&7)
                                       360 P%=P%+2
```

Listing 1. Simulation program to enable programs written in Basic 2 to run on BBC micros fitted with Basic 1. To find out which version you have, switch on the machine and type REPORT – Basic 1 will respond with '1981', Basic 2 with '1982'



MICROMAN Computers



ACORN SPECI	ALIST	COMPUTER CENTRE	
BBC COMPUTERS:		PACE 5.25" DISC DRIV	ES:
BBC Model B	P.O.A.	PSDI SS/40T/100K	105.00
BBC Model B + DFS BBC Model B + Econet	P.O.A. P.O.A.	PSD3 DS/40 80T/400K	147.00
BBC Model B + DFS + Econet	P.O.A.	PDD3 DS/40 80T/800K	280.00
BBC B Plus	P.O.A. P.O.A. 225.00	CUMANA 5.25" DISC DRI	VES.
Acorn Teletext Receiver Acorn Prestel Receiver Acorn 6502 2nd Processor Acorn Z80 2nd Processor	225.00	CS100 SS/40T/100K (PSU)	100 05
Acorn Prestel Receiver	139.00	C\$100 \$5/401/100K (F\$U) C\$400 D\$/40-80T/400K (P\$U) CD800\$ D\$/40-80T/800K (P\$U)	179.95
Acorn 6502 2nd Processor	199.00	CD800S DS/40-80T/800K (PSU)	329.95
Acorn Z80 2nd Processor Acorn IE E E Interface	399.00	3.5" Drives	POA
Bitstick	325.00 375.00	OBUE DRIVES.	
Bitstick 2 upgrade	517.50	OPUS DRIVES:	405.00
HARD DISC SYSTEMS:	417100	5802 DS/40/80T	105.00 147.00
Acorn 10Mbyte Hard Disc + Level 3	1699.00		147.00
Acorn 30Mbyte Hard Disc + Level 3	2499.00	DISC UTILITIES	
ELECTRON COMPUTER:	2400.00	View Index	14.95
	120.00	View Printer Driver Generator	11.50
Plus One Interface (Printer/Joystick)	129.00 59.95	Hi-View	59.80
Plus Three Interface (DFS/Disc Drive)	229.00	Acornsoft Database Microtext	15.35
Electron view	29.95	S-Pascal	59.00 19.90
Electron viewsheet	29.95	Turtle Graphics	19.90
TORCH COMPUTERS:		BCPL Calculations	19.90
Z80 Disc Pack	750.00	Acorn P-System	299.00
Z80 2nd Processor Card	339.00	Beebug Masterfile II	19.00
Graduate	1149.99	Beebug Quickcalc	15.00
ECONET SYSTEM:		Beebug Starter Pack Beebug Billboard	15.00 15.00
Full Service Available	POA	Beebug Paintbox	12.00
The state of the s	1.000	Beebug Design	19.00
BBC FIRMWARE:	FO 00	Spellcheck (Wordwise or View)	19.00
View Store View ROM	59.80 59.80	Beebug Discmaster	19,00
Wordwise ROM	44.85	Beebug Dumpmaster	12.00
Wordwise + ROM	56.35	Beebug Teletext	12.00
Viewsheet ROM	59.80	Island Music System	29.95
Speech Synthesizer	55.00	DISCS	
Ultracalc Spreadsheet ROM	79.50	Mr Floppy DS/DD/80T	16.50
Inter-Sheet - NEW -	56.35	PRINTERS:	
Inter-Chart - NEW - Accelerator - NEW -	44.85 64.40	Star S610 NLQ 120cps (Intro offer)	259.00
The Speech ROM – NEW –	33.35	Star S615 NLQ 120cps (Intro offer)	389.00
Graphics ROM	33.35	Cannon PW-1080A/KAGA	289.00
Disc Doctor ROM	33.35	Cannon PW-1156A/KAGA	459.00
Printmaster ROM	33.35 69.00 33.35	Epson RX80FT	275.00
Communicator ROM	69.00	JUKI 6100 Daisywheel Shinwa CP80A	379.00
Termi Emulator ROM Gremlin Debug ROM	33.35		199.00
Caretaker Basic Utility ROM	33.35	MONITORS:(Cables incl	
Toolstar ROM	34.00	Microvitec Cub Standard Microvitec Cub Medium	229.00
Commstar EPROM	34.00	Philips Amber	299.00 94.00
BCPL ROM	59.80	Phillips Green	99.00
System ADE ROM	60.00	Phillips TV/Monitor	228.00
System SPY ROM Datascribe	30.00 95.00	MODEMS:	
Merlin Scribe	59.95	Pace Nightingale inc Commstar ROM	159 85
Beebug Soft: Full Range Available	00.00	Pace Nightingale	136.85
Gemini Datagem Database ROM	79.95	Pace Auto Dial/Auto Answer Board	56.55
Acorn Iso Pascal ROM	69.00		11.50
Acorn Logo ROM	69.00	Pace OBBS Bulletin B Software Mikefax Viewdata/E Mail Software	25.00
Slave Rom Floppywise	49.95 29.95		30.00
Comal	49.85	JOYSTICKS: Voltmace Delta 14b Handset	14.95
BBC UPGRADES:	10.00	Voltmace Delta 3b Dual	19.95
	05.00		10.00
A-B Upgrade (Fitted) A-B Upgrade (Excluding Fitting)	95.00	CONTROL/ROBOTICS:	1 marian
Acorn DFS Interface (Fitted)	80.00 109.00	AMX Mouse AMX Paint Pot	89.95
Opus DD/DFS Interface	99.95	AMX Desk	14.95 24.95
	A STATE OF THE STA	AMX Utilities	14.95
EXPANSION BOARDS:		Commotion EV1 Camera	129.00
APTL Sidewise ROM Board	43.70	Marconi Trackerball RB2	59.80
Aries B20 RAM Expansion Board	89.95	RB21 (Colour Icon Software)	69.50
Aries B12 Sideways ROM Board	46.00	Novodad CAD Package	90.85
Aries B12C Adapter Computer Village ROM Board	5.75 49.00	Robin Light Pen	29.90
	40.00	Valiant Turtle	P.O.A.
SOLIDISK PRODUCTS:		PLOTTERS:	
Solidisk 32K Sideways RAM	57.95	Penman Plotter Special	
64K Sideways RAM	85.00	Watanbe Plotter (A3 6 PEN) Epson H180 Plotter (A4	P.O.A. 458.85
Solidisk 96K Extension Solidisk 128K Sideways RAM	92.00 149.95	Roland DXY 800 A3 Plotter 8 pen	458.85
Solidisk CPU and Keyboard Case	33.00	Roland DXY 880 A3 Plotter 8 pen	943.00
Solidisk DD/DFS Interface	39.95	INTEGRATED CIRCUITS:	
Eprom Programmer	20.95	Hitachi Eproms 27128 (25 ons)	3.95
Eprom Eraser	20.95	Mitsi Eproms 2764 (25 ons)	2.95
20 MB Hard Disc	810.00	RAM 6264 LP-15	4.95
ACODN AL	PPROVED	SEDVICE CENTRE	A STATE OF THE PARTY OF

ACORN APPROVED SERVICE CENTRE
OUR, WORKSHOPS OFFER A FULL REPAIR AND UPGRADE SERVICE
SHOP OPEN 9-6 Mon-Sat.
We stock a large range of books, educational and games software

EDUCATIONAL & INDUSTRIAL ENQUIRIES WELCOME



MAIL ORDER SALES
NEXT DAY DELIVERY
SMALL ITEMS 1st CLASS POST
PRICES INCLUDE VAT

£1.00

VISA

RAINFORD INDUSTRIAL ESTATE, MILL LANE, RAINFORD, ST. HELENS, MERSEYSIDE PHONE 074488 5242/5295



Plotmate is new. Excitingly new.

It's a rugged, responsive flatbed plotter with a lot of built-in magic.

You can use it to create fantastic patterns. Some small as a postage stamp. Or big as an A2 poster.

It'll produce overhead transparencies for you. And all dimensions of graphs, diagrams and charts.

It'll also prepare maps. Then put the contours in. And that's only part of it.

You should see its repertoire of characters—a whole sci-fi population for you to manipulate.

Plotmate software accepts all the colour, vector, character and graphics commands of your <u>BBC micro</u>.

You just plug it in and away you go. All for less than £300.*


Phone 0702 541664



PLOTMATE

LINEAR GRAPHICS LIMITED

28 Purdeys Way Purdeys Industrial Estate Rochford Essex Telephone: 0702 541664 Telex: 995701 Ref 356 *exc VAT



On the side.

on the cheap

Sir, At last a magazine that recognises the true power of sideways RAM. I have been using it for over a year, after discovering a project in Elecand Computing tronics Monthly (March '84) which made it possible to plug a 6116 chip (costing about £4) into a sideways ROM socket. This article refers to a 6116LP-2 chip, but as this is sensitive to which static electricity destroys it, I recommend a 6116E2, which is buffered. This is a good introduction to sideways RAM and not very expensive.

Now I'm ready for an upgrade to 16k!

l expect that you will be concentrating on utilities with a star (* command), but an article explaining how to develop and write a language would be welcomed. I'd also like to correspond with other sideways RAM owners who can write to me at the address below. Finally, I'd like to say I'm glad I read Acorn User, it's great!!

P M Schrama Bontekoekade 28 2516 LB Den Haag Netherlands

Thank you for your kind comments. As the sideways RAM feature has been well received we will certainly be carrying more articles on the subject in the not too distant future.

Small is

beautiful

Sir, Let me say that June's issue has given one of the best reads for some time, but with the problems at Acorn it's about time consideration was given to the user.

If a computer was specified properly and sold at the right price, it would have a career like the venerable Volkswagen – who needs 16 or 32 bit, and for that matter CP/M, Fortran, Cobol or what have you?

It's all very well accommodating the biggest and best, but do our schools and small businesses need vast number crunching capabilities. Surely our schools should be catering for the 80 per cent of small businesses, not the large concerns geared to other systems.

It's nice to know that people like Nick Evans are attempting to grasp the nettle (although by now he must realise they have a tendency to sting). There is a lot of truth in what he says, but he presents his case like a closeted school teacher who has forgotten what the real world looks like.

It's about time the question was asked 'Who wants to use a micro and what are their requirements?'. For my money, small business must be the largest sector and the BBC B micro together with it's peripherals meets most of the criteria. The only drawback is the limitations imposed by the lack of RAM, necessary for integrated programs, such as those for annual audits.

Come on, Acorn, let's have an upgrade to 256k of user RAM sold at BBC B prices. Don't let market trends force your prices down - get them right from the start - the Japanese are hard on your heels. Stabilise the market. Let the schools know they have invested wisely. Give the programmers a chance and, who knows, by producing a people's micro and using the principles so readily grasped by Henry Ford, a bright future could be had by all.

A A Hatley Surrey

Monitored

Sir, A few months ago Martin Phillips answered a letter from Mr Wilson who wanted to change a normal TV set into a monitor.

In the November '84 issue of the electronics magazine Elektor, there was an article on just this topic which may be of help.

J N G Tummers Weert Netherlands

Back issues of *Elektor* cost £1.50 including postage and are available from 10 Longport, Canterbury, Kent CT1 1PE.

An expanding concept

Sir, We must reply to some of the comments made by Chris Drage in his review of Concept Keyboard software (June '85).

It's difficult to understand the basis for the comments in his concluding paragraph. The Concept Keyboard overcomes many of the problems and restrictions of the qwerty keyboard, as well as opening up a range of imaginative possibilities. If software was developed to be used with or without the Concept Keyboard it could not fully exploit the advantages offered by it.

The MÉP Low Attainers Project has produced a number of software packages which, as

able to assess several which do so and can now modify my previous comments.

Two adventure programs for children Rescue (Star Devices) and Dragon World (4mation Education Resources), illustrate the points in the letter. The former is an entirely Concept Keyboard based adventure where children move their 'character' over a superb, multi-coloured overlay in an attempt to rescue a prince locked in a castle. My class of average to bright 10-year-olds voted this adventure the best yet!

Mind you I haven't let them loose on Dragon World yet,



Concept Keyboard: as more software becomes available its value in schools increases

far as possible, avoid using the qwerty keyboard, such as Rescue and Supermarkets. There is also an excellent wordprocessor called Prompt, which uses the Concept Keyboard, available from the MEP Special Needs Software Centre. These, and an increasing number of other programs, gain tremendously by fully using the advantages of the Concept Keyboard.

I'm sure that if Chris Drage was to try these programs, or any others which exploit the Concept Keyboard fully, then he would see it as a valuable tool in its own right.

Phil Bennington and
Ann Muxworthy
Project Co-ordinators
MEP Low Attainers Project
Newcastle

Chris Drage replies: Here here! When I submitted my article in January programs making full use of the Concept Keyboard were thin on the ground. Since then I have been

which utilises a number of overlays relating to specific locations in the adventure. This frees the computer memory from graphics and enables the children to interact with, and physically move about the location via the Concept Keyboard overlay. Full reviews of these excellent programs will appear in future issues of Acorn User.

Only by publishers recognising the potential of the Concept Keyboard will its imaginative possibilities be realised. I would like to draw teachers' attention to the 'free' software available through their local MEP centre. Prompt-2 and Touch Explorer are excellent examples of how the Concept Keyboard can meet the needs of infants and low attainers. However, until input devices like the Concept Keyboard become the standard for all micros, there must come a time when each child will have to learn to cope with the standard qwerty keyboard.

Hong Kong


connection

Sir, Having read the interesting articles on the Times Network for Schools (TTNS) and the Midland Bank and Bank of Scotland home banking schemes (Acorn User, June), we would like to contact either of the banks or Gordon Jones who heads the TTNS scheme.

Our school has some 18 BBC B micros and an Econet system, and we are convinced that the British Forces children studying with us while their parents are serving abroad would benefit from any written disc-based information available to them on banking and networking in the UK. We would be grateful for any assistance you can offer us here in Hong Kong.

Robert M Dunn St George's School BFPO1

Geoff Nairn replies: The Times Network for Schools (TTNS) is a UK electronic mail system which also carries a database of information for schools. TTNS tells AU that there are



TTNS: plans for extending the network overseas

plans to extend the network overseas via satellite links. and overseas schools that would like to know more should get in touch with TTNS at 200 Grays Inn Road, London WC1X 8EZ, England.

The Bank of Scotland Home Banking service lets its customers pay bills and transfer money electronically using a viewdata terminal. Write to the Bank of Scotland, PO Box 12, Uberior House, Edinburgh | EH1 2JF, Scotland.

The Midland Bank's version of home-banking is a pilot scheme at the moment - and has been for some time.

Econet

frustration

Sir, I have been a user of the Acorn Econet system, in one of its various forms, for the past 18 months. In that time I have become increasingly frustrated by the lack of hardware and software support. I can honestly say that I have only ever seen two advertisements for software specifically written for Econet, namely Discovery II and Supervisor. Isn't it time that software houses, including Acornsoft, applied their expertise to this expanding area?

The frustrating process of obtaining a Winchester hard disc drive for use with an unmodified Econet system has, on occasion, caused me to resort to minor tranquillisers for solace.

Each month companies advertise hard disc systems for the Econet, promising level 2 fileserver compatibility. On receipt of their literature, however, it seems that only Pace, GSL and Torch (who have each developed their own networks around modified Econet hardware) are actually in a position to supply the goods they advertise

I find it incredible that companies are permitted to advertise goods knowing full well that the services they offer cannot be provided within a

reasonable time.

While I am fully aware that a delay of some two to three months often does exist between receipt of advertisements and their publication, it is obvious that certain companies are using highly questionable advertising tactics to lure trade away from the more scrupulous businesses. who are, thankfully, in the majority.

Finally, if there are any users of an unmodified Econet system who have actually got a hard disc system up and running under either level 2 or level 3 fileserver software. I would be very grateful for any advice you can offer.

Joe Arrowsmith Chairman Computer Club St George's Hospital Medical School London SW1

Setting the record straight on colours by interrupts

Sir, Following my two articles (AU, April and May), several points have arisen which I'd like to set straight. The first is a simple one - due tó a small typographical oversight in the first article all line numbers mentioned that were less than 10000 were out by 50 (ie add 50 to them in the text). This makes no difference to the operation of the program but does clarify the article somewhat!

The second point also relates to the first article and was raised by a reader who was having difficulty carrying out my suggestion regarding chopping out sections of code not relevant to the mode currently in use. I'm not sure of the exact problem but the only possible source of trouble I can find is failure to select the required mode before calling PROCsetdlis. This procedure reads the current mode (at line 10010) and assembles code accordingly. Thus if the ON. GOSUB at line 10340 has been left but sections of code removed, an incorrect mode on entry will cause an error. The best method is to alter line 10340. For example, if you wanted only to use the routine with a four colour mode (eg mode 1), look for the four colour routines (lines 10570 to 10660) and amend line 10340 as follows:

10340]:GOSUB 10570:[OPT

Lines 10490 to 10560 and 10670 to 10740 can then be deleted. This makes the mode selected when PROCsetdlis is called irrelevant and line 10010 can also be deleted.

The final point regards a slight slip in the printing of the second article. The program description (third paragraph of the third column, page 81) should read as follows:

This brings us to the program. The first 106 lines are for demonstration. They set up the DLI routine data areas to display mode 0 followed by 1, 2 and finally 3 (or mode 4 followed by 5 and 6) with each mode having its default colours selected.

PROCsetdlis is then called before assorted demonstration procedures, one for each mode. The only vital sections ofthese procedures are 'PROC- mode' (lines 350 to 620) and its associated data (lines 1040 to 1100) because this is used to allow the standard operating system VDU routines to function correctly: it fools the OS into thinking that it is in whatever mode you have selected. Remember when using this in your own software that the RE-STORE at line 390 will need to be altered!

Then the following sentence should be added to the second paragraph on page 83 (after 'if selected):

Note that it is these values that need to be altered if you want to change the palette don't use VDU 19 as it won't work. Thus to change the foreground colour for a two colour mode, alter the second byte of this block of data.

This description matches up with the listing and photograph as published. The description of PROCmode also renders the second paragraph of the article irrelevant as it allows you to use the existing MOS routines rather than having to write your own.

Tristram Mabbs

Do not adjust

your set

Sir, The reply to A Sinclair (Dear Kitty, June 1985) contains an error regarding the BBC Data Recorder (assuming model No. ANF-03). In play mode, it's unnecessary to adjust the volume control as the signal levels are independent of it - it's used only for audible monitoring

Another cause of 'DATA?' messages is the Azimuth of the play head. The majority of tapes load successfully, but for some the alignment of the play head must be adjusted (usually carried out by your

dealer).

I think the problem is the original recording of the tape being out of tolerance - a problem I have experienced myself. Out of 40 tapes, two would only load after altering the Azimuth, then returning to the original setting.

Vic Taylor Cheshire

Margin

notes

Sir, I have a Sanple Daisy Step 2000 printer and as predicted in your review (June '84) I am confused by the tatty multi-language 'manual'. In particular I am unable to set the margin (ESC L(n)). If you could decipher this and other useful sequences I would be very grateful.

John Chapman Lancs

George Hill replies: The set left margin feature is, like most others, governed by an escape sequence. This has to be sent to the printer only.

To set the left margin n characters from the leftmost position send the sequence ESC L n which may be done in a number of ways:

1) From the keyboard type:

VDU2,1,27,1,ASC"L",1,n,3

(note that n is a number between 0 and 255).

2) From Basic, the same line inserted anywhere in a program will have the desired effect. You can omit the initial 2 and the final 3, which enable and disable the printer, if these are taken care of elsewhere.

3) From a wordprocessor. This is awkward in *View* which is not flexible in this respect, but in *Wordwise* use < green > OC27,77,n < white > where n is again a number between 0 and 255.

Using a wordprocessor it's probably easier to leave the left printer margin unset, and to set the left margin in the wordprocessor, eg, by an LM command.

Pinning down

a problem

Sir, As a long standing Beeb user, who applies the magic box to a wide range of business applications, I would like to share a recent experience with your readers.

When my system was upgraded to twin 40/80 discs immediate and serious problems arose, particularly with my database *Starbase 2*. As my computer had been working with a disc for over a year, and contains the usual complex of ROMs and plastic

where does one get advice? In this case after very substantial assistance from both Technomatic and GCC (Cambridge) the problem was tracked down to a damaged pin number one on my DFS ROM. This, quite frankly, was a surprise, because most people are adamant that pin one does not matter.

Moral – buy your system from a responsible supplier and, of course, always expect problems whenever the system is changed!

C Brunning Lincs

RIP BBs?

Sir, I am writing to you about bulletin boards, as I think the new OBBS Bulletin Board software by Pace is going to put an end to this great hobby.

I'll explain. I started to run a bulletin board, (NOBBS-1 North

Oxfordshire Bulletin Board running from 6 to 7pm every weekday on (0295) 720812, about a year ago, and since then quite a few people have phoned me. Some liked it so much that they would phone on the dot of 6 and chat for hours, but then they decided to set up a board of their own and, I never heard from them again.

I feel a lot of us SYSOP's are in this position, and soon everyone will be one! Then we'll all be sitting at home with our new systems set up waiting for our first caller of the day and no one will call, because everyone is waiting for everyone else to phone them!

Putting this OBBS Software at £21 is just too low. Like the TBBS systems, it should be at least £200 to make sure that only the people who really wanted to become SYSOP's would do so.

Alec Crawford Oxon

Battling with

the big boys

Sir, Nick Evans' timely article 'Publishers ''won't touch'' school software' has prompted a few thoughts.

Low quality software is all too common – and not just 'amateur' products. My school recently ordered a copy of a 'Weather' package from a well known educational publisher, to discover in the small print that it would only run on a 0.1 OS machine!

The dilemma for the large software publisher is that of turnover. Expensive advertising, packaging and distribution push the distributor into areas in which large sales can be anticipated. The result is the current range of products for the primary sector and those for the larger areas of secondary and tertiary education.

But how can we expand the use of computers in other parts of the curriculum without relevant software? The answer can be found in the output of that small band of publishers working in specialist areas (in this company's case the physical sciences). Our products have been developed in schools and thus make use of appropriate userfriendly structures and provide practical error handling.

My company's problem is that of recognition. It failed to gain a mention in your recent Education special. The heavy advertising overhead of the big boys' seems to swamp we minnows to the detriment of us all

Our free catalogue is available on receipt of an sae, from 43 St John's Drive, Clarborough, Retford DN22 9NN or alternatively your local MEP Regional Information Centre has details together with demonstration copies.

G A Herdman Retford

The Small ads pages were created for companies such as yourselves. Obviously demand and recognition for the product spreads from there, usually by word of mouth. As for us favouring 'the big boys', the omission of products from companies such as Mirrorsoft and Acornsoft from our Educational Software Guide (AU May), must surely destroy that impression.

Latest round-up of games high scores

Aviator Android Attack		30,450 1,495,105	P Hopgood* Tim Hedger
Arcadians	Concepts Acornsoft	98,020	Niaz Islam
Battletank		108,500	Stephen Corcoran
	Superior A&F	30,275,420	Stephen Corcoran*
Chukkie Egg	Acornsoft	279,790	Richard Arundale*
Crazy Painter Cybertron	Micro Power	715,960	Niaz Islam
Mission	MICTO POWER	715,900	NIAZ ISIAIII
Fortress	Pace	129,250	Stephen Corcoran
Frak!	Aardvark	20,000,200	Paul O'Malley
Free Fall	Acornsoft	5,024	Philip Comber*
Hopper	Acornsoft	52,422	John Durrans
JCB Digger	Acornsoft	131,450	Stephen Corcoran
Killer Gorilla	Micro Power	836,475	Stephen Corcoran
Meteors	Acornsoft	498,500	P Ludgate*
Missile	Gemini	469,225	lan Boffin*
Control	Continu	100,220	
Monsters	Acornsoft	283,000	Stephen Corcoran
Mr Ee	Micro Power	685,650	Jonathan Parker
Moonraider	Micro Power	642,125	Stephen Corcoran
Overdrive	Superior	338,450	David Perry*
(BBC)			
Overdrive	Superior	1,011,720	P Ludgate*
(Electron)	AND THE		
Painter	A&F	203,690	Nigel Shaw*
Pengo	Watford	230,310	Tony Smith*
Planetoids	Acornsoft	3,186,450	Stephen Corcoran
Pole Position	Atari	384,250	Niaz Islam
Rocket Raid	Acornsoft	161,460	Roger Austin
Snapper	Acornsoft	1,150,790	Niaz Islam
Space	Virgin	4,890	Mark Bradshaw*
Adventure			
Starship	Acornsoft	8,420	Ian Boffin*
Command			
Zalaga	Aardvark	23,460,500	Ian Boffin*

Please say whether your score was notched up on a BBC micro or Electron when sending in your games high scores, as in future issues we'll be publishing separate tables for each micro.

* Scores unbeaten since June

PROGRAM·UPDATE

As if the programs in Acorn User each month were not good enough already, many of you have been sending in improvements! Not that we mind, of course, in fact we are going to encourage you to do just that, by printing a selection of the best! So please send in your improvements, mark your letters 'Program update' and send them to the Technical Editor.

The full

dotfill

THE colour fill program by Peter Sandford in the January issue provoked much correspondence. Peter has come up with a couple of modifications to ensure that the fill routine will work correctly in all circumstances. The following two lines should be added to the main DOTFILL listing (listing 2, page 112):

1915 BNE tinteq:CLC :.tinteq 2085 BNE t2nteq:CLC :.t2nteq

Note that these lines should be changed after the original listings have been entered and debugged, otherwise the checksum generated will be incorrect. Line 90 should therefore be deleted before assembling the amended code.

The following two lines should be modified in the Basic listing of the fill routine (listing 1, page 112):

300 IF rightx>tox'
newx=FNback(tox+xste
p,y-ystep):IF newx<=
rightx PROCqueue(new
x,rightx,y-ystep,-ys
tep)

310 IF rightx<tox newx=FNback(rightx+x step,y):IF newx<=tox PROCqueue(newx,tox, y,ystep

Speed

painting

BERNARD Emblem of Bury says that Rob Fenton's *Paintbox* program (February 85) has proved to be his most used program since *Chuckie Egg!* Bernard has supplied some adjustments. The [and] keys are used to increase and reduce the speed of the cursor. To get this to work correctly on the Electron change the following two lines to:

390 IF INKEY -82 AND IC% > 4 IC% = IC% -4 500 IF INKEY -68 IC% = IC% +4

This will allow the cursor speed to be increased with F (fast) and reduced with S (slow).

The cursor draws rather slowly which is annoying when a large distance needs to be covered. The following line will give a burst of speed when Shift and: are pressed together:

595 IF INKEY -73 AND INKEY -1 IC% = 64

Colourful

messages

PATRICK Fisher of Rickmansworth has sent in a useful improvement to Jeff Tullin's Bulletin Board program in the May issue. Patrick has adapted the program to be displayed in colour – just add/change the following lines to the original program:

125 *FX19 127 PROCcolour 1450 LDA *ASC(CHR\$2 55)) 2470 DEF PROCcolour 2480 FOR Y%=0 TO 24 2490 VDU 10,13,130 2500 NEXT Y% 2510 VDU 28,1,24,39,0 2520 ENDPROC

If you change line 300 to read:

300 COL\$=CHR\$(129) +CHR\$(157)+CHR\$(134) +CHR\$(141)

you will then have cyan text on a red background with green scrolling letters!

Many of you have asked how to slow down the program display and reduce the associated jitter. I have my own solution – first delete the following lines:

DELETE 1640,1710 DELETE 1890,2280

and add the following lines:

571LDY#4 572.delay TYA 573PHA 574LDA #19 575JSR osbyte 576PLA 577TAY 578DEY 579BNE delay

By adjusting the value loaded into Y at line 571 the display can be slowed almost to a stop.

Electron-ic

keyboard

A COUPLE of changes to the listing in Paul Beverley's programmable keyboard article (March 1985) have been provided by A Patton of Grimsby to allow the program to function correctly with the Electron and Plus 1. Line 470 in listing 1 should be changed to:

LDA &2FC

this then gets the ADVAL value from the correct location.

Advanced driver

lessons

DR HOCK of the University of Leeds was suitably impressed by George Hill's *View* printer driver generator (June 85), but has, nevertheless, been able to make a number of small improvements. His listing can be found on the monthly cassette; the improvements are:

Inclusion of a pad facility

Recognising that the multihighlight facility requires only a single byte in the table (set to &FF). This function has been transferred to HT 143, and therefore caters for 14 full highlights plus (full length) printer 'set' and 'reset' functions

• Four character printer sequences are now catered for, provided that the first character of such a sequence is always the escape code

• Alternatively the program can now cater for 'long' sequences of up to eight characters. In this mode up to seven highlights are available.

page 53 ▶

Full scale extra

AN EXTRA facility for use with Nigel Jenning's *Graph* program in the April 85 issue, has been offered by R Oswald from Menai Bridge. As it stands Nigel's program allows you to alter the scale factor which is very helpful when it comes to blowing up portions of curves for more detailed

observation. Sometimes Y values may be greater than the corresponding X values or vice versa, and so it becomes desirable to have completely different scales for the X and Y axes. This can be accomplished by adding to and modifying the original program as follows:

ves for more detailed lows:

280 PROC_PLOT((40-XA%)/60/SFX,1)

360 SFX=1:SFY=1

720 PRINTTAB(17); "SFX: ";SFX;

725 PRINTTAB(27); "SF7: ";SFY;

740 IF Code%(I%) PRINTTAB((I%+1)*10-3);Code*(I%);

800 IF Code%(5) P%=69 ELSE P%=5:X=S:Y= EVAL(A*):PLOT 4,X*60*SFX,Y*48*SFY

810 FOR X=S TO (1240-XA%)/60/SFX STEP .1/SFX

840 PLOT P%, X*60*SFX, Y*48*SFY

1080 IF Codex(4) AND XC%/60/SFX<>0 PRINT XC%/60/SFX

1170 IF Code%(4) AND YC%/48/SFY<>0 PRINT YC%/48/SFY

1340 INPUT TAB(0,31) "Enter Scale Factor: SFX " SFX

1345 INPUT TAB(0,31) "Enter Scale Factor: SFY " SFY

1350 UNTIL SFX>0 AND SFY>0

1470 IF ERR=18 OR ERR=20 PROC_PLOT(X+.1 SFX, I%+1)

1480 IF (ERR=21 OR ERR=22) AND SGN(X)=-1 PROC_PLOT(.1/SFX,100)

1560 PRINT "SF : Scale Factors"; SPC(12); ": 1,1"

HARDIN



SOF



Midwich Computer Company Limited, Gilray Road, Diss, Norfolk, IP22 3EU. Telephone: Diss (0379) 4131

THE WINCHESTER HARD DISC DRIVE FOR THE BBC MICRO

- Available now!
- Ideal for Econet systems.
- Econet Level 2 compatible.
- Acorn DFS compatible.
- Fast ex-stock delivery.
- Low prices.
- Large capacities − 5, 20[†] & 25[†] Mb.
- Comprehensive user manual and utility software included.
- Simple installation.
- 12 month warranty. On site maintenance & extended warranty available.

† (Available April 1985.)

5Mb HARD DISC ONLY £850 + VAT 20Mb[†] HARD DISC

£1675 + VAT (guide only)

The ideal cost effective solution for Econet storage problems.

MIDWICH BBC **COMPATIBLE FLOPPY DISC DRIVES**

- Lower prices.
- High quality Japanese mechanisms.
- 100K to 800K storage capacities.
- Available with integral Disc Interface.
- Optional integral power supply.
- 12 months warranty.
- Complete with utilities disc and comprehensive user manual.
- All 400K and 800K drives are 40/80 track switchable.
- Improved design. Easier operation.

BBC 400 BBC 400D BBC 400P

BBC 400DP

Single 100K – Alps Single 400K 40/80 track Dual (2 \times 400K) 40/80 track Single 400K 40/80 track with integral power Dual (2 × 400K) 40/80 track with

integral power

€ 69.95 £129.95 £255.95

£155.95

£285.95





Budge over

for additions ...

MR MOORE, Head of Computer Studies at Marian RC High School for Girls has found a couple of errors in the *Budge* program (April 1985) and has also incorporated an extra checking facility. The three errors (all minor) occur on the following lines. Line 1830 should read:

1830 UNTIL W% = 0 OR W% < 6

while the tab values in lines 2310 and 2360 should be (29,29).

Kitty is having a holiday but she'll be back soon

The additions are in PROCquestions which at present will accept incorrect inputs. The amended version below (listing 1) will check the validity of input and will only accept valid

... And even more

additions

YAD Sardar who reads *Acorn User* in Kuwait is well versed in *Budge* as well. Yad makes the following improvement which prints the final VDU definitions a line further down:

440 CLS:PRINT:FORC %=OTO14:PRINT vdu*(c %):NEXT

```
1800 DEFPROCquestions
1805 REPEAT
1810 PRINTTAB(0, 15); SPC(39); CHR$(7)
1815 PRINTTAB(0,15); "No. of chars. across
(1-5, default=1)";
1820 INPUT W%
 1825 UNTIL W%=0 OR W%<6
 1830 IF W%=0 THEN W%=1
 1835 REPEAT
 1840 PRINTTAB(0,17); SPC(39); CHR$(7)
 1845 PRINTTAB(0,17); "No. of chars. down
(1-3, default=1)";
 1850 INPUT H%
 1855 UNTIL H%=0 OR H%<4
 1860 IF H%=0 THEN H%=1
 1865 REPEAT
 1870 PRINTTAB(0,19); SPC(39); CHR$(7)
 1875 PRINTTAB(0,19); "ASCII codes for ch
ars.to start at"
 1880 PRINTSPC(12); "(224-"; 256-H%*W%; ", d
efault=224)";
 1885 INPUTUZ
 1890 UNTIL U%=0 DR U%<257-H%*W%
 1895 IF U%=0 THEN U%=224
 1900 REPEAT
 1905 PRINTTAB(0,21); SPC(39); CHR$(7)
 1910 PRINTTAB(0,21); "1st line no.for VD
U23 statements"
 1915 PRINTSPC(11); "(1-32000, default=101
0) ":
 1920 INPUT LI
 1925 UNTIL LI>=0 AND LI<32000
 1930 IF LI=0 THEN LI=1010
 1935 ENDPROC
```

Listing 1. Add to Budge to check the validity of input.

CENTRAL PROCESSING... CENTRAL PROCESSING...

Paul Tang, Dagenham

The pin out of the BBC micro user port is as follows:

Pin 1-+5V Pin 2-CB1 Pin 3-+5V Pin 4-CB2 Pin 5-0V Pin 6-PB0 Pin 7-0V Pin 8-PB1 Pin 9-0V Pin 10 - PB2 Pin 11-0V Pin 12-PB3 Pin 13-0V Pin 14-PB4 Pin 15-0V Pin 16-PB5 Pin 17-0V Pin 18 - PB6 Pin 19-0V Pin 20 - PB7

As you view the user port from the back of the micro the even numbered pins appear at the top and the odd numbered pins at the bottom. Pins 1 and 20 connect to the wires at the edge of the ribbon cable.

K Layne, London N17

For your set up of Electron, Plus 1, Plus 3 and Mannesman 80 printer I would suggest that the *View* cartridge would be a suitable wordprocessor for your needs. This has the advantage of being in a ROM chip and thus takes up none of the Electron's usable memory. The cartridge simply slots into one of the cartridge sockets on the Plus 1.

A G Little, Devon

A review of the Morley Teletext adaptor is being undertaken and will appear in the not too distant future.

Miles Washbrook, Worcester

I do not know of anyone who is currently marketing a mode 7 teletext adaptor for the Electron. Sir Computers of Cardiff did produce one, but it is no longer trading. It is rumoured that Acorn might be working on one but I have heard nothing definite on that front.

Ms Bachler

BBC micro games programs will run more slowly on your

Electron. This is because the Beeb runs almost twice as fast as the Electron. BBC micro programs usually have delay loops placed in them to make them playable to mere mortals, so to speed them up on the Electron it's necessary to remove them. This would prove to be difficult especially if the programs are of a machine code nature.

Chin Cheng Yeong, Brunei

The 1770 disc controller chip as featured in the B+ cannot be fitted into a normal BBC B micro computer directly, but it is possible to do so with some adaptation. For example Solidisk markets a double density disc controller board utilising this chip. The 6512 microprocessor is almost identical to the 6502. The only difference is that its clock circuitry is much neater.

Finally, to use the Starstick ROM and the Micropulse ROM Box together proceed as follows. Take your Basic chip from IC101 and insert it into any other empty ROM socket. Insert the Micropulse ROM Box cable into IC101. Place the Starstick ROM in the ROM box. When you wish to use the Starstick ROM switch it into position on the ROM Box.

R F Eddolls, Bristol

I'm afraid we are stumped on how you can get hold of the user manuals for the Acorn Systems 2 and 3 other than approach Acorn itself, which you have already tried. Nevertheless, I am copying your letter to Acorn to see if I can persuade them on your behalf!

C Sillars, Ashford, Kent

The DOTFILL program as presented in the January 1985 Acorn User contains no errors as demonstrated. It was updated by Peter Sandford in subsequent issues.

K Vergis, Malaysia

The Random Landscapes program in the December 1983 issue of *Acorn User* was correct as published. First Byte AU July 1985 covered how to debug programs.

Because of the large amount of technical enquiries we receive in the *Acorn User* office we are now unable to reply to individual letters. However, this new feature is intended to answer as many of your queries as possible, and provide a useful information spot. Please keep your letters short and to the point.



Watford Electronics

Dept. AU, Jessa House, 250, Lower High Street, WATFORD, ENGLAND Tel: Watford (0923) 37774/40588 Telex: 8956095 WATFRD

ORDERS BY ACCESS OR VISA Tel: (0923) 50234



BBC Micro 'B' Only: £289

Price includes FREE 5 games software packages

BBC MICRO 32K + 32K

(extra 32K RAM Card already fitted)

Only: £348

Complete BBC B ECONET Networking System now available

(P.S. ROM based software purchased with any of the above Micros will be fitted free of charge)

6502 Acorn 2nd Processor	£175
Z80 Acorn 2nd Processor	£339
TORCH Z80 Card + Perfect Software	£275
TORCH Z80 Card + Soft. + Disc Pack	£550
TORCH GRADUATE Z80 System	£900
Acorn Bitstick Acorn IEEE Interface Complete Acorn Teletext + Interface (Securicor carriage on Micros £7)	£325 £280 £195

Dust Cover for BBC Micro £3.50



SEIKOSHA SP-800

This new attractively finished dot matrix printer This new attractively finished dot matrix printer features Near Letter Quality mode and is unsurpassed at the price. Provides high quality printout for word-processing, whilst retaining a fast mode (80 CPS) for draft copies. Other features include a variety of character sets, underlining, bold print and double strike, bi-directional logic seek, automatic paper loading, variable paper width etc. Friction Feed; Tractor feed optional extra. SP800 makes available the facilities of much more sophisticated printers at a facilities of much more sophisticated printers at a very reasonable price.

Introductory price: £189 (carr £6)

EPSON LX-80 PRINTER

EPSON's new Low cost High performance printer. Print speed 100 cps, NLQ mode 22 cps. 9 needle print head. Full FX-80 capability is supported with downloadable fonts. Friction feed is supplied as standard, with tractor feed and an attractive auto sheet feeder. NLQ Mode and current typeface selectable from front panel. This attractive 'HiTech' design printer also features some powerful word processing functions built in, e.g. can auto justify a line of text sent to it.

Introductory price: £225 (carr £6)

SPECIAL OFFER

HITACHI EPROMs for Sideways ROMs

2764-250ns £2.50 27128-250ns £4.00

RAMs (Low power) for ATPL, WATFORD, etc., Sideways ROM Boards

6264LP (8K) £5.80

4 COLOUR PLOTTER PRINTER

SAKATA SCP-800 printer/plotter facilitates plotting & printing in 4 colours on paper upto A4 size, using easily replaced pens. In text mode it prints upto 12 CPS. Max 160 Char. per line. In graphics mode it offers full plotting facilities incl. drawing, moving, scaling of text, rotation & drawing of axes. (Write for a sample printout).

Only £175

Set of 4 SPARE PENS only £3.95

PRINTER SHARERS

inects					
BC Micros	to 1	Printer			£6
BC Micros	to 1	Printer			£12

BROTHER HR-15

Con 3 Bi 6 Bi

Brother HR15 is a high-quality daisy-wheel ideal for a budget printer for serious use. Notable features of this printer include a 3k buffer, 18cps (max), bi-directional proportional spacing, Centronics interface standard, (RS232 optional), optional Sheet Feeder and Keyboard.

ONLY £325 (carr. £7)

Single Sheet Feeder	£185
Electronic KEYBOARD	£135
TRACTOR FEED Attachment	£84
RIBBON CARTRIDGES:	
Fabric £3.75; Carbon £3.75	5;
Multistrike £6	
DAISYWHEELS (various typefaces)	£18

With immediate effect, we are offering at no extra cost ON-SITE 12 months Maintenance on all HR15 Printers purchased

W.E. GIVES YOU A GREAT DEAL

Listing Paper (Perforated)

1,000 Sheets 9\frac{1}{2}" Fanfold Paper	£7
2,000 Sheets 9½" Fanfold Paper	£13
1,000 Sheets 15" Fanfold Paper	£9
Teleprinter Roll (Econo paper)	£4

Carriage on 1,000 Sheets £1.50

PRINTER LABELS

(On continuous fanfold backing

,000 90×3	6mm			£5.0
,000 90×4	9mm			£7.7
,000 102×3	6mm			£6.2

Carriage on 1,000 Labels £1.00

All prices exclude VAT

KAGA KP810 NLQ PRINTER

This excellent printer is fully Epson FX-80 compatible and offers superb NLQ printing. Over the last year, we have sold more of these printers than any other make. Write in for further details of this printer.

Special Offer: ONLY £239 (£7 carr.)

Kaga RS232	Interface	£49
Kaga RS232	Interface + 2K Buffer	£69
Kaga RS232	Interface + 16K Buffer	£95

KAGA KP910 Printer

Similar to the KP810 but with 17" carriage for wide print. Gives 156 columns of normal print or 256 columns in condensed mode. Ideal for printing out spreadsheets.

ONLY £339 (£7 carr.)

PRINTER LEAD

Centronics lead to connect BBC micro to EPSON, KAGA, SEIKOSHA, NEC, STAR, JUKI, BROTHER, SHINWA etc. printers.

andard length (4 feet long)	£6
tra long (6 feet long)	£9

We can supply leads to any required length. RS232 Cables available in any length and any combination. Please telephone for your

PRINTER RIBBONS & VARIOUS DUST COVERS

Type	Ribbons	Dust Covers
RX100/MX100/FX100	£10.00	£5.25
FX80/MX80	£4.50	£4.95
RX80	£4.50	£4.50
GP80	£4.50	
GP100	£4.95	£3.95
GP250	£5.95	£3.95
KAGA KP810	£5.95	£4.75
CANON PW1080	£5.95	£4.75
MICROVITEC MONITOR	S -	£5.50
Our attractive Dust Cove	ers are man	ufactured
from translugant PVC T	ha coame a	re etitched

and edges are taped to prevent splitting due to continuous use.

PRINTERS

EPSON RX80 Printer

EPSON RX80 F/1 Printer	1219
EPSON RX100	£342
EPSON FX80 Printer	£315
EPSON FX 100 Printer	£429
 EPSON JX-80 Full Colour Dot Ma 	atrix
Printer. Prints in 7 Colours.	
Upto 160 cps	£525
EPSON Paper Roll Holder	£17
FX80 tractor attachment	£37
 Centronics Printer Cable to interfa 	ce all
the above Printers to BBC	£6
(Securicor carriage charge on printe	rs £7)

EPSON HI-80 PLOTTER

The latest addition to the popular range of EPSON Printers/Plotters. Prints in upto 10 colours. Has many more features. Please write in for spec sheet

£345 (£7 carr.)

R Epso

RS2

ΔΙΙ

for

is v it g det

£209

RO feat adv

Fea

(Ple

RX & FX PRINTER INTERFACES

Epson interfaces fit inside the printer to allow connection using techniques other than Centronics.

RS232 **IEEE 488**

£25 £62

RS232 + 2K Buffer £55



We stock a range of monitors to suit all needs. Choice of a monitor is a matter of personal taste so we recommend that whenever possible, you ask for a demonstration at our shop.

MICROVITEC • 1431 - Medium resolution as used on the

	BBC television computer programme £185
0	1451 - High resolution, suitable for word
	processing in mode 0£229
	1441 - High res, exceeds the capabilities of
	the BBC micro£385
0	1431AP RGB + PAL and AUDIO £199
	1451AP RGB + PAL and AUDIO £269
	Dust Cover for Microvitecs£5.50

All Microvitec Monitors are 14" and are supplied complete with cables.

KAGA

	KAGA KX1201G Hi-res Green Monitor	£90
•	KAGA KX1202G Ultra-Hi-Res Green Monitor	£105
•	KAGA KX1203A Ultra-Hi-Res Amber Monitor	£105
•	KAGA Vision 2, Hi-Res, RGB Colour Monitor	
•	KAGA Vision 3, Ultra Hi-Res, RGB Monitor	

NEW

FIDELITY COLOUR MONITOR

Medium Resolution, attractively finished, 14" RGB and Composite VIDEO/AUDIO Input. Has a detachable anti-glare screen. Supplied complete with cables

Introductory Offer: £169

ZENITH

12" high resolution monochrome monitor. Ideal for word processing as its green or amber screen is very restful to read. The high resolution makes it good for games too - you can really see the

detail that has been put into the graphics	£66	
LEADS		
BNC Lead for Zenith or Philips	£3	
RGB lead for KAGA	£5	

N.B. Carriage on Monitors £7 (securicor)



ROM-SPELL



ROMSPELL is the new fast Spelling Checker ROM from Watford, Packed with excellent features, ROMSPELL is probably the most advanced spelling checker available for the BBC

Features include:

- 30,000 word dictionary
- One pass check
- Two pass check
- Ambiguous word check
- Basic access to ROMSPELL Immediate entry check

ROMSPELL is fantastic value at £25

(Please specify 40 or 80 tracks when ordering)

BBC MICRO WORD-PROCESSING **PACKAGE**

A complete word-processing package (which can be heavily modified to your requirements, maintaining the large discount). We supply everything you need to get a BBC micro running as a word-processor. Please call in for a demonstration.

EXAMPLE PACKAGE

EXAMPLE PACKAGE
BBC Model B, Watford Electronics' DFS upgrade,
WORDWISE ROM, Twin 400k Epson drives in
beige, Zenith 12" Hi-resolution monitor (Green or
Amber), Brother HR15 daisywheel printer.
Gemini software: BEEBCALC spreadsheet,
analysis and DATABASE software on disc. 10 ×
3M disc, 500 sheets fan-fold paper, 4 way mains
trailing socket, manuals, all leads and BBC
carrying case. carrying case.

NEW LOW PRICE

Only £999



ACCESS & VISA HOT LINE (0923 50234)

24 Hours

THE EPSON RX/FX/KAGA PRINTER COMMANDS REVEALED

So you bought yourself a new printer, because the salesman in the shop showed you how clever it is and impressed you with all sorts of printouts to show its capabilities – he may even have offered you a special price.

However, now that you have got it home and connected it to your BBC microcomputer, you are wondering how to make it perform these magical tasks. The manual seems to give no clues, and when you type in the example programs, the computer throws the LPRINT statements back in your face.

Now what do you do, when this £400 piece of high technology refuses even to move its head, and you have stayed up until 2 in the morning with copious supplies of coffee, desperately trying to print something out. Once again, Watford Electronics comes to your help with our new book entitled 'THE EPSON FX/KAGA PRINTER COMMANDS REVEALED'.

This book describes in plain, easy to

This book describes in plain, easy to understand English how to use your printer (Kaga KP810, Canon PW1080A, or any other Epson FX-80 compatible printer) with the BBC micro, both from Basic and your Wordwise

wordprocessor.
It describes in detail how to obtain the maximum in graphics capability from your printer and includes full indexes allowing you to cross index the numerous commands. Every command is explained in detail, with an accompanying BBC Basic program and an example of its use from

> This book is superb value at only £5.95 (Book - No VAT)




This Light Pen for the BBC micro is packaged in a neat pen shape with built in switch. Supplied complete with our sophisticated Pen-Pal software on cassette (see elsewhere in this ad).

Only £23

(For software on disc please add £2)

DATABASE MANAGEMENT SYSTEMS



DISCDATA

Discdata is an entirely disc based database handling system. It is extremely easy to use through its comprehensive menu system. The simplicity is such that we do not feel the need to provide explanation on use in the written guidance supplied with the program. The first-time database user will rapidly become familiar with this package designed thoughout familiar with this package designed throughout to be simple and obvious.

On disc at

Only £17

(Please specify 40 or 80 track when ordering) (Please write in for technical specifications)

FILE-PLUS

The File-Plus package is even more powerful and flexible than Disc-Data. It is also largely menu driven but has its own command language for file searching. The 16K ROM contains all the normally required routines, with lesser used options supplied on the utilities disc. All input normally required routines, with lesser used options supplied on the utilities disc. All input and output formatting is controlled through screen forms. A full screen editing system is used to define a form which allows tremendous flexibility in the format in which your data is displayed. It is very easy to change from form to form so that you can type in your data with one form, and examine it with others. You will typically design several forms before starting to access the database so that you can quickly and easily see the fields of each record that you want to appear in the layout you decide on. The form system is also used for output to your printer. File Plus has a unique file linking system that allows the entire on-line storage of your system to be used for one database. This can give around 1.5 Megabyte databases using dual drives and double density.

The built in FQL (File-Plus Query Language) can be used for searching the database. Presented in the form of a powerful command language with looping facilities etc. this allows the most flexible access to your data possible. Full arithmetic operations are provided to allow the system to be used for statistical analysis.

Cont.

be used for statistical analysis.

Cont.

Operations supported are -, +, *, /, +–999999 9999.9999 and compare facilities =, >, < >=

Many keywords are supported by the language: assign, compare, display, and, goto, iff, ift, print, read, search, spool and update.

Supplied with a very detailed 70 page manual to explain all the facilities with many examples.

Only £43

(Please specify 40 or 80 tracks for the utilities disc)

DATAGEM

Gemini's 24K ROM based DATABASE Management System Special Offer: £85

Continued .

COMING SOON

The DELTA CARD

Fourth Generation BBC Hardware Representing new standards in economical computing power, the Delta Card is the latest in fast 6502 'processor' boards for the BBC micro. Speed increases of upto 100% are fully supported by an additional 48k of fast RAM (16k sideways and 32k for screen overlay). The Delta Card transforms your BBC into a far more powerful system with FULL compatibility with ALL standard programs.

NEW LAUNCH

Le Modem

The MODEM from Watford

At last a professional MODEM for the BBC Micro. Unlike other 'Modem packages' this is a complete package there are no extra software costs to get 'up and running'. Of course Le MODEM is multi-standard, i.e. 300/300, 1200/75 UK and BELL (USA) are all supported.

The features that make Le MODEM such good value are:

• A complete communications terminal that transforms your BBC Micro into a very powerful World/wide data transfer system.

• Auto Dials, Auto Answers, Auto Baud selects and is completely controlled

by your Micro. There are no external controls!

• Allows you to access PRESTEL, B.T. GOLD, THE SOURCE, MICROLINK, MICRONET, MICROWEB, THE TIMES NETWORK, MICRO LIVE (BBC TV database), CITY BB and more.

Designed to be SIMPLE but SOPHISTICATED. To LOGON to a data base you have to know is its TELEPHONE NUMBER, Le MODEM does the rest.

Supplied with a comprehensive telecomms package in a 16K sideways ROM which includes a FULL PRESTEL terminal allowing TELESOFTWARE to

be downloaded.

• A comprehensive 80 column terminal. This includes XMODEM error checked transfer protocol, to allow error free data transfer anywhere in the

FULLY controlled by simple "COMMANDS allowing you to control it from your own BASIC programs. To get you started we supply a FREE disc of bundled software!

Connects to the 1MHz bus. A *AUDIO ON/OFF command allows you to

Connects to the TMHz bus. A "ACDIO UNIOFF command allows you to actually hear the telephone line through your BBC micro loudspeaker.
 Completely self contained with internal mains power supply. (Even a free mains plug is fitted!) A "TEST facility gives ON SCREEN indication that Le MODEM is working correctly.
 Packaged in such as way that you need nothing else except a BBC Micro

to communicate with computers all over the world.

BT Approval applied for.

Launch Price: Only £89 (carr £3)

NEW LAUNCH

The Watford ROM/RAM CARD A must for all serious users

We, at Watford Electronics, have been producing high quality hardware and software products for the BBC for three years now. Having carefully observed the needs of our customers we set our top hardware engineer the task of producing the ultimate ROM board to meet all your ROM/RAM requirements.

After weeks of top secret development we are now able to bring you more details of this, the ultimate in ROM/RAM boards.

details of this, the ultimate in ROM/RAM boards.

No overheating problems. No User Port corruption. Full buffering. No SOLDERING. No flying leads. Firmly mounted. Easy fitting. Up to 8 banks of 16k of Dynamic RAM. One bank of 16k CMOS Static RAM allowed. All RAM has Write protect. All RAM has Read protect. CMOS RAM can have battery backup. Special RAM write register. Can run any BBC ROM. FREE utilities disc. Compatible with DDFS boards. Compatible with our 32k RAM Card. Compatible with our Sideways ZIF. Large printer buffer (up to 128k) High speed disc backup via RAM.

Obviously, so much RAM requires some powerful facilities to use. To show you just how powerful the features our board offers are, and to convince you that the competition if any, is just simply not worth buying, we shall provide some more details on the advanced features offered.

Each socket has write protection to allow all ROM based software to be run. Also, to help during software development, each socket is equipped with a special read protect facility (this allows recovery from ROM crashes). Up to 8 ROMs and 8 banks (each of 16k) of RAM may be used, or one of the ROMs may be configured to give 16k of battery backed CMOS Static RAM.

The RAM socket selection (which is independent of the normal ROM socket) is performed by a special register at &FF30. In normal systems, a "write" to this location would have no effect. We believe that there is available an inferior board in which, for some totally unexplained reason, the User Port (as used by the AMX Mouse, Eprom Programmers, etc.) is used for the selection. Obviously this was not a very sensible move on the part of this manufacturer.

The ROM/RAM card from Watford represents second generation ROM board technology and is a must for all serious users of the BBC Micro.

Please write in for technical details and further prices.

INTRODUCTORY PRICES:

 ROM/RAM CARD with 16K Dynamic RAM
 ROM/RAM CARD with 32K Dynamic RAM £38 £45 ROM/RAM CARD with 64K Dynamic RAM £69 ROM/RAM CARD with a massive 128K RAM £109

OPTIONAL EXTRAS:

16K Plug-in STATIC RAM
 BATTERY for Battery BACKUP

£14

The ULTIMATE DFSs for the BBC MICRO

WATFORD TOPS THE DFS CHART

Watford's Ultimate DFS has scored highest points in ACORN USER's unbiased DFS's Review of July 1985. In concluding, the reviewer writes "It must be said that Watford's DFS certainly offers a comprehensive range of facilities at a very attractive price". (Please write in for comprehensive details.) To celebrate the occasion, we are offering Watford's complete Disc Interface Kit at £65 only.

W di

pi ne in

ne

10 "(

Just compare the features:

	Acorn	Wat	ford
Features	1.20	Single Density	Double Density
Max nos. of files			
per disc side	31	62	62
Max disc capacity	800k	800k	1440k
Tube compatible	Yes	Yes	Yes
Built-in Editor	No	Yes	Yes
Built-in Formatter	No	Yes	Yes
Built-in Verifier	No	Yes	Yes
MRUN a file	No	Yes	Yes
MLOAD a file	No	Yes	Yes
Extended RENAME	No	Yes	Yes
Selective COPY	No	Yes	Yes
Default file name	No	Yes	Yes
Disc space			
distribution	No	Yes	Yes
40/80 Software			
Switchable	No	Yes	Yes
Wide catalogue	No	Yes	Yes
Close open files	No	Yes	Yes
Improved OPENOUT	No	Yes	Yes
Copy between			-100
densities	N/A	N/A	Yes
OSWORD &7F	Yes	Yes	Yes
Full entry point			
compatibility	Yes	Yes	Yes
Retain information			H. Tar
over a break	1.20	1.42	1.52
	partial	Yes	Yes
Games compatibility	Yes	Yes	Most
Econet file server	Yes	Yes	Yes
Econet station	Yes	Yes	Yes
Full wildcard			1
facilities	No	Yes	Yes

WATFORD's & ACORN's SINGLE DENSITY DFS

Watford's popular and widely acclaimed DFS has now been available for two years, and has gained a large following amongst serious users of the BBC Micro. Owners of Acorn or any other standard DFS can upgrade to our "Ultimate" DFS merely by replacing their DFS ROM. See below for this

PRICES

• Complete Disc Interface Kit incl. DFS ROM & fitting £65 £70 instructions

Acorn's DFS Kit complete DFS Manual (Comprehensive) (no VAT) £6.95
(P.S. Our comprehensive DFS Manual covers both Acorn & Watford DFSs)

Watford UFSS
 Watford's sophisticated DFS ROM only
 We will exchange your existing DFS ROM for Watford's Ultimate DFS ROM for only
 Watford's DFS is exclusively available from Watford Electronics. Every ROM carries a special label with our LOGO and serial number.

WATFORD's DOUBLE DENSITY **DFS INTERFACE**

The DDFS from Watford Electronics represents a new standard in DFSs for The BDFS micro. This is a double density version of our popular single density DFS, and combines all the features of this powerful DFS with the advantages of a system that gives 80% more storage per disc in double density mode. P.S. – Please note that not all DDFSs are capable of providing either the full 80% storage increase, or of allowing a file the full size of the disc – Ours allows both of these!

The typical piece of games software these days is provided upon a protected disc. In order to work on any double density system (including the others on the market) a protected piece of software needs to make calls through the OSWORD &7F routines. To ensure compatibility, the Watford DDFS features probably the most comprehensive and powerful 8271 emulation ever written for a double density system.

PRICES

 Complete DDFS Kit incl. fitting instructions
 DDFS Manual (no (no VAT) £6.95

We will exchange your existing Single Density for our DDFS Unit at

Quality Disc Drives from Watford Electronics

To help you decide which drive is the most suitable for your needs (and your pocket!), we have produced the table below.

The first capacity given in the first column indicates the single density capacity. The double density storage capacity is second one, (that within the brackets). All disc Drive type numbers start with the prefix "C".

The tinting on some of the boxes is used to indicate which Drives are 40 thack and which are 80 track. The 40 track ones are manufactured by EPSON, the world famous Japanese company, (non-tinted boxes). The 80 track drives are famous MITSUBISHI drives (tinted boxes).

With two prices in a box (e.g. £295/£299), the first price is for the standard drive and the second for the same unit in switchable type. Users of either of the two Watford DFSs will not need switchable drives as their DFS will provide software switching for them. Users of Acom's DFS will find that they need to pay the extra for switchable drives if they wish to use 40 track discs in an 80 track drive

In an 80 track drive.

The drives we supply are fast (3ms track to track, 15ms settle), quiet and have a low power consumption (average well under 1 amp). Extensive experience of the usage of disc drives suggests that the MITSUBISHI and EPSON drives currently represent about the best in terms of speed, reliability and overall "elegance" available for the BBC Micro.

Various other "manufacturers" of disc drives for the BBC micro (more accurately, "packagers" label other manufacturers drives with their own name). We buy the high quality Epson and Mitsubishi drives in large quantities directly from the manufacturers, package them and sell them at "dealer" paires direct to the public. prices direct to the public.


Names you can trust, at prices you can afford!

If you look around the popular BBC micro press, you will find that the prices we quote for the top quality, new slimline disc drives are, virtually without exception, some of the best around. These prices, coupled with the backup of one of the country's largest distributors of BBC peripherals provides a superb

deal.

Unless you anticipate using dual drives in a fully expanded BBC system for long periods of time with little ventilation, then we suggest that our range of "CL" disc drives without the PSU (Power Supply Unit) would be quite adequate: extensive tests within our workshops have confirmed this. All drives are supplied complete with a SPECIAL UTILITIES Disc, Cables and Plugs. The Drives with power supply have a mains moulded plug for safety purposes. (Ideal for Schools & Colleges. All single disc drives with power supply, (i.e. CS100, CS200 & CS400S) are supplied in a twin case with twin data cable for later inclusion of a second drive). At Watford we anticipate your needs of tomorrow not just today

All disc drives advertised here will operate in double density mode with the appropriate interface and software.



Capacity	Drives without P.S.U.		Drives with P.S.U.	
Capacity	Single	Twin	Single	Twin
100K (180K)	CLS100 £85		CS100 £107	
200K (360K)	CLS 200 £86	CLD200 £164	CS 200 £110	CD200 £180
400K (720K)	CLS 400 £110 £115 CLS400S	CLD 400 £165	£135 CS 400S	CD400 £185
800K (1.44M)		CLD800 £230 £240 CLD 800S		£259 CD 800S

• TWIN drive CASE, with Power Supply & Cables £35 Securicor carriage on Disc Drives £5

C = Cased Drive L = Less PSU Prefix.

CLS400S = Cased drive, Less power supply unit, Single 400K, Switchable (40/80 track).

Suffix S = 40/80 Switchable

MYSTERIES OF DISC DRIVES & DES REVEALED

Are you tired of faulty cassettes, and lengthy loading times? Do you want to upgrade your BBC micro to take discs but you get tied up in the plethora of jargon surrounding the choice and use of these systems.

For instance, what is the difference between single and double density formats, how can you use a 40 track disc on an 80 track disc drive? What is the difference between a DFS and disc interface kit? Should you acquire a single Disc drive or twin? What does 48 TPI and 96 TPI discs mean? These are just a few of the questions you may have asked yourself and never found the answer or maybe you have yet to encounter these questions.

Now the mystery of buying a suitable interface and disc drive for your BBC micro is revealed in Watford's new book entitled 'MYSTERIES of DISC DRIVES & DFS REVEALED'. It describes in fine detail, yet remaining very readable to the beginner, how disc drives operate, the type of interfaces available, which type of discs to use on a disc drive and how data is stored on

£5.95 (Book No VAT)

3M-51" DISKETTES

Top quality 3M – SCOTCH Diskettes from Watford Electronics (Your 3M Appointed Distributors). All our discs carry a lifetime warranty. These discs are quiet in operation and insert positively with their reinforced hub rings. Boxes of 10 supplied complete with self stick disc labels and write protect tabs.

DON'T SETTLE FOR LESS, BUY THE BEST

•	10	×	S/S	D/D	40	Track	Diskettes	£13
0	10	×	DIS	DID	40	Track	Diskettes	£18
	10	×	SIS	D/D	80	Track	Diskettes	£22
0	10	×	D/S	D/D	80	Track	Diskettes	€24

QUALITY 51" DISKETTES at KNOCK DOWN PRICES

To complement the range of quality discs and disc drives that WE already sell, WE are now supplying some special offer packs of 10 high quality discs, each with a life-time guarantee. These are supplied packaged in an attractive plastic library disc box to protect them from damage.

• 10 × M4 S-S D/D 40 Track Discs £11 • 10 × M5 D/S D/D 40 Track Discs £15 10 × M7 D/S D/D 80 Track Discs £20

DISCALBUMS

Attractively finished in beige leather-look vinyl, these conveniently store upto 20 Discs. Each Disc can easily be seen through the clear view pockets.


£4.25

LOCKABLE DISC STORAGE UNITS

Strong plastic case that afford real protection to your discs. The smoked top locks down. Dividers and adhesive title strips are supplied for efficient filing of

M35 - holds upto 40 discs M85 - holds upto 95 discs £12





PLASTIC LIBRARY CASES

FOR 51" DISC STORAGE holds 10 Discs.

£1.80

FLOPPY HEAD CLEANER KIT

The heads in floppy drives are precision made and very sensitive to dirt. The use of a cleaner Kit is a sensible precaution against losing valuable data. It is recommended to clean the drive head once a week. It is very simple to use.


£8

DUST COVERS (For our Disc Drives)

Single (without PSU) £3.20 Twin (without PSU) £3.85 Single (with PSU) £3.25 Twin (with PSU) £3.90

Continued .





Impress your friends and business colleagues mpress your friends and business colleagues with the quality of your letters and printed material with Watford's very simple to use EPSON NLQ! (Near Letter Quality) ROM. Suitable for FX80, RX80, RX80F/T, FX100.

Look at the features:
Simply type *NLQ80/100 and a single VDU code to use NLQ print.
NLQ is then available without any modifications from BASIC, WORDWISE, VIEW (with NLQ DRIVER) or virtually any other

(with NLQ DRIVER) or virtually any other program or language.

Single codes select PROPORTIONAL type (yes even on the RX80); ENLARGED type; UNDERLINED type. These features can be used seperately or in any combination.

Full UK character set; Standard 'pica size'; Proportional spacing; Enlarged; Underlined; Narmal type.

Normal type.

The NLQ ROM is supplied complete with comprehensive manual.

P.S. NLQ ROM is compatible with the Torch Z80 system and can be used from within the Perfect Writer software.

Only: £22

VIEW PRINTER DRIVER for NLQ ROM

This specially written printer driver has been designed to allow View access to the full features of our NLQ ROM.

A must for all VIEW and NLQ ROM users.

£7.00



THE NLQ DESIGNER

The Kaga Taxan KP810 and KP910 are two The Raga Taxan KP8 10 and KP910 are two superb printers, as our many thousands of satisfied customers would surely attest to. One of it's particularly strong points is the NLQ option that it offers; perhaps one of the more weaker points is the effort required to design your own custom NLQ font.

Well the solution is here NOW in the shape of Watford's NLQ DESIGNER ROM! This powerful Watford's NLQ DESIGNER ROM! This powerful piece of software allows easy design and entry of a full NLQ font, with further fonts recallable from disc. Once a font has been programmed with the versatile NLQ DESIGNER, it can be saved to disc, downloaded to your Kaga (or Canon) printer, or even programmed into an EPROM (given the appropriate hardware) and then plugged directly into your printer so that it is available immediately when you turn it on.

A 40/80 track format disc containing 3 example fonts is included in the package.

(P.S. This ROM is not suitable for Epson printers as they don't normally have NLQ ability. Keep reading our adverts though – work is in development!)

NLQ DESIGNER & FONT DISC £25 **INDIVIDUAL Preprogrammed FONT ROMS** £15

(Please write in for further details on both the NLQ DESIGNER and the individual font ROMs

DUMPOUT3



A highly sophisticated screen dump ROM. This has to be the most flexible and powerful screen dump ROM yet produced for the BBC micro. It

dump ROM yet produced for the BBC micro. It will put on paper anything you see on the screen, including all Mode 7 facilities etc. We have to admit that there is one facility that we cannot replicate – if anyone can supply flashing ink we would like to know!

The ROM also provides window setting utilities and two new OSWORD calls that allow mode 7 graphics pixels to be read and plotted using the standard graphic co-ordinate system. The latest version includes a graphic dump trigger for dumping screens from games whilst they are running.

running. Two commands are used to operate the dump

*GIMAGE – This provides a full graphics dump of any graphics mode, plus modes 7 and '8'. There are many optional parameters but you need only specify the parameters you wish to

Features available include:

Vertical and horizontal scaling through all the

graphic modes and mode 7
Rotation of the image produced through 90, 180 and 270 degrees
Left hand indentation setting

Screen dump window definition

Colour grey scaling Two tone fast dump

Special colour mask
Mode 7 contrast expansion
Mode 7 contiguous dump
Key triggered dumps

User port switched dumps

What does the independent press say!

Practical Electronics, May 1985
"The Dump Out 3 ROM from Watford Electronics represents one of the most sophisticated types of printer dump utilities available for the BBC Micro . . . "."

an extremely sophisticated and powerful dump

VERDICT - Dump Out 3 ROM has all the VEHDICI – Dump Out 3 ROM has all the facilities which you are ever likely to need for producing printer dumps. The facilities available work extremely well and if printer dumps are something which you require, then this ROM can be recommended to help you to get the best out of your dot matrix printer".

The Micro User Feb. 1985. Well, here is that winner"!

provide(s) some rather sophisticated screen dumps. Producing high resolution paper copies of graphic screens in any (graphics) mode will be the major reason for buying this ROM, and this is where Dump Out 3 performs PAR EXCELLENCE". (Our capitals for their italics.)

The versatility of *GIMAGE (the graphics dump command) when using these parameters is amazing. Pictures of almost any size, shape, contrast or distortion may be produced without the need for a reducing photocopier or trick photography

"Without reservation I wholeheartedly recommend the Dump Out 3 ROM as the ultimate screen dump facility for the BBC micro. It is easy to use yet highly versatile, and caters for all BBC screen modes in multitone high resolution printing. Whole, partial, rotated and scaled screens may be dumped to almost any BBC compatible dot matrix printer (see our list at the end of this advert). At £24 it must represent excellent value for money and surely cannot be beaten."

Designed for use with the following printers: CP80, GP80/100/250, CANNON, STAR, KAGA/TAXAN, NEC, SHINWA CP80, GEMINI, EPSON MX/RX/FX, LPVII, NEC PC8023, DMP100/120/200/400, etc. etc.. Price including comprehensive manual

SPARK DUMP ROM

A screen Dump ROM for the Acorn/Olivetti Spark jet printers. Works in modes 0/1/2/4/5/7. Does vertical & Horizontal scaling. Positive & Negative grey scaling.

Only: £12

VIEW

VIEW WORDPROCESSOR

We are supplying the new VIEW version 2.1 allowing printing of memory contents etc £46

HI-VIEW

A special version of VIEW designed for use with 6502 2nd Processor. Available on disc, it offers 47K of text memory.

£49

VIEWSHEET (Acornsoft)

£49

Watford's own Sophisticated VIEW PRINTER DRIVER for Epson FX80 & KAGA KP

Only £9

VIEW DRIVERS FOR JUKI & BROTHER PRINTERS

Only £8

VIEW/VIEW SHEET PRINTER DRIVER for SILVER REED

(Officially approved by Silver Reed)

A range of VIEW Printer drivers to complement the Silver Reed range of printers EXP400/500/550 & 770 EB 50 and converted typewriters EX43/44 & 55.

Only: £8

BEEB PRINTER ROM



This utility ROM is designed to simplify using all the facilities of your printer. It has many

facilities:

* Selection of printer modes such as underline, font and size is by 'Single Key' operations.

* From Wordwise, a single number following OC will select a mode rather than a long and incomprehensible string of control codes. This makes using your printer with Wordwise much

more convenient.

When using Basic (or other languages) you ★ When using Basic (or other languages) you can have control over the formatting of the output to the printer in the style of a wordprocessor. You can define page top, bottom and side margins etc. with intelligent page skip for binders an option. All supported printers will now respond to form-feed etc. commands.

★ User defined characters are printed as you see them on the screen so that non-standard characters are automatically printed out correctly.

characters are automatically printed out correctly.

* Commands select the options for the


★ Commands select the options for the following printers:
GP100, STAR, NEC, MX/FX, KAGA, LP/VII/DMP100, DMP200.
Operates with either parallel or serial interfaces.
★ Supplied with a 50 page manual that is very comprehensive and easy to follow. Please specify printer type when ordering so that we can send the correct function key strip.

the correct function key strip.

Price: £24

TRANSFEROM

(Tape to Disc Utility)



The only TAPE to DISC Utility ROM that works with our Double Density Disc Interface

After months of top secret development, we are now able to supply details of this advanced and sophisticated utility ROM for the BBC micro. Just look at the features:


- Fully menu driven for ease of use
- Copes with locked programs
 A very comprehensive built in copying
- Copies very long adventure games Supplied with comprehensive manual

TRANSFEROM is now available in BOTH single and double density versions. The single density version works with both the Acorn and Watford single density DFSs. The double density version works with the Watford DDFS system only.

TRANSFEROM takes your software on tape and saves them onto disc. TRANSFEROM does not stop when one disc is full; you just insert another disc in and carry on with that one! Surely this is the most valuable investment you could make if you have tape software that you wish to transfer to disc! Please specify version required — Single or Double Density

£22.00

DIAGNOSTICS DISC



The BBC micro is a very complex machine and thus diagnosing a fault can be very difficult. Until now, the only way to discover the nature of a fault was either to find a competent friend with a large degree of patience or to find your nearest dealer and pay him to find out what is wrong.

At Watford Electronics, we realise how difficult it can be when faced with a problem, finding yourself a long way from your nearest dealer, or even just uncertain about your Beeb's health, but not wanting to waste time and money taking it to be looked at.

The solution to these problems is here now, in the form of the Watford's Diagnostics Disc. This excellent utility is specially designed to test out the following areas of your Beeb

RAMs, ROMs, ULAs, Sound, Keyboard, Disc, RS423, ADC, User Port, Printer Port, Cassette, Joysticks, Speech, Disc Drives, 6502 and Z80 2nd Processors.

Continued

This utility is an invaluable aid for all those who take the reliability of their system seriously. A comprehensive manual provides full operating details and a list of possible causes and remedies for any faults that you may find along the way. The package also enables a permanent equipment and service record to be maintained

Only £15.00

ROMAS

THE CROSS ASSEMBLER AND MACRO EDITOR FOR SERIOUS PROGRAMMERS!



ROMAS is a carefully designed, sophisticated vet simple to use, development system for serious assembly language programmers. Using the BBC as the development system, you can choose your target system from the following processors:

6502, 65C02, Z80, 8085, 8041, 6809 and Z8 P.S. This includes the Acorn 6502 & Z80.

ROMAS features a powerful expression analyser, making complex table easy to generate. To aid in documentation, fully formatted assembly listings may be produced, with full symbol table output at the end.

ROMAS is provided with a powerful cross referancer to produce a listing of all the labels in a given "source" program; this makes it easy to check to see if you are about to duplicate a

The Macro Editor

Features of this powerful editor provided with the ROMAS package include:

- Works in all 40 and 80 column screen modes
- Fast load and save speeds Continuous line and column number displays Search, replace and move; all available
- Command repetition

The ROMAS package includes a comprehensive manual, providing detailed documentation and plenty of examples.

A give away at . . Only £45 Please specify 40 or 80 track disc when ordering.

ADE

'Systems' complete program development package in a 16K ROM. We are now supplying the new 6502 2nd processor compatible version.

SPECIAL OFFER ONLY £43

ULTRACALC 2

The mark 2 version of the BBC Publications' extremely popular electronic spreadsheet ROM.

Only: £66

THE INVESTIGATOR

This sophisticated Utility program on disc enables you to make security back-up copies of most of your valuable Disc Software. Makes full use of all 8271 (will not run with double density DFSs) facilities to discover the precise format of your protected disc so that an exact copy can be produced. Supplied with detailed instructions. Please specify 40 or 80 track disc when

Only £20

BEEBMON

Watford's own Machine code Monitor ROM written by Andrew Bray (Cambridge), co-author of the BBC Micro Advance User Guide.

BEEBMON is the most powerful and versatile machine code monitor from Watford Electronics. BEEBMON offers some superb features specially designed to make the task of understanding and debugging machine code easier; indeed BEEBMON is probably the only product with sufficient power to aid in the debugging of such complex pieces of software as a DFS.

Offering a total emulation mode, BEEBMON can be used to single step through code anywhere in be used to single step through code anywhere in memory. All breakpoints are emulated and the workspace is totally relocatable, allowing for the simulation of all those "awkward" pieces of

Superb value for money at only:

£24

DISASSEMBLER ROM

Discover the hidden secrets of BASIC and the OPERATING SYSTEM with this easy to use progammers tool

ONLY £18

Please write in for technical details.

ROM MANAGER

Provides comprehensive management of all your installed ROMs – BEEBUG Nov. '84'. This ROM is unique in its capabilities. It allows This ROM is unique in its capabilities. It allows you, the user, full control over the BBC Micro's sideways ROM paging system with simple to use commands. This ROM is essential for those with several ROMs. At a simple level ROM MANAGER can be used to remove the problem of clashing command names and allow full use of all the facilities of your ROMs. This is coupled with facilities to completely enable or disable various ROMs in the machine including ROM manager itself.

ROM MANAGER can also be used to develop sideways ROMs using the machine's standard memory. This is achieved by sending sideways ROM calls to your code in RAM, saving the expense of fitting sideways ROM status reports are also given by the ROM, including ROM lengths, checksums, entry points supported and current

checksums, entry points supported and current filing system title.

The ROM also provides facilities to examine ROMs, list function keys for editing, modify RAM (using a HEX/ASCII editor) and list ROM titles neatly and concisely.

Price £20

DISC EXECUTOR

Disc Executor is a sophisticated disc utility for Disc Executor is a sophisticated disc utility for the transfer of your programs from cassette to disc. It copes with 'locked' files and full length adventures (up to &6E blocks long) and programs that load below &EOO. Disc Executor is simple to use and provides menus to prompt the user along the way. Disc Executor will cope with the vast majority of tapes. (Please note that Disc Executor is not compatible with double density disc interfaces – keep reading our adverts though!) though!)

Price only £10

(Please specify whether 40 or 80 track disc when ordering)

SIDEWAYS ZIF SOCKET



Now Watford Electronics brings you a ROM Now Watford Electronics brings you a ROM board for small budgets or for those of you who do not wish to open up your Micro frequently. It allows you to change ROMs quickly and efficiently with the minimum of effort — no screws to loosen or keyboard to remove. The unit consists mainly of a zero insertion force (ZIF) socket on a small circuit board which is located into the position of the 'ROM Cartridge' and is connected to one of the internal ROM sockets via a ribbon cable. via a ribbon cable.

- Very simple to install. NO SOLDERING REQUIRED. The ZIF eliminates the possibility of damage to your ROM pins when inserting and extracting them.
- The low profile of the socket allows unrestricted access to the keyboard, unlike other cartridge systems. In addition, there are no costly extras, such as ROM cartridges for every new
- All data and address lines are correctly ROMs with the BBC micro. We also supply a purpose designed see-through storage container with anti-static lining, allowing you to store up to 12 ROMs, protecting them from mechanical and
- This versatile hardware solves the problem of running out of socket space, simply unplug the ROM and plug in a different one. It is a real must for Professionals and Hobbyists alike.

ONLY £15

Nightingale Modem

Now Watford brings you PACE's NIGHTINGALE MODEM PACKAGE including the popular Commstar ROM software for the BBC Micro. Nightingale is considered to be by far the most versatile BT approved modem available at the price for the BBC Micro. It is ideal for home or business use. It offers Prestel/Viewdata baud rates (1200/75 & 75/1200) as well as 300/300 baud full duplex for communication between BBC and other computers, including bulletin BBC and other computers, including bulletin

SPECIAL INTRODUCTORY OFFER

(Price includes COMMSTAR ROM & comprehensive manuals)

Nightingale Modem without software Only £99 COMMSTAR ROM package only (P&P on modem £2.00)

Auto Dial/Auto Answer Board Auto Dial Utilities Disc OBBS Bulletin Software

£48 £9.50 £20.00


£29

DEMON **Modem Package**

Price: £69.95 (Carr. £3) Auto dial software disc £4.25 (Please specify 40 or 80 track)
(Note: Demon is not BT approved)

32K RAM-

PRINTER BUFFER **EXPANSION BOARD**



A MUST FOR WORD PROCESSING

Watford Electronics now brings you the latest state-of-the-art MEMORY EXPANSION BOARD for your BBC microcomputer. Just plug the ribbon cable into the 6502 processor socket, and fit the compact board inside the computer. Immediately you will gain not 16K or even 20K, but a massive 32K of extra RAM!!!

- IMPROVE your WORD PROCESSING system, whether disc or cassette based. Don't wait for a slow printer type in text while printing. TWO JOBS DONE SIMULTANEOUSLY and £100+ saved on a printer buffer
- In "VIEW", type in letters in 80 columns and have up to 28,000 bytes free 5 times as much
- In WORDWISE (or WORDWISE-PLUS), preview in 80 columns with the full 24K of text in memory. This superb product is recommended by Computer Concepts for use with both Wordwise and Wordwise Plus. We wholeheartedly agree with this commendation.
- Combine GOOD GRAPHICS and LONG PROGRAMS. Use the top 20K of the expansion RAM as the screen display memory, leaving all the standard BBC RAM free for programs.

 Benefit from MODE 0/1/2 graphics and 28K of programs again. program space.
- Use the FULL 32K or the bottom 12K of the expansion RAM as a PRINTER buffer for PARALLEL or SERIAL printers, sound channels, RS423 etc. Print large text files while running long graphics programs and have all your buffer options available es well (*FX15,21,138,145,ADVAL etc).
- Ensure COMPATIBILITY with a vast range of hardware (including Watford & ATPL ROM boards, double density boards, second processors), and software (including BASIC, TOOLKIT, VIEW, WORDWISE (1.20+), WORDWISE-PLUS). This is because our board, unlike those of our competitors, is connected to the computer by a ribbon cable.
- Achieve EASY OPERATION with ROM based software. A large range of commands is available for machine code and BASIC users, including some useful *HELP messages.

Offer price Only: £60

(Price includes a comprehensive manual and the ROM)

GRAPH PAD

With this popular British Micro's Graph-pad, you can add new dimensions to your computer enjoyment. It helps you to create your own application programs by the simple use of the Graphpad. Ideal for Educational use. Supplied complete with Cables, Manual and a two program cassette

SPECIAL OFFER £86

BEEBFONT ROM

BEEBFONT is a remarkable and different concept in BBC software supplied on a 16K ROM. It allows you to display text on the screen in 13

It works in modes 0, 1, 2 and 4 using the full colour capabilities of each mode. Characters are printed in the same way as normal. Selection between the various fonts is very easily achieved with Ctrl-V – press this followed by a font number and the output will continue in the new font. Beebfont ROM is particularly useful in display work with the characters produced at twice the normal size.


twice the normal size.
You can create your own character fonts with the editor supplied. You can also print-out pre-formatted text files using the special characters with Epson FX, RX and NEC printers. The full range of character styles can be used, controlled from within the text. The editor and spooler program are supplied with the package, on cassette or disc. The spooler allows word processor (Wordwise & View) output to be printed in the new characters.

printed in the new characters.

A twenty page manual is supplied. Please state printer type and media for the editor & spooler when ordering (cassette, 40 or 80 track disc).

ONLY £32

Mk-2 13 ROM SOCKET **EXPANSION BOARD**



Now all lines fully buffered – On board battery back-up facility – will now accept EPROMS 2716, 2732, 2764 & 27128 and ROMs 6116 & 6264.
Simply plugs into one of the four ROM sockets currently available in BBC Micro. There are only 5 solder connections to be made. Full

solder connections to be made. Full instructions are supplied. Unlike other ROM Boards, this board has been ergonomically designed to enable the user, easy further expansion inside the Micro, e.g. Double Density Board, Torch Board, RAM Card, etc., without any clash. (At Watford, we think ahead). Our Mk2 13 ROM Socket Board enables the User to increase the sideways ROM capacity from the basic 4 sockets upto full 16 capable of being supported by current operating systems. In addition the board is designed with the facility to hold upto 16K RAM, which when switched into operation is automatically selected by any WRITE signal to the Sideways ROM area. This gives the User the ability to write a utility or language and upon pressing break have the utility or language up and running (new ROM software can be developed and tested in situ.)

The Board gives the User, plenty of freedom to explore the possibilities of the new paged ROMs due in the coming months and offers them the chance to develop their own.

All lines are fully buffered and the board meets exceeds all timings for operation in the BBC or exceeds an undercocomputer.

Supplied ready-built and tested complete with fitting instructions.

Only £30

PCB NI-CAD Battery for ROM Boards.

£2

COMPUTER CONCEPT'S ROMS

CARETAKER Basic Utility	£28
Graphics ROM	£28
Disc Doctor ROM	£28
INTER-SHEET	£48
INTERCHART	38
TERMI	£27
COMMUNICATOR	£58
SPEECH ROM	£25

Wordwise

Without doubt a very sophisticated piece of software for the BBC Micro. It has all the features of a professional word processor yet is

SPECIAL OFFER THIS MONTH:

WORDWISE PLUS

Now available from stock

£47

WORDWISE PLUS UPGRADES

Existing users of Wordwise can upgrade to WORDWISE + for £19. Please return the old WORDWISE package complete with Chip and MANUAL with your remittance and we will send you the new WORDWISE + package.



Word-Rid

The most comprehensive utilities disc for Wordwise-Plus

Take advantage of the programming language in Wordwise-Plus. Simply load the disc with Shift-Break and have the power of these sophisticated new features instantly at your fingertips.

Features:

- Mail Merger
 Can use Data files spooled from Wordwise-Plus.
 Can use Data files from most databases.
 Powerful Label printing facilities.
 Mail merges with names, addresses etc. inserted into a standard letter.
- Address Finder

 - Search for names. Search for addresses. Insert names into text.

 - Insert addresses into text.
- Print/Preview continuous files.
 Chapter Marker.
- Search and Display
- Remove embedded commands.
- Printer Codes make embedding commands
- Utilities supplied compressed for speed.
 Utilities supplied anotated for help.
 Supplied on 40/80 format disc.
 Very user friendly.

- Recommended by Computer Concept.

Introductory Offer: £12 (Further details available on request SAE, please).

THE AMX MOUSE

The AMX Mouse needs no introduction. It is simply the best.



ONLY: £68.50

We are giving away the sophisticated COLOUR ART Software package ABSOLUTELY FREE with every purchase of the AMX Mouse from us.

AMX Desk package AMX UTILITY package

£19.00 £11.50

COLOUR ART

This novel program allows you to add COLOUR to any drawing produced with your AMX Mouse package, and really bring those pictures alive. Not with just any colours, mind you, but a full range from up to 255 different shades! It's simplicity itself to use this "painting by numbers" painter to create simple, striking and powerful images to please the eye.

Special Offer: £10 (£7 carr.)


(please specify 40 or 80 track disc when ordering)

PLINTHS FOR BBC MICRO AND PRINTERS



Protect your computer from the weight and heat of your monitor. The BBC micro plinths have slots for maximum ventilation. The single plinth is suitable for a BBC and monitor, whilst the double height version provides enough room for our stacked or side-by-side dual disc drives or TORCH Disc pack, to be placed in the centre section. If you use our stacked drives, the section. If you use our stacked drives, the remaining space can be used for further peripherals e.g. Speech Synthesizer, EPROM programmer or simply stationery. The computer slides neatly in to the lower section allowing easy access to remove the lid. The printer plinth is equally sturdy but without the cooling slots. It allows for access to the paper from the front as well as from the rear, (a facility not often thought of in similar products) if the paper is located beneath the plinth. This is a very convenient way to work especially if your work area is not deep enough to take the printer and paper separately. paper separately.

SINGLE BBC PLINTH £11 (carr. £1.50) DOUBLE BBC PLINTH £19 (carr. £2.00) PRINTER PLINTH£10 (carr. £1.50)



This is the RAM you've been waiting for!! This This is the RAM you've been waiting for!! This battery backed up, write protectable 16K sideways RAM board allows you to run from disk every sideways ROM available. Beware of other sideways RAM boards which are not backed up as certain ROMs will not run in these boards even though the RAM can be write protected. The Battery Backup facility allows retention of DATA after power off. On switch on the Micro will think the WATFORD DISC RAM is a ROM. Features available are: Features available are:

- No soldering or modifications to BBC micro
- necessary.
 Plugs into normal ROM socket fitting neatly under the keyboard allowing room for other add-ons.
- to SAVE and LOAD ROMs. Allows you to make backup copies of your ROMs.
- Disk software can be copied onto other discs when disc is full.
- All existing ROMs can be stored on disk and used in DISC RAM.
- No messy plugging and unplugging of your ROMs. Simply Load the one you want into
- ROMs. Simply Load the one you want into DISC RAM. Ideal for Professional users to develop ROMs. Backup facility allows testing of final versions without using EPROMs. The switch provided allows backup and write protection to be switched off externally. Can also be used as 16K printer buffer RAM in conjunction with our Buffer & Backup ROM.

New Low Price: £32

P.S. 16K DISC RAM Board is not designed to work in conjunction with a Sideways ROM Board.

Versatile BEEBSPEECH SYNTHESISER Unit



The Watford Speech Synthesiser is a very flexible speech synthesis unit based upon the powerful phonemes system. This system stores the building blocks of speech (called phonemes) and allows you to combine them quickly and easily to form virtually any word invariantly. form virtually any word imaginable

Supplied with an advanced ROM, you are provided with a 500 word dictionary to get you started. These can easily be added to by following the notes given in the comprehensive manual

SPECIAL PRICE £35

Continued -



	The same of the sa
BOOKS (No VAT on B	Rooke)
	JOOKS
21 Games for the BBC Micro	£5.95
30 Hour BASIC (BBC Micro)	£6.95
35 Education Programs for BBC 100 Programs for BBC Micro	£6.95 £6.95
6502 Assembly Language Program	£13.95
6502 Assembly Language	210.00
Subroutines	£19.95
6502 Machine code for Humans	£7.95
68000 Assembly Lang. Programn	
A young persons guide to BBC Basic	
Advanced Machine Code Techni- for BBC	
Advanced Programming for the	£7.95
BBC Micro	£6.95
Advanced User Guide for	
BBC Micro	£11.95
Advanced Graphics with BBC	£9.95
Advanced 6502 Programming	£12.45
Assembly Language Programmir BBC Micro	£7.95
Advanced Programming Techniq	
for the BBC Micro	£7.95
Applied Assembly Lang. for BBC	£7.95
Assembler Routines for the 6502	£
Assembly Language Programmir	
BBC Micro Assembly Programming made Eas	£8.95 sv £5.95
Basic ROM User Guide	£9.95
BBC BASIC for Beginners	£7.95
BBCBASIC	£5.95
BBC Forth	£7.50
BBC Hardware Projects	£8.95
BBC Machine Code Portfolio	£7.95
BBC MICRO add on guide BBC Micro An Expert Guide	£6.95
BBC Micro Assembly Language	£7.95
BBC Micro Book BASIC Sound	
Graphics	£7.95
BBC Micro Games Master	£5.95
BBC Micro Graphics and Sound	£6.95
BBC Micro Programs in Basic BBC Micro ROM Book	£5.95 £9.95
BBC Micro ROM PAGING Sys	
Explained	£2.00
BBC Micro Revealed	£6.95
BBC Micro Disc Companion	£7.95
BBC Micro in Education	£6.50
BBC User Guide BBC Wargaming	£10.00 £8.95
Basic Programming on BBC Micro	£5.95
BCPL User Guide	£5
Brain teasers for BBC micro	£5.95
Business Applications on BBC	£7.95
Computing for All the Family	£6.45 £16.00
CP/M Bible CP/M Handbook with MPM	£13.95
CP/M Soul of	£14.95
CP/M The software BUS	£8.95
Creative Animation & Graphics	£7.95
Creative graphics on BBC Micro	£7.50
DISC FILING SYSTEM (DFS Operating Manual for BBC	
Disc Programming Techniques	£6.95 £7.95
Disc System for the BBC	£6.95
Discover BBC Machine Code	£6.95
Discover FORTH	£13.95
Easy Programming for the	05.05
BBC Micro Electron Machine Code for	£5.95
Beginners	£6.95
Exploiting BBC Basic	£6.95
Exploring FORTH	£6.95
Filing System & Databases	£7.95
Further Prog. for BBC Micro	£5.95
FORTH on the BBC Micro	£7.95
Forth Programming Functional Forth for the BBC Micro	£14.40 c £5.95
Games BBC Computer Play	£6.95
Getting more from your	
BBC & Electron	£6.95
Graphics for Children	£7.95
Graphic Art for BBC Computer	£7.50 £5.95
Graphic Art for BBC Computer Hackers Handbook	£4.95
Handbook of Procedure & Funct	
BBC Micro	£6.95
Interfacing Projects for the BBC	£6.95
Introducing the BBC Micro	£5.95
Introducing LOGO Introduction to FORTH	£5.95
Introduction to PASCAL	£8.95

Introduction to PASCAL

Let your BBC teach u to program

LISP	£9.25
LISP, A Beginners Guide to	£10.95
LISP Cassette	£15.50
Logo Programming	£8.95
Mysteries of DISC DRIVES and	DES
REVEALED	£5.95
Mastering CP/M	£16.50
Programming the 6502	£13.95
Programming the BBC micro	£6.95
Programming the Z80	£16.95
Programming with Graphics	£5.95
Structured Prog. with BBC BASIC	£6.50
The Complete FORTH	£6.95
The Complete Programmer	£5.95
The Epson FX/KAGA PRINTER	
	CE OF
Commands REVEALED	£5.95
Using Floppy Discs with BBC Micro	£5.95
Using BBC Basic	£6.95
Wordstar & CP/M made easy	£6.95
VVOIDSCAL COLINE INCOCCUST	20.00

NEW

LAUNCH

BEEB VIDEO DIGITISER

THE LATEST IN HIGH TECH FROM WATFORD

Using any source of composite video (colour or monochrome) and the Watford Beeb Video Digitiser, you can convert an image from your camera into a graphics screen on the BBC Micro.

This uses the full graphics capacity of the BBC micro in modes 0, 1 or 2. The video source may be a camera, video recorder or television, and is connected via the video output socket.

Images produced can be compressed, stored to disc, printed on an Epson compatible printer, directly used to generate graphics, analysed for scientific and educational use or converted to other formats e.g. Slow Scan TV or receiving a picture from a remote camera using a modem.

The output from the digitiser exactly matches the graphics capability in each mode, with up to 8 levels of grey in mode 2. The unit connects into the User Port and automatically scans a complete picture in 1.6 seconds.

Both the black and white levels can be adjusted manually for the optimum picture, or switched to automatic for unattended use. The image produced can be reversed if necessary

Full controlling software is supplied on a normal sideways ROM and this is easily accessed via additional * commands. The package is designed to allow easy input of complex screens and give full access of the data to the user. Once on the screen, the image can be used as a normal graphics screen, allowing any of the usual graphics commands in BASIC or other ROM's to work on it.

A special print dump routine is included with the driver programs. This is specially designed to produce a fast, correctly proportioned picture, with reduced "contouring", resulting in an accurate reproduction of the original image.

Features offered by this package include:

- The adding of pictures or written text to typed documents.
- Comments.

 Unattended recording of scientific data.

 Entry of real images into graphics programs.

 Generation of computer images.

 Slow scan television; sending images via a
- modem or radio. Security.
- Input from any video 1v video source. Full resolution in Modes 0,1 or 2. 1.6 seconds scan time.

- Up to 8 grey levels Manual or Auto level control
- Connects to user port

Detailed examples of driving this unit from BASIC or other languages are all provided in the extensive manual supplied.


£89 (Carr. £2)

£14.95

£6.45

(Price includes: Digitiser Unit, ROM & a comprehensive Manual.)

EPROM PROGRAMMER



The Watford Electronics' EPROM programmer for the BBC micro is a high quality self contained package. Programs all popular EPROMs from 2K to 16K: 2716, 2516, 2532, 2564, 2764 and 27128. All manufacturers' specifications have been followed to program EPROMs at the correct speed – wrong timings could destroy your EPROMs. The unit has its own power supply so does not put heavy loads on the BBC power supply as do some other units. Connects directly to the 1MHz bus following all Acorn recommendations on addressing and bus

SOFTWARE PACKAGE

The software is supplied on an EPROM which plugs into the Micro and is instantly available with a single command (no time wasting as on Cassette/disc loading). It is a fully purpose designed and ingegrated package to simplify ROM development. The system is menu driven with many accordants. with many prompts to avoid any accidents

Software facilities include: Load File – Save File – Down Load EPROM – Program EPROM – Verify – Blank Check – Editing of memory contents prior to

Programming.

Also included is an automatic system to allow Basic programs to be put in EPROM and accessed through the *ROM filing system. More than one program may be put in an EPROM. All these facilities and more are explained in the comprehensive and clear 15 page manual.

SPECIAL OFFER £69

(£3 carr.)

LOW COST 'DIN' **EPROM PROGRAMMER**

A high performance, low cost, self contained 'DIN' EPROM PROGRAMMER for the BBC Micro. Plugs into the BBC Micro's user port.

- The features are:

 Will program 2716, 2732, 2532, 2764 & 27128 EPROMs.

 Copy Eprom into memory and compute checksum.

 Blank check EPROM.

- Program EPROM from memory.
 Verify programmed EPROM and display checksum.

 All * commands may be used from menu
- .
- High speed programming on 2764 & 27128. Machine code SOFTWARE supplied in ROM.

Only: £49.50 (carr. £2)

TEX EPROM ERASERS

EPROMs need careful treatment if they are to survive their expected lifetime. Over erasure of EPROMs very rapidly turns them into ROMs! The TEX erasers operate following the manufacturers specifications to give the maximum possible working life by not erasing too fast. We use these erasers for all our own erasing work.

• ERASER EB – Standard version erases up to 16 chips.

 ERASER GT — Deluxe version erases up to 28 chips. Has automatic safety cut-off to switch off the UV lamp when opened.
 Spare UV tubes. £30

Pa BB

RS Ca EC

00

Cito

to

ANTI GLARE MONITOR SAFETY SCREEN



HEADACHES? TIRED EYES? Don't take pills-Use a Watford Electronics anti-glare filter!

Available in 12" & 14" versions – please specify the exact monitor type when ordering.

Special Price: £16.00 (carr. £2)

SURGE PROTECTOR Plug

Fitted in place of your normal mains plug, this device protects your equipment against mains surges. Nearby lightning strikes, thermostats switching and many other sources put high voltage transient spikes on to the mains. This can lead to data corruption in memory and on disc and can result in spuriously creables. disc and coan result in spuriously crashing machines. Suitable for computers, Hi-Fi, Fridge Freezers etc. Max Surge current 2KAmp; max. Voltage 250. Essential for serious computer

Protection for only £9.50

FLEXIBLE KEYBOARD CONNECTOR

A 'Keyboard to Micro' replacement jumper lead.

ATTACHE CARRYING **CASE for BBC Micro**

The Attache carrying case is attractively finished in mottled antique brown leatherette. The case is made of tough plywood, providing a very solid and safe way to carry your BBC micro. There is room provided to fit all the leads necessary behind the computer and manuals in the front. Locks supplied with two keys. Price £11 (£2

DATA RECORDER

Top quality slimline portable cassette recorder designed specifically for use with home computers. Mains/Battery operated with tape

DATA CABLE to connect recorder to BBC

£2.00

DATA CASSETTES

Top grade tested C12 Data cassettes supplied in library cases 35p each; 10 for £3.20.

CONNECTING LEADS

(All ready made and tested)
CASSETTE LEADS 7 pin DIN Plug
to 5 pin DIN Plug + 1 Jack Plug
to 3 pin DIN Plug + 1 Jack Plug
to 7 pin DIN Plug
to 7 pin DIN Plug £2.00 £2.00 £2.50 to 3 Jack Plugs 6 pin DIN to 6 pin DIN Plug (RGB) £2.50

DISC DRIVE POWER LEADS

Supply from BBC power supply to standard Disc Drive connector

Single £3.00 Dual £3.75

MISCELLANEOUS CONNECTORS

Plugs	Socket
30p	45p
40p	50p
25p	65p
20p	30p
110p	215p
80p	
75p	2.5
	30p 40p 25p 20p 110p 80p

4 WAY MAINS DISTRIBUTION SOCKET



4 way top quality mains trailing sockets. Supplied wired up with mains plug ready for use. Can be screwed to floor or wall if required. Very useful for tidying up all the mains leads from your peripherals. Allows the whole system to be switched on from one plug.

£9.99





ACCESS/VISA HOT LINE 0923 50234 24 Hours

ACORN SPEECH SYNTHESIZER

Speech Chips, Manual and full fitting instructions

Only £19

28 pin ZIF SOCKET (Textool) £6.95

28pin DIL HEADER PLUG SOLDER type £2.90

RIBBON CABLE

28way 55p/ft; 34way 60p/ft.

8way DIP SWITCH

£0.85

CHIP SHOP

40p;	74LS00	30p
£1;	74LS163	70p
		£1.60
£0.90	4816	£1.00
£3.50		£3.00
£0.45	UPD7002	£4.40
£5.45	65C02 CPU	£9.50
£3.40	6845SP	£7.50
£8.75	SN76489	£5.50
£2.50	27128-250nS	£4.00
£2.75	6264LP-8K	£5.80
£48	ACORN DNFS	£15
£6	ACORN BASIC 2	£16
	25p; £1; 95p; £1.20; £0.90 £3.50 £0.45 £5.45 £3.40 £8.75 £2.50 £2.75 £48	£1; 74LS163

SLEUTH ROM £25 TOOLKIT ROM £23 BBC A to B Upgrade Kit £45



SPOIL-SPORT ROM

BANISH GAMES...DEVELOP BRAINS
Is it that all too often your BBC Micro is being used to stage intagalatic war? Would you rather it was put to a better use?
The answer is now simple. Fit a WATFORD SPOIL-SPORT ROM.

- It will:

 Stop machine code games being played on your BBC MICRO.

 Promote serious BASIC programming.

 Allow you to 'UNLOCK' your micro only with a preprogrammed password (in ROM).

 Interface with both disc or tape based micros.

This ROM is ideal for SCHOOLS, COLLEGES,

Only £20

(Please specify password required when ordering.)



16K Sideways RAM Modules

The revolutionary design RAM Module you've been waiting for! Write and Read protectable, with optional battery backup. Works in a standard BBC micro or one with a ROM board.

Just look at the features

- Compact construction.
- Fit multiple units with ease. No overloading problems.

- Free utilities software supplied on disc.

 Works with any ROM.

 Ideal for professional software development.

 Can be used as a 16k printer buffer as well.

 Load ROMs as needed no messy unplugging, etc.

Introductory price: £29

Optional extras

BATTERY BACKUP READ and WRITE protect Switches £2 (Supplied already fitted if ordered with the Module)

LOGOTRON LOGO

The popular Logotron Logo in ROM.
Recommended by most Education authorities.

Only: £55

Prices subject to change without notice and available on request.

MAIL ORDER AND RETAIL SHOP TRADE AND EXPORT INQUIRIES WELCOME.
GOVERNMENT AND EDUCATIONAL ESTABLISHMENTS OFFICIAL ORDERS ACCEPTED.
CARRIAGE: Minimum £1 on all cash orders. On bulky items, Securicor charge applies.

VAT: UK customers please add 15% VAT to the total cost incl. Carriage.

SHOP HOURS: 9.00am to 6.00pm. Monday to Saturday. (Ample Free Car Parking Spaces)



Dept. BBC, JESSA HOUSE, 250, Lower High Street, WATFORD, ENGLAND Tel: Watford (0923) 40588/37774 Telex: 8956095 WAELEC

FREE INTERFACE

WITH EVERY 'brother' TYPEWRITER MODELS CE51.60.70.EM80.100.200 **PURCHASED**

AVAILABLE TO BBC.B USERS ONLY

THIS UNIQUE INTERFACE, INCORPORATING ITS OWN VIEW DRIVER, WILL ENABLE YOU TO USE THE BROTHER TYPEWRITERS AS LETTER QUALITY PRINTERS. ITS EASY TO INSTALL AND COMES COMPLETE WITH FULL DOCUMENTATION.

COMPARE THIS PRICE FOR A LETTER QUALITY PRINTER

CE51 £299 + VAT.

PURCHASE THE INTERFACE ONLY FOR £75 INCL. VAT BARCLAY - ACCESS AND CREDIT FACILITIES AVAILABLE

SEND SAE FOR FURTHER DETAILS

ABACUS BUSINESS MACHINES LTD.

961 CHRISTCHURCH ROAD, BOURNEMOUTH. DORSET. BH7 6AZ. TEL (0202) 423204

TRADE ENQUIRIES WELCOME

SOLID STATE DESK TOP SWITCHING DEVICES (FULL TWELVE MONTHS GUARANTEE)



No Problems with Cable Lengths or Data Loss/Errors Having Separate Ports, Avoids Over-loading Computer Metal case with built-in power supply and fitted plug

THE PRINTERSHARERS

(SEVERAL MICROS TO 1 PRINTER) PARALLEL: 3 WAY £60-(b) £110-(c) (AS BBC) CENTRONICS: 2 WAY 3 WAY £85-(c) (36 PIN) £95 -(c) SERIAL RS232 3 WAY £65-(b) 3 WAY - £40-(b) RS423



THE PRINTCHANGERS (1 MICRO TO SEVERAL PRINTERS)

PARALLEL - 26 PIN 3 WAY - £60-(b)

CENTRONICS - 36 PIN £85-(c) 2 WAY -

2 WAY - £95 -(c) SERIAL RS232 3 WAY - £65-(b) RS423 2 WAY - £40-(b)

THE PRINTERCROSSOVERS

(2 MICROS TO 2 PRINTERS)
PARALLEL – 26 PIN £70-(c) CENTRONICS -36 PIN £95-(c) SERIAL RS232

£70-(b)


PRICES ARE EXCLUDING VAT. Postage: (b) £2-(c) £2.50

KEYZONE LTD

5-Din (As BBC)

U 14, REGENERATION HOUSE, SCHOOL ROAD, PARK ROYAL LONDON NW 10 6TD Telephone: 01-965 1684/1804 Telex: 8813271







Summer Offers from CCS

BBC B+

£380.00 +7.00p&p

£173.00 +2.50p&p

BBC B and Acorn DFS

£364.00 +7.00p&p

6502 2nd Processor

Dual 400K Mitsubishi/TEAC 40/80tk Disc Drives inc. power supply unit

£260.00 +4.00p&p

Mini ROM Board

12 month replacement guarantee Compatible with Aries B20 Quick despatch

£12.00 +1.50p&p

400K Mitsubishi/TEAC Disc Drives 40/80tk

£129.00 +3.00p&p

Acornsoft 6502 Development

Package

£43.00 + 1.00p&p Acornsoft Viewstore

£52.00 + 1.50p&p

Torch Z80 Disc Pack

£599.00 +10.00p&p

Torch Graduate

£999.00 +10.00p&p

Cumana DS/DD 80tk Discs with free library case

£17.50 +1.50p&p

Please add VAT to all prices Access or Visa welcome

while stocks last



Cambridge Computer Store

4 Emmanuel Street, Cambridge CB1 INE

Telephone orders: Cambridge (0223) 61294 & 358264

A J SOFTWARE for BBC

'The Record Changer' 32K £19.95 Cass. £24.95 Disc.

for indexing, membership lists, directories, inventories, budgeting, etc, etc.

don't buy a database in the dark — check the spec!

'The Wordsmith' 32K for Centronics 737/739 AND NOW FOR EPSON FX80:

£19.95 Cass. £24.95 Disc.

Options Timetable 32K £14.95 Cass. £19.95 Disc.

Simple Word Processor 32K f9.95 Cass. f14.95 Disc.

Picture Maths

£9.95 Cass. £12.95 Disc.

An arithmetic practice program for primary schools.

Character Definer £9.95 Cass.

Enlarge, reduce, etc, etc.

Tape Catalogue £5.95 Cass.

Catalogue all your tapes using this program and never lose one again

Copy Disc £9.95

Copy disc to tape, tape to disc, M/C, Data or Basic.

ROM Read

£8.95 Cass. £11.95 Disc.

A machine code program to read the contents of any ROM socket and copy to RAM, tape or disc. Not to be used for illegal copying.

Machine code Disassembler £5.95 Cass. £7.95 Disc.

Open Evening Timetable 32K £14.95 Cass. £19.95 Disc.

Utility Eprom £19.95

for basic programmers

Mitsubishi Disc Drives Dual 80 Track 800K £250 + VAT

Single Track Drives
Dual Sided 200K £120+VAT

Double Density Disc Interface £85 + VAT The best there is.

Epson Printers FX80 £350+VAT RX80 £215+VAT BBC Epson Cable £15+VAT

Normende

Not only the cheapest, but the best

Switchable 14" RGB monitor/Colour TV £220 inc. VAT and cable, £8.00 carr.

All prices VAT inclusive except where shown

AJ Vision Service Ltd, 43 The Drive Loughton, Essex 1G101HB

Mail Order Only

COLLINS – THE BEST IN COMPUTING BOOKS

Wordwise Plus Bruce Smith

A practical introduction to using both Wordwise and Wordwise Plus with clear screen layouts – diagrammatic layouts of any function key-presses to gain special effects.

0 00 383176 0 £7.95



MicroProlog and
Artificial Intelligence

This is a simple and concise explanation of MicroProlog introducing the language in company with its main application — artificial intelligence.

0 00 383158 2 £9.95

The Language of Artificial Intelligence A.A. Berk

This highly useful book brings the complexities of such concepts as recursion and data structures down to earth by example and careful explanation. BASIC is used as a reference point to emphasise the differences and advantages of LISP.

0 00 383130 2 £7.95



Order form

Please order from your bookseller or send this complete advertisement with quantities marked in the boxes above with your remittance or credit card details to the following address:

Dept. 44 Collins Professional and Technical Books 8 Grafton Street London WTX 3LA Postage: Add £1.50 for first purchase plus 50p for each additional item

SEIKOSHA IMPACT DOT MATRIX PRINTERS

GP-50A

Designed for the hobbyist.

- Printing speed—40cps5 inch, 46 columns Friction feed
- Centronics parallel interface
- Plain paper—low running cost GP-50S—Sinclair compatible

model

GP-55AS-RS-232C serial model... available soon.



GP-500VC

Built exclusively for COMMODORE VIC-20/C-64 Personal Computer.

- Printing speed 50cps
- 10 inch, 80 columns
- Pin feed

GP-500AT-ATARI compatible model



GP-500A

A new generation of Seikosha low-cost, 10 inch, 80-column printer.

 Printing speed—50cps ● Pin feed • Centronics parallel interface • Low noise level GP-500AS—RS-232C serial model



GP-550A

Features a 2-in-1 masterpiece-data processing and correspondence quality mode.

- Dual printing speed—50cps/ 25cps • 10 inch, 80 columns
- · Various character modes for special effects • Friction and pin feed • Centronics parallel
- interface · Optional interface-RS232C, ROM set for IBM PC.



GP-700A

Superb 7-color graphic printing.

- Printing speed—50cps
- · Colors specificable in dot units • 10 inch, 80 columns
- 4-color cassette ribbon
- Friction and pin feed
- · Centronics parallel interface
- Optional interface—RGB video for IBM PC, RS-232C, Apple II/IIE.

GP-700VC—COMMODORE C-64 compatible



NEW

SP-800/1000 Series


The optimum partner for small business, educational facilities and more.

- 80 or 100cps (draft)/20cps (NLQ) • 10 inch, 80 columns
- Centronics parallel with IBM character • Tractor and friction feed • Optional intelligent serial interface

SP-1000A—Centronics parallel SP-1000AS-RS-232C serial

SP-1000AP—APPLE II C/MACINTOSH compatible..... available soon.

SP-1000VC—COMMODORE C-64/VIC-20 compatibleavailable soon.



Here's an

Give your computer system an efficient and cost-saving printer.

The GP and SP range by Seikosha. From dedicated dot matrix printers to sophisticated models incorporating the very latest in technology.

Distributed exclusively by DDL and available through all leading computer dealers. For further details of your nearest stockist please phone Ascot (0990) 28921



5 King's Ride Park, Ascot, Berks. SL5 8BP Tel: 0990 28921 Telex: 846303 DD LTD G.

THE NEW FORCE IN DISTRIBUTION

ONE BOY AND HIS MICROS

Mary Sargent reports on how Christopher's

Beeb-controlled 'superchair' has changed his life

HRISTOPHER is a small boy who has more electronic contraptions to play with than most adults will meet in a lifetime. He has not one but two BBC micros, plus disc drives, joysticks, electronic switches and software written specifically with him in mind. And not even the most dedicated computer enthusiast would envy him.

Christopher is nearly four years old, and for three of those years he has

paralysed been from the neck Не down. can speak, he has full control of his facial muscles and he can move his head sideways, but the accident which crippled him at the age of 12 months left him unable to breathe without a ventilator and dependent on oxygen because of lung damage.

Little Christopher lives in a
ward of the
Children's Hospital in Great
Ormond Street,
London, and it was
staff there who
embarked on the
unusual project
which bears his

name, in order to help give Christopher mobility, stimulation and some form of limited independence. The end result, it is hoped, may benefit hundreds of children as severely handicapped as he is, and could be the most important use yet of microtechnology outside industry.

Project Christopher is directed by Jo Douglas, a Senior Clinical Psychologist at Great Ormond Street, who was asked to assess what communication aids were needed for him. Someone suggested that it might be worth applying for a grant from the Department of Trade and Industry, which agreed to fund a three-year project to 'develop and provide a comprehensive range of micro-electronic aids that will simulate normal developmental opportunities and enable maximal cognitive development of the severely physically handicapped pre-school child'.

The BBC micro was chosen for the project because of its flexibility. The

pher's use. She chose Widgit, and for six months Tina and Mike Detheridge have been designing and testing colourful routines to teach and stimulate the imagination of young children whose environment is restricted. Their work so far has been received with enthusiasm, not just by Christopher but also by his speech therapist.

Because their brief is to produce programs of educational value to any physically handicapped pre-school child.

Mike and Tina Dethridge have not met Christopher. Their programs are put to the test in the local nursery school, and only when the content is to the satisfaction of the children there do they adapt the control of the program to suit the handicapped child.

This is not the case so far as Brian Reeson is concerned. He is the bio-engineer responsible for the construction and interfacing of all the hardware Christopher needs to give him some mobility and independence. It is a mammoth under-

taking, linked very specifically to Christopher's own needs, but the results will be significant to many. As with the software, there are few products available which are useful to the very young physically handicapped, and what there is has had to be modified, extended and supplemented to create Christopher's mobile, computerised environment.

The basis of the whole thing is Christopher's modified wheelchair, which carries not only his oxygen cylinders



project Christopher uses an Armdroid to overcome his handicap and knock down wooden blocks

wide range of readily available peripherals and the excellent user port made it easier to adapt hardware to Christopher's use, and it is also the computer most likely to be used by schools and other institutions dealing with handicapped children.

After some disappointing experi-

After some disappointing experiences with commercial software for pre-school children, Jo decided to commission a software house to write a suite of learning games for Christo-

THE 64 SOFTWARE CENTRE 1 Princeton Street, London WC1 01-430 0954

SERIOUS SOFTWARE FOR THE BBC MICRO (32K)

BUSINESS		PRICES INCLUDE VAT Cassette Disk (40T)		EDUCATION GEMINI-	ONAL Alphabet Fun	INCLUDE VAT Cassette 7.95
GEMINI-				GEIVIINI-	Oliver Owl	7.95
	Database Stock Control		23.95		Felicity Farm	7.95
			23.95		Counting Fun	7.95
					Edward Bear	7.95
	Invoices and Statements	19.95	23.95		Word Quest	7.95
	Spreadsheet	19.95	23.95			
	Cashbook	59.95	59.95	GRIFFIN-	Number Fun	7.95
	Final Accounts	59.95	59.95	GNIFFIN	Fairshare	7.95
			33.33		Table Sums	7.95
	Cashbook, Final Account	S,			Get Set	7.95
	Payroll, Spreadsheet,				Wordspell	7.95
	Graphplot pack	159.95	159.95		Word Games	7.95
1938	Home accounts	19.95	23.95	MIDDOD SOFT	-Fun Numbers	7.95
Easiledger (sales,				WIINNON-SOLT	Looksharp	7.95
	purchases)	19.95	23.95		Star Seeker	7.95
	Graph plot	19.95	23.95		Quick Thinking	7.95
	Word processor	19.95	23.95		Here and There	7.95
	Mailist	19.95	23.95	-		
	Payroll	39.95	39.95	KOSMOS-	Spanish A	8.95
DDD-BASE			29.95	KOOWOO	German A	8.95
	DDD-CALC		29.95		Spanish B	8.95
DDD-PLOT			29.95		German B	8.95
			20.00			
	Integrated Accounting		100.75	OUTELD	Maria Davida a	0.05
	System (5 modules)		499.75	SHIELD-	Maths Revision I Physics O Level	9.95 9.95
Datagem (24k ROM)			129.95		Maths Revision 2	9.95
PRACTICORP- Practicalc II					Chemistry O Level	
			69.95			
Plea	The 64 Software C 1 Princeton Street, Lo	entre, ndon WC1		ASK-	The Best 4 Language The Best 4 Maths	19.95 19.95

DateSignature

ALL IN STOCK NOW

Number Painter

OPEN 10am-6pm INCLUDING SATURDAYS

MAIL ORDER: ADD £1 FOR ITEMS OVER £20, OTHERS FREE.

Credit Cards: Access, Visa (Phone or Write).
Immediate Despatch.

19.95

69

TRAILBLAZERS

and ventilator, with their accompanying electronic alarm and monitoring gadgetry, but an onboard BBC micro as well. Because of the extent of his disabilities, Christopher will need to control his chair via the computer rather than with a more conventional joystick. He will be able to move the chair forwards and backwards, and adjust the position up and down. Eventually, it is hoped that this can be achieved by voice control, but until that is perfected, Brian Reeson has fixed up proximity switches which can be triggered by a finger, head or even tongue movement.

Linked to the chair's computer is a largely conventional BBC model B, which displays the Widgit programs as well as controlling peripherals. The

computers two are linked by an infra-red serial interface which is configured as shown in figure 1. and which is conmore siderably complex than it appears. There is a need for two-way communication on the serial link 'but that's a task for the autumn' All the chair's electronics are powered by sealed batteries concealed between the wheels, and these are re charged every day. There can be question 01 mains power for the onboard computer. Four elements make up the computer electronics: the Beeb

the intelligent controller, its ports connected to the speech recognition unit, a DE-Talker and proximity switch electronics. The DE-Talker is a speech synthesiser which provides audio confirmation that commands have been executed.

The four units are compact, fixed to the top of the chair, and can easily be removed for modifications. 'Christopher cannot be denied his chair whenever I need to work on the system,' says Reeson — and this happens often as work progresses. The speech recognition software, for example, is yet to be completed, so Christopher runs the computers using proximity switches.

The hardware, bought at a cost of some £1500 specially for the project, is

the American SYS300 system, which can recognise as many as 300 words. It is fast and Reeson is pleased with its performance: 'The only problem is that you have to teach the system its vocabulary.' At three iterations per word, this is a time-consuming task for anyone, and even more so for anyone with a speech impediment. The makers claim a 98 per cent recognition rate, and its decoding speed can be improved considerably when dealing with short vocabularies, such as recognising the spoken numbers nought to nine. The system is triggered by 1½ seconds of vocalisation on the microphone, whereupon the spoken instruction is interpreted by the mobile Beeb, and transformed into a string of 'keystroke-sequences' which

Wales decodes the serial transmission and runs a normal model B computer, disc system and colour monitor. It is here that Widgit's software comes into the picture, but it doesn't take over Christopher's environment entirely.


Attached to the stationary Beeb is Colne Robotic's Armdroid, a six-axis robot arm. Christopher uses Armdroid to knock down wooden building blocks, and the programming will allow him to build them up again when he has learned to manipulate the arm fully. Ultimately he may use voice commands, but for the present a proximity switch or sound-activated switch suffices. Reeson has put together the armcontrol software, which is specially tailored to a child's needs. Initially,

young handicapped child can't cope with the degrees of freedom that the Colne offers arm An on-screen menu breaks the problem down into manageable proportions.

For Christopher, even a joystick is a problem, since it must be positioned in front of the mouth. standard commercial joystick is simply too large,' says Reeson, 'It would take away a third of Christopher's view.' So a small unit housing a couple of potentiometers has to be made. 'It's a fairly standard two-axis joystick but because his movement is so limited.

op-amps have been put in to provide amplification and offset adjustments.' The microphone is a subsonic sensor, highly directional, with electronics causing it to respond to the elements in the 'P' sound. Regular speech and most environmental noise will not trigger it, but saying 'P' cycles a pointer round the monitor screen and selects the robot arm axis. The joystick then moves the axis.

Project Christopher is a beginning. Its objectives are clear, though limited, but Jo Douglas is far from depressed. Before this, there was nothing available for pre-school handicapped children, except adult time. Now there is reason to hope that these children will learn to play and to teach themselves.



(minus its case) as Figure 1. How the mobile and stationary micros are linked by an infra-red serial interface

are transmitted to the stationary Beeb. The technology is sound, but the application untried.

The software in the mobile Beeb performs housekeeping tasks and keeps all the onboard peripherals happy. All the ports are used, and Reeson may have to fit one or more 6522s as the system grows. The SYS300 is connected to the RS423, the joysticks and proximity switches are on the analogue port, and the chair is driven from the user port. One bit of the user port forms the simulated RS423 which drives the infra-red link. At the end of this link is the computer which gives Christopher the facility to learn and play. A keyboard emulator from Clwyd Technic in



The Power Behind the Printed Word

COMPUTERS

Acorn Electron ALA01 with 5 Pack	£119.00
Acorn Electron YTV Starter Pack	£139.00
BBC Model B	£319.00
BBC Model B with DFS	£399.00
BBC Model B with DFS and NFS	£465.00
BBC B PLUS (64K RAM)	£499.00
(Free Cumana CSXL100 with B Plu	18)
Z80 Second Processor with software	
6502 Second Processor	£190.00
32016 Second Processor (32 bit)	£1,099.00
Winchester 10MB with Level III	£1,699.00
Winchester 30MB with Level III	£2,499.00
Fconet Starter Pack (Clock + 2 terr	ns) £99.95

DISK DRIVES

DISK DRIVES			
Cumana CSXL 100 40T, Single, no psu £85.95			
Cumana CSX100 40T, single, no psu	£99.95		
Cumana CSX200 80T, single, no psu	£139.95		
Cumana CSX400 80T, single, no psu	£169.95		
Cumana CSL100 40T, single, with psi	£109.95		
Cumana CS100 40T, single with psu	£129.95		
Cumana CS200 80T, single, with psu	£169.00		
Cumana CS400 80T, single, with psu	£189.95		
Cumana CD200 40T, dual, with psu	£239.00		
Cumana CD400 80T, dual, with psu	£269.00		
Cumana CD400/S 80T, dual, with ps	u£289.00		
Cumana CD800/S 80T, dual, with ps	u£309.00		
Disk Interface kit with DNFS Rom	£79.00		
Disk Interface with DNFS Rom fitted	£99.00		
Torch Z80 Disk Pack	£699.00		
All Cumana Drives come with cables,			
for matter disc and are 40/80 track sw	vitchable.		

RUMS & SUNDKIES	
AMX Mouse superb plus software	£75.95
Wordwise ROM	£39.95
Wordwise plus ROM	£52.00
View ROM	£58.00
View Sheet ROM	£52.00
Disc Doctor ROM	£33.95

NEW SG-10 NLQ

Only £270


of VAT, BBC cable and box of paper (2000 sheets) worth £26.

VERY VERSATILE replaces

Gemini 10X


Features

- 120cps bidirectional logic seeking
- 2) Near letter quality mode
- Inexpensive ribbons
- Epson and IBM compatible
- 5) Easily accessible dip-switches
- 6) Friction and Tractor feeds
- 7) Standard parallel Interface-free BBC cable
- 8) 12 months guarantee and our 7 day Money Back Guarantee.



SG-10 NLQ

BRANCHES THROUGHOUT SCOTLAND



VERY LIMITED OFFER DFS KIT

A complete kit of parts with DNFS ROM - Mail Order Only

£79.00 incl. VAT

EDUCATIONAL SPECIALIST

Microworld are Scotland's sole Scottish based distributor with vast experience of Econet and can offer installation, service, advice and supply throughout the U.K. Our London office is now open to service the entire country. Please call for our latest Educational Prices or phone for our list of dealers nationwide.

* * Stop Press * * Acorn 30 MB and

10 MB Winchester's for Level III Econet. ex. stock.

SPECIAL PRINTER OFFERS

JUKI 6100 - Superb 18 c.p.s. Daisywheel Printer with 10, 12, 15 pitch and proportional spacing. Complete with free BBC cable

> Only £339 incl VAT (Sheet Feeder £199)

Canon PW 1080A/NLQ - Superb near letter quality printer with draft speed of 160 c.p.s. and NLQ speed of 27 c.p.s. Fully Epson Software compatible and ideal for use with most computers: comes complete with free BBC cable.

Only £289 incl. VAT (Serial Interface extra £85)

BRANCH NETWORK THROUGHOUT THE UK

Glasgow

11 Bath Street Glasgow 041 332 1116

415/419 Blythswood Court Anderston Cross Centre Glasgow 041 226 3011

Edinburgh

12 Leven Street Tollcross Edinburgh 031 228 1111

4 St. Andrew Square Edinburgh 031 557 2087 031 556 0191 x240

Central Despatch Dept.

Constable House Hopetoun Street Edinburgh EH7 4NF

Aberdeen

77 Holburn Street Aberdeen 02224 571735

London

Park House 140 Battersea Park Road London SW11 4NB

MIGROWORL

GALL 01-627-4840



Cumana **CSXL 100** Disk Drive & DFS Kit only £156.00 incl. VAT & Carriage

sed and

ply ow

for our

nal

ter

and

are

ost

ble.

IB

Cumana CS400 Disk Drive & DFS kit £219.95 incl. VAT & Carriage

40/80 track switched Dual Drive was £349.95 Sale price £299! incl. VAT or with DFS £369.00 incl. VAT

Cumana CD800/S

Acorn Electron Microcomputer with Plus 1 adaptor Joystick and five software packs. were £201.75 now only £139.95 incl. VAT

THIS MONTH'S SPECIAL OFFERS

Sanyo 3125NB Medium Resolution Colour Monitor £178.00 incl. VAT & Carriage

Acorn Electron and Plus 3 Adaptor, Disc Drive with box of 10 discs and Software was £403.95 now only £289.95 incl. VAT

HOW TO ORDER

Orders by post welcomed: please mail coupon with payment.

Telephone orders welcome:

call 01-627 4840 (London) or 031-228 1111 (Edinburgh).

We also welcome Government and Educational orders.

All products suppled include our own 12 months guarantee backed by our own service centre staffed by fully qualified engineers.

Order with confidence, 7 days money back guarantee.

All charges include VAT and carriage charges by courier. Dealer enquiries and personal callers welcome. All offers stated here are available through any of Microworld's 50 dealers nationwide. The right is reserved to alter prices without prior notice.

E.&O.E.

SINKING SIKING SEELING

A life on the ocean waves could

be for you as captain of the

ship in Phil Martin's submarine

game, 'Run Silent, Run Deep'

HIS is a nautical game called 'Run Silent, Run Deep' inspired by the film of the same name. You take Robert Mitchum's role of the captain of a destroyer and your task is to locate and destroy a submarine which is somewhere on the screen. This all takes place in real time using colour graphics and sound. The submarine moves, changes depth and fires torpedoes. Other features such as the minefields and the surface currents are all designed to make life a little more interesting for the fearless captain.

To find the submarine you have to listen to an echo location sounder that also gives a visible output on the screen – in the easy stages. The echo location sounder makes the famous

rhythmic pinging noise heard in all the best submarine films.

Once you think you know where the sub is you drop a depth charge set to explode at the appropriate depth and wait. If the sub is still there when the charge explodes, BOOM! But it may have moved in the time it took the charge to fall that deep.

Entering the program

For the sake of saving memory, the main program contains few useful comments, no long variable names and makes use of pages nine and 10 to run the sonar scope and store the high score table. It will run (just) with PAGE=&1100, so it can be chained straight from disc. Obviously the

program could be larger with PAGE = &E00, but much more processing done in the main loop would slow it down unacceptably.

The game loads as two programs. The header program (listing 1) defines the characters and envelopes and explains the controls. It then sets PAGE to &1100 and chains the second program (listing 2) which is the game itself. The setting up of PAGE is very important to both second processor and disc users because otherwise the game will not run. Tape users can delete line 570 from the header program to leave PAGE at &E00, giving them a little more room if they want.

Type in the header program (listing 1) and save it using whatever filename





you like (I used "B.RUNDEEP"). Then type in the game itself (listing 2) and save this as "RUN2" so that the header program can chain it. If you are going to run the game at PAGE=&1100 in a standard Beeb (ie, without second processor, RAM extension board, etc) you should make sure the program is not more than &1B40 bytes long. If it is larger than this then you will probably get the No room error. You can check by entering:

PRINT TOP-PAGE < return >

If this is larger than &1B40 you should start to look for unwanted spaces or simply delete some of the spacing lines that just contain colons. Disc users must be very careful not to press Break while the game is located at PAGE=&1100 because the DFS will claim back its workspace and corrupt the program.

In theory the game will work on an Electron, but in practice it will run much too slowly to be worthwhile. By contrast, the 6502 second processor runs the program as it stands much too fast. The submarine is very difficult to find as it speeds unseen under the surface and depth charges fall so fast you are easily caught by them. The following modifications should be made to run the game on the second processor:

290 IF B% dcdt% = dcdt% + 1: IF dcdt% > = W% PROCcharge 1610 D% = RND(-TIME): ch% = 0:speed% = 8 1620 a = 0.5:f = 1/32 2410 DEF FNsv = (RND(3) - 2)*0.5

These give you better control and resolution on the sonar.

With the extra speed and memory available on the second processor, extra features can be added such as torpedoes being fired into the area from the edges, as in *Frak!* There was no room for input checking when entering names for the high score table so it's possible to crash the program if you type in certain control characters. An input checking routine could be added if you have room to spare.

Tape users should note that the program uses the cassette workspace in

At last a full Computer Aided Drafting System for your BBC Model B Micro.



Introducing Bitstik 2, the first system to bring sophisticated CAD techniques to the desk of the BBC Model B user.

Bitstik 2 is the affordable solution to your technical drafting problems. Designed to take full advantage of your BBC's powerful graphics facility, the system is easy to learn and fast to operate.

Bitstik 2 incorporates a range of impressive functions, clearly displayed onscreen as Menus and Palettes. These are selected via the Bitstik hand controller, which also controls the dynamic 'rubberbanded' drawing cursors.

Among the system's impressive list of capabilities are:

- Auto Dimensioning
- Adjustable Curves
- Précision Grids & Angle Locks
- Powerful Zoom And Pan
- Scale Drawing & Text
- Graphic Library Index

These advanced features represent a significant step forward from the existing and very successful Bitstik Graphics System. Yet Bitstik I users can obtain Bitstik 2 at a Special Upgrade Price.

Bitstik 2 is produced in the UK by Robocom, the people behind the bestselling Robosystem family of CAD packages for the Apple II + or e) micro. To run Bitstik 2 you will need a BBC Model B with 6502 Secondary Processor, Twin Disk Drives and colour or monochrome monitor. Quality hard copy can be produced from a wide range of supported

So whether you need to produce complex architectural plans, detailed circuit diagrams or simply teach CAD on a fully implemented CAD set-up (with scope for advanced project work) you ought to be tuning into Bitstik 2 for your BBC...

plotters.

Hotline Support What's more, with Robo, advice doesn't stop when you've purchased a system. stop when you've purchased a system.
A small yearly subscription ensures that.

ifting your phone puts you in touch with expert help on any drawing or technical problem.

Test draw a Bitstik

See for yourself how the Bitstik 2 system can make your drafting projects easier. Just try it out, with no obligation to buy.

Ask your local Robocad Centre for details of our free

Test Draws Bitstil, Offer

Test Draw a Bitstik Offer.

DIAL 100 AND ASK THE OPERATOR FOR FREEPHONE ROBO. WE'LL PUT YOU DIRECTLY IN TOUCH WITH YOUR LOCAL ROBOCAD CENTRE.



Robocom, Clifton House, Clifton Terrace, London N4 3TB. Telephone 01-263 8585/272 8417. Telex 297137 ROBO G

GAME

pages nine and 10 to hold the sonar trace and high scores respectively. This should not be a problem since the program does not use the cassette filing system.

How it works

The main program is run as three nested loops. The outermost is an infinite loop inside which the game is played and the scores are displayed. A new page is displayed each time through the second loop, which ends when the ship or sub is destroyed or when time runs out or no more charges are left. The innermost is a REPEAT UNTIL loop in which all the hard work is done. This loop is terminated when no depth charge is falling and something has exploded or time is up. If the submarine has exploded, the program is reset for the next page and continues. Otherwise, you are told why you failed and the high score table is updated if necessary before the game is allowed to start again.

After the main program and the error trap come the procedure definitions. There is a complete list of all the procedures and functions in table 2. Here's how the most important ones work:

PROCsonar(X%,Y%,S%) If S% TRUE it is time for a new 'ping' and it is then that various other things are done. The interval timer T% is reset, message generation is updated, the wavefront distance and the height of the sonar trace are zeroed. The procedure then moves the wave out and checks to see if it has passed the sub. If it has, it records the fact in F% and makes a submarine echo. It also generates other misleading echoes according to the value of D% which is the difficulty rating. If you have passed page eight the sonar trace is left blank and the procedure ends. Otherwise the height. H%, of the trace is decremented by the gradient, G%, and the trace is redrawn at a distance along the X axis equal to that travelled by the sound wave.

PROCship(X%,Y%) simply EORs a ship character on to the screen centred at X%,Y%.

PROCcharge is called when a depth charge has reached the set level. It checks whether the explosion is close enough to the submarine to destroy or damage it. If the sub is damaged, V% is set up to hold it still for a while and O% is set up to produce an oil slick. If it's destroyed, E% is also set up to make an explosion. The procedure then checks whether the ship is too close to the explosion and if so calls PROCds to destroy the ship.

PROCsub first tests whether it can release a torpedo successfully. If it can, torp% and the torpedo's controlling variables are set, and the submarine

changes course. The procedure also decides whether to change depth, whether to display the periscope, and when to change the submarine's course. The sub's co-ordinates are tested to see if it's in the minefield and if so it may cut one of the mines loose to float to the surface.


PROCoil(X%,Y%) first decrements the oil countdown timer, then draws three oil patches around X%,Y%.

PROCexpl(X%,Y%) decrements the explosion countdown timer and plays one note from the tune. It also draws four bits of explosion. The peculiar condition in the pitch parameter of the SOUND command is to add a sarcastic note to the tune if it is the ship that is exploding.

PROCtorp is called only if there is a torpedo running (set in PROCsub). It moves the torpedo in the set direction and tests to see if it has hit the ship or



Scene-setting: the title page



Buoys mark the searched area

the boundary. If it has hit the ship it sets up the explosion by calling PROCds. If it has reached the boundary it sets torp% to FALSE.

PROCinit is called once only, at the beginning of the program, and is used to set up any permanent variables and the high score table. Two of the variables it sets up are a and f which represent the acceleration and friction forces acting on the ship. If you decide to alter either of these you should make sure that they are always binary fractions, ie, a number which multiplied by some power of two will be an integer. If they are not binary fractions the ship will tend to 'drift' when it's supposed to

be stationary

PROCreset is called at the beginning of every page and sets the position of the ship, the sub and the minefield and various flags.

PROChitable displays the high score table on screen.

PROChiscore(S%) decides whether a score S% should go in the high score table. If it should, you are asked to type in your name and the high score table is amended accordingly.

FNscore(T%) calculates the score for that particular page with T% elapsed time.

FNsv is used to pick one component of the submarine's direction at random.

You will find several places where Booleans (things which can only be TRUE or FALSE) are used in expressions. Fans of Pascal will be horrified by this mixing of variable types – but it works. Some procedures have more than one ENDPROC, which saves a few bytes over the ungainly GOTO equivalent. Apart from these lapses, the program is well structured and uses no GOSUBS and as few GOTOs as is possible.

One technique which is used extensively is the 'countdown timer'. This is just a variable which is decremented each time through the main loop and while the variable is greater than zero a task is carried out.

For example, the variable 0% is used to control the oil slicks. If it is greater than zero some oil slick is drawn and 0% is decremented. So, to make an oil slick appear, you simply set bx%, by% to be the centre of the slick and put the number of times you want some slick drawn in 0%. There are a lot of countdown timers controlling various parts of the game.

Nearly all variables are integer type and most of the resident integers are used in the quest for speed. I tried to use the resident integers logically, so that S% is the score, P% is the periscope-visible flag, etc.

All the global variables used are listed in table 1.

How to play

At the start of every patrol you are told how long you have to complete the mission. Each page is more difficult than the last with the submarine changing depth more often, the minefield getting larger and greater accuracy being required. At page four, you will encounter surface currents which will become stronger, and at page nine the sonar scope is turned off! After the screen display is set up the sonar starts sending out its sound waves. If you're lucky you may get an echo straight away but you will probably have to spend time searching out the submarine.

The standard keys 'Z', 'X', ':' and '/' are used to apply acceleration to the ship in the appropriate directions. When these keys are released the ship will slow down and eventually stop. Don't be afraid of getting lost off the screen – the ship will reappear on the opposite side. You can move on to the corner used by the sonar trace and the submarine can go there too.

The echo location sounder may take a little getting used to. At regular intervals a loud 'ping' makes a circular sound wave travel out at a constant speed from the ship. If the wave hits an object like a submarine or a whale you will hear an echo (which also shows up on the sonar scope as a peak). So if the object is a long way from the ship you will not hear the echo for a long time, or not at all if the object is beyond the range of the wave. As the distance between the ship and the object reduces, the echo comes sooner after the ping and the pitch of the echo will be higher than that of the ping because of the Doppler effect. The sound 'signature' of a submarine is distinctive from those of whales, wrecks, etc. It is a sharper and clearer echo.

When you have a very close echo you can try to drop a depth charge — but remember to move away or your ship will be destroyed. If you miss the sub you will be told so and you will only hear the explosion. If the charge was close enough to the sub to throw up an oil slick, you will be told whether the charge was too deep, too shallow or at the right depth but not close enough in the X,Y plane. The 'cursor up' key decreases the setting of the charges and the 'cursor down' key increases it.

The submarine can move in eight directions - North, South, East, West and the diagonals between them. When the sub reaches the boundary it moves back into the area, always moving away from the edge it has hit, which means it can take three possible courses. It is a good idea to find out which direction the submarine is going so that you can drop your depth charge somewhere in front of it. This ensures that your charge will have fallen to the set depth when the sub gets there. You will get used to how far in front of the sub to drop a charge so that it reaches the right depth at the right time. The sonar trace is a great help in this because the distance along the trace at which the echo appears is the actual distance from the ship to the sub. The submarine can go as deep as 250 metres and will not rise above 10. Periscope depth is 17 metres and it can launch torpedoes if it is above 30

If you stray into a minefield you will see the sonar trace behave differently;

-		
1	A%:	Number of minefield
I	A 70.	warnings
	В%:	Depth-charge-falling flag
I	C%:	Sub level change
ı	D0/.	countdown timer
I	D%: E%:	Difficulty rating Explosion countdown
١		timer
I	F%:	Sound-wave-reached- sub flag
I	G%:	Gradient of sonar decay
١	H%:	Height of sonar trace
I	1%:	Loop control
ı	K%: L%:	Killed-ship flag Last sub echo distance
I	M%:	Message time counter
Ì	N%:	Number of depth
١	000	charges left
١	0%:	Oil slick countdown timer
١	P%:	Periscope-up flag
1	Q%:	Ship-wavefront
١		distance
١	S%: T%:	Score in present game
١	170.	Value of TIME at page start
١	V%:	Sub stationary
١		countdown timer
1	W%:	Depth setting of falling charge
ı	X%:	X position of ship
1	Y%:	Y position of ship
1	Z%:	Sub's rate of change of
1		depth
1	bx%,by%:	Depth charge position
1	bd%:	Setting of charges on deck
I	cx%,cy%:	Sea current velocity
1		components
ı	dcdt%:	Depth of falling charge
	d2%:	Difficulty rating D% divided by 2
١	mb%:	Number of buoys left
ı	mfs%:	Minefield size
١		: Minefield position
	pg%: speed%:	Page number Velocity of sound wave
١	t%:	Time limit
ı	torp%:	Torpedo-on-screen flag
1	tx%,ty%:	Torpedo position
١	txv%,tyv%:	Torpedo velocity components
1		
I	a: f:	Acceleration of ship Friction of ship in water
١	sx,sy:	Submarine position
١	sxv,syv:	Sub velocity
-		components
	xv,yv:	Ship velocity components
1	m¢.	
1	m\$:	Message printed at 'ping'
	yb\$:	Yellow background,
		black text
1	bb\$:	Black background,
1		yellow text

Table 1. List of global variables

Line no.	FN/PROC
550	PROCsonar(X%,Y%,S%)
650	PROCship(X%,Y%)
680	PROCcharge
800	PROCsub
970	PROCoil(X%,Y%)
1050	PROCexp(X%,Y%)
1140	PROCnsv
1180	PROCtorp
1270	FNhypot(xd%,yd%)
1290	PROCbox(a,b,c,d,lc)
1340	PROCscreen
1610	PROCinit
1690	PROCreset
1890	PROCcross(X%,Y%)
1940	PROCbuoy(X%,Y%)
2030	PROCvert(S\$,P%,V%)
2070	PROChitable
2150	PROChiscore(S%)
2270	FNs(n%)
2280	FNn(n%)
2290	PROCss(n%,S%)
2300	PROCsn(n%,S\$)
2340	PROCspace
2390	FNscore(T%)
2400	FNinmf(X%,Y%)
2420	FNsv
2440	PROCds
2490	PROCdcd(n%)
2520	PROCinmf
2600	PROCdrop
2660	FNcch
2680	PROCIt

Table 2. List of functions and procedures

you may hear the high-pitched echoes of mines and get a minefield warning. A number is shown with each minefield warning, telling you how many more you can survive. You can place marker buoys using the Return key to show you where the minefield is.

The 'T' key gives you a message telling the time you have left to complete your mission. (There are two reasons for printing the time this way: first, a constant time display would slow things down too much; second, there's no room on the screen to put it anyway!)

When you destroy the submarine it explodes and *Rule Britannia* is played—well, some of it. Various statistics are then printed out and you go on to the next page.

The game ends when you run out of time or depth charges or if your ship is destroyed. If you have a high enough score your name can be entered on the score board before the game starts again. The score depends on how long it took to destroy the sub, how deep it was when you got it, how many charges it took and how many minefield warnings you received.

The 'Run Silent, Run Deep' listings are on yellow pages 98-102.



The SLOGGER ROMBOX - compatible with

PLUS1 and PLUS3 Supported by the following ROM software written specifically for the Electron.

STARWORD - Word Processor, does everything VIEW does plus MUCH MORE (16K ROM) £34.50 STARSTORE - Database - fully compatible with STARWORD for mailmerging ELKMAN - Electron version of BEEBMAN £17.50 STARMON - Electron version of BBC STARMON £22 50

PDG - Printer Driver Generator for STARWORD Cassette £7.95, PLUS3 disk £11.95 !!! AND NOW !!!

ROMBOX-P - ROMBOX with built-in Printer Interface AND FREE Printer ROM (over £20.00 on its £69.95 UNDER DEVELOPMENT - Disk system, Tape to disk, Graphics.

BBC PRODUCTS

BEEBMAN ROM MANAGER

Kills ROMs through any break and even though a control break. No other ROM Manager to match.

List ROMs in system KILL ROMs Disable ROMs Switch ROMs on

Save ROM to Tape or Disk

PEEK ROM memory POKE to RAM Disassemble ROM Display Function keys Load sideways RAM from file

All for an incredible £17.50

TREK

The ROM disassembler with a difference. This 16K ROM utility actually COMMENTS as it disassembles. Complete instruction manual. £22.95

STARMON Impressive machine code monitor for the advanced

Well reviewed ACORN USER March. Now only £24.95

OPUS DDOS

Double Density CP/M giving 784K disk space 256 files, 25% speed increase and utilities. For DDOS 3.15, 3.35 & 3.45. £49.50. DISK EDITOR for DDOS. The only single density AND double density sector editor. Restores bad sectors.

PAGE E00 DDOS available soon. Comprehensive DDOS Users Guide available soon.
ALL prices include VAT P&P (UK)

Contact

SLOGGER LTD 215 BEACON ROAD, CHATHAM, KENT ME5 7BU Tel: (0634) 811634, 41622



If your micro system is starting to get out of hand a smart organiser could be the solution to your problems.

At just £59.95 the Organiser desk from Opus Supplies will help to organise your system beautifully. It's purpose built to provide plenty of storage space and because it's produced alongside our range of executive computer desking it offers a level of quality you'll appreciate.

Shelving accommodates your monitor, printer computer, disc drive or cassette recorder and software, and the teak-finished unit is fitted with castors to make it fully mobile. The Organiser's assembled dimensions are: H. 31", W. 401/4" and

And our price includes VAT and FREE DELIVERY.

The Organiser desk is suitable for use with all leading home micros including the BBC, Amstrad, Commodore and Sinclair computers.

To: Opus Supplies Ltd, 55 Ormside Way, Holmethorpe Ind	lustrial Estate, Redhill, Surrey.
Please rush me the following: (PRICES INCLUDE VAT AND CARRIA	(GE)
Organiser Desk	(s) at £59.95 each (inc. VAT)
I enclose a cheque for £	or please debit my
credit card account with the amount	nt of £

Name			
Name			
Address			

Telephone



55 Ormside Way, Holmethorpe Industrial Estate, Redhill, Surrey. TELEPHONE: 0737-65080

CLARES Nº1 IN UTILITY SOFTWARE!

Enhanced BETA-BASE

WHAT IS A DATABASE?

It is a FILE containing RECORDS, each record consists of a number of FIELDS containing the information—an analogy can be drawn with a card index in which a box of cards is the file, each card is a record and each line on the card is a field.

SPECIFICATION

- 1) Random Access disc based, single or dual drives
- 2) File Sizes 3) Record Size
- max 65,000 records. up to a 2048 characters
- 4) Field Size
- and 200 fields. up to 254 characters. approx 1200 ADDRESS records per 100k
- 5) Holds 6) Search
- 5 search fields using powerful options.
- 500 records on 3 fields 7) Sort in 60 seconds.

SYSTEM FEATURES

- ★ CALCULATE—using any valid expression and store results.
- * POWERFUL PRINTOUT OPTIONeliminates need for separate mailing program, parallel/Serial Printout allows setting of printer control codes, line spacing, tabulation, Headings etc., plus label printing with horizontal and vertical tab control.

 *REDEFINE—Titles, field widths, number of
- fields, number of records etc.
- *TRANSFER-Records from one file to another
- *SEARCH LISTS-Allow creation of sub Databases within main Database.
- *GLOBAL ENTRY-provides easy entry of repetitive data and a powerful global edit/ update facility that will save hours of typing.
- ★ SPOOLER—enables you to create spooled files that are compatible with Wordwise, View and other word processors. The spooler program will allow you to format your spooled file in the same way as the powerful printout option. You can therefore have headings, columns, titles, numbers etc.
- *INPUT—is a routine included on the disc which will allow you to write your own utilities for accessing your data. Many of the programs on the coming utilities disc were written using this procedure.
- ★TUBE—compatible with the 6502 second processor
- ★ Comprehensive manual and tutorial.

Beta-Base Utilities disc containing many advanced features such as full disc sort, AND/OR search on 10 fields, wildcards, mail merge + many

Available Now £12

"Beta-Base is a joy to use" **BEEBUG March 85**

"Excellent value for money" A & B Computing OCT 84

"rated best value for money" ACORN USER Dec 84



REPLICA II £12.00



In addition to working with the standard single density DFS's REPLICAII is now compatible with the following double density DFS: OPUS 3.45, UDM v. 2.00 and CUMANA QFS.

The original REPLICA set a very high standard so the specification that we set our chief programmer presented him with a real challenge. In fact REPLICA II is now 2 separate programs, one for DFS using the 8271 controller and the other for the various DDFS that fully implement OSWORD &7F. REPLICA II will transfer many of your cassette based programs to disc, even more than REPLICA did. Now when you buy disc drives you do not have to throw away your expensive cassette based programs.

REPLICA II transfers 'LOCKED' programs, programs loading as files, programs that load below &EOO, those with up to 9 sections and those up to &6E in length e.g. adventure programs. No more waiting for 6 minutes whilst your adventure programs load

REPLICA II is very easy to use and the user just enters a name, how many sections and whether CHAIN, *RUN or *LOAD is used to load the first section. Press play and let the program do the rest, even a menu. Just think how much it will cost you to buy a disc version of your favourite program—it is probably more than REPLICAII, which will hold up to 16 programs, limited only by the disc capacity and catalogue.

STATE DFS & 40 or 80 tracks

PROFILE 4080 £12.00

A PROCEDURE LIBRARY MANAGEMENT SYSTEM

Now you can start the procedure library that you always promised yourself. PROFILE allows you to store, list, merge and grab procedures without any of the headaches. Automatic alteration of LINE NUMBERS and resident variables such as TOP, LOMEMetc release you from the tedious chore of setting and resetting, checking and rechecking. PROFILE leaves you free to create your programs without disturbing your chain of thoughts

- ★100 Procedures can be stored on each disc (disc space allowing)
- ★ NO LIMIT to the number of procedure discs
- ★ MERGE Procedures into your programs easily
- ★ LIST Procedures from disc to check suitability
- ★ RENAME Procedures on disc
- *GRAB new Procedures from existing programs
- *NESTED Procedures can also be grabbed automatically

A Procedure can be a FUNCTION, a BASIC program or part of it or a PROCEDURE.

With PROFILE you will quickly amass a wealth of procedures which will enable you to write programs quickly and easily. Simply write the controlling program containing the procedure calls and PROFILE will merge the procedures for you.

PROFILE in effect provides you with a MACRO BASIC in which you only have to define the procedure once and it can be re-used automatically thereafter.

Make life easier for yourself and order PROFILE today.

98 Middlewich Rd., Northwich, Cheshire CW9 7DA.

Tel: 0606 48511 Open 9—5pm Monday—Friday

LUNCH 12.30-1.30

BETA-ACCOUNTS INVOICE & DELIVERY NOTE MODULE £25.00



This is the first module in an integrated accounting suite of programs written to be used and not simply to please an accountant. This module contains an INVOICE and DELIVERY NOTE program with 80 column input and screen editing, you see what will be printed before committing yourself. Account customer details are inserted automatically and delivery notes generated automatically when required. Customer details without account numbers can be automatically placed in a Beta-Base compatible file for use as a mailing list.

A sales ledger sheet is printed automatically when there is enough data to fill a page, alternatively the user can print the ledger sheet before a full page to suit his needs. VAT details are generated at the end of the VAT period and the year to date figures can be viewed at any time. Provision is made for multiple VAT rates including standard, zero, export and exempt.

A transaction file is generated for account customers for use with the STATEMENTS and ACCOUNTS RECEIVABLE module.

Future modules will be STATEMENT and ACCOUNTS RECEIVABLE, STOCK CONTROL, ACCOUNTS PAYABLE and NOMINAL LEDGER. All relative files are compatible with CLARES Beta-Base which can be used to manipulate the files as required. A Beta-Base Utilities Disc will soon be available and will provide Mail-Merge facilities and links into ULTRACALC plus many other features.
** INTEGRATED ACCOUNTS and DATABASE

- ★ MULTIPLE VAT rates
 ★ SCREEN EDITING with insert & overwrite
 ★ AUTOMATIC DELIVERY NOTES
- * INVOICE COMMENTS
- * ACCOUNT HOLDERS details inserted automatically

 ★ MAILING LIST generated automatically

 ★ LEDGER SHEET printed automatically

- ★ VAT sales returns prepared
 ★ TRANSACTION FILE generated

* Beta-Base compatible

This program was written for our own use and is used to prepare hundreds of invoices per week. It has no unnecessary questions or keys to press and extensive but easy edit options, we have made life as easy as possible for ourselves so why not take advantage of our efforts.

Requires double sided single or twin single sided drives for minimum configuration -no stock control or customer database. Double sided twin drives will enable a full integrated system to be

FUN HOUSE £10.00



BR

whi WO the inse

Con

ROI

so ti

CAS

cap

FLIS imp ONI strir

The cure This war

40 80

40 80

FUN HOUSE is a highly original suite of educational programs suitable for ages 3 to 13. The program is designed to encourage children to spell words which relate to objects found around the home. Animation and music are used to good effect and some highly original ideas are incorporated. Each room exercise is terminated with a warning item e.g. the lounge finishes with 'FIRE' which goes on to engulf the whole lounge. Tests with a newly hired 4 year old resulted in us having to prise him away from the keyboard after 2 hours. In that time he had gone from never having used a keyboard to finding the location of all the keys very quickly and entering the correct answer. He had thus started on the path to learning spelling and familiarised himself with the keyboard including the use of DELETE to correct his mistakes. Can you afford not to give your children the same start?

Send for detailed newsletter. All prices inclusive of VAT & Carriage-NO EXTRAS! Please state 40 or 80 track disc and state which D.F.S. you use

ANTXE ZONAMMOS

THÈ NUMBER ONE

TOOLKIT ROM **FROM CLARES**

ting vlan an 180

will unt and

nen unt

etanen the e to end be ple

unt and

nd R. etaas

be

ind es.

ed

is . It

life ke

ed ock

win be

ell ect d.

se

at a ad nd



BROM £34.50 5 £27.50



BROM is the first toolkit ROM to provide a FULL SCREEN EDITOR, which means that you can scroll your program up and down just like WORDWISE does with text, do not confuse this powerful editor with the line editor used in other toolkit ROMs. The EDITOR allows insertion and deletion of lines and insert and overwrite within a line. This is the editor that the BBC micro should have had.

Closely related to the EDITOR is the EXTENDED ERROR HANDLING which will trap errors in a program and enter the EDITOR at the line generating the error, not only that but it will also position the cursor as near to the statement causing the error as possible, no more wading through multi statement lines trying to identify the error.

Commands unique to BROM are:

ROMON & ROMOFF which enable you to turn on/off sideways ROMs so that they stay off even after CTRL/BREAK, very useful for avoiding clashes especially for users with second processors. This also works with the DFS and reverts to PAGE & EOO automatically.

CASE which forces input into upper or lower case irrespective of caps/shift lock.

FLIST which lists a program one statement to a line but more importantly it will even list 'BAD PROGRAMS.'

ONEKEY is a single key entry option but you can also define your own strings to any ASCII key, just like an extra 48 function keys.

Another group of commands provide FIND and selective or global SEARCH and REPLACE facilities. These commands work with strings and keywords or a mixture of both e.g. "FIND PROChelp T, will list the full line containing PROChelp, the "T simply tokenizes any keywords.

Yet another group of commands allow lines to be moved or copied to a new location.

The other commands provide function key editor, 'BAD PROGRAM' cure, variable lister, integer variable flush, program compacter etc. This is a genuinely useful ROM that no user should be without. Be warned, once used you will not be able to live without it!

"... this is the best On-Screen BASIC Editor I have ever used; It is far superior to BEEBUG softs Toolkit."

Viewfax Tubelink

The Brondies is a size of the second second

The Brom disc is suitable for use with SCLIDIS CSIDE IN STA

_ DISC _40 TRACK 40 80 80 TRACK DD £3 3" DISC-ADD £3 3 **EPROM**

UTILITY SOFTWARE

UNLESS STATED ALL DISCS COMPATIBLE WITH ACORN, WATFORD 1.3, AMCOM, UDM 2.0, OPUS 3.45 AND CUMANA QFS. PLEASE RING FOR COMPATIBILITY WITH OTHER DFS.

QUICK

Martin Phillips

enhances his

basic Easyplot

software

HE Easyplot listing presented last month reserves as much memory as possible for the picture store. The amount depends on the mode selected, whether the computer has disc or Econet fitted, and the length of any printer routine included. Most of the commands are stored in just eight bytes, so over 100 commands can be stored in 1k of memory. By using these memory packing techniques it's possible to load and save pictures much quicker than by saving the whole screen picture. It also makes possible the EDIT and MOVE AND REDRAW commands.

The only disadvantage is that should these pictures need to be incorporated into the user's own programs, then the drawing routines must be added too. The program RUNPLOT (listing 1 on the yellow pages) is included for this reason - see the next section for details of how to use it. However, there is still a considerable benefit in time over the full screen saving routine which stores



each pixel on the screen, and it gives the user greater flexibility.

To enable the use of all the graphics modes, the Easyplot program has been kept as short as possible. Problems may be experienced by users with disc machines, as the disc filing system uses extra memory, leaving less for the user. To get round this problem several special features have been built into the software for disc users.

When the picture files are saved, the first thing to be saved is the number of commands, followed by the byte array A. The first eight bytes of this array store the eight possible actual colour numbers, although in some modes they are not all used. The integer variable Z% holds the position of the next free location in the array A.

Most of the commands are stored as a block of eight bytes. The type of command is held in the variable B%. When finally stored in the array, B% is stored in one byte along with the drawing C%. This command colour

code = B%*8 + C%.

B% = 1....Line

B% = 2....Rectangle

B% = 3....Circle

B% = 4....Infill

B% = 15...Move and redraw

B% = 16.... Print at

B% = 17... Follow mode

Commands with a B% value of one to nine have a fixed length of eight bytes, commands with a B% value above nine can have an extra length of D% bytes. This gives a great flexibility to the program, and there are plenty of spare command numbers that can be utilised.

The rectangle and line commands are stored in the following manner:

byte 0 command code

byte 1

) x% start byte 2

y% start byte 3

byte 4

X% end byte 5

Y% end byte 6

D%: - type of line byte 7



D% = 0 for a solid line, and D% = 16 for a dotted line.

The X co-ordinate has to be stored as a maximum resolution of 640 for mode 0, therefore two bytes are required. The maximum resolution for Y is 255 in any mode, therefore y can be stored as one byte by dividing the actual screen co-ordinate by four.

The circle command is stored in a similar way:

byte 0 command code
byte 1)
byte 2) x% centre
byte 3 y% centre
byte 4)
byte 5) X% circumference
'byte 6 Y% circumference
byte 7 D%:—number of sides

If D% is in range 0-160 then a polygon with solid sides will be drawn and D% will be the number of sides. If D% is greater than 160 then a polygon with dotted sides will be drawn. Then D% MOD 160 will be the number of sides.

```
The infill command is stored thus:
```

byte 0	comma	nd code
byte 1)	
byte 2) x% sta	art
byte 3	y% star	rt
byte 4	f(0,0))superpixel colour
byte 5	f(1,0))superpixel colour
byte 6	f(0,1))superpixel colour
byte 7	f(1,1))superpixel colour

The move command needs extra bytes:

```
command code
byte 0
byte
byte 2
         ) Z% start
byte 3
         not used
byte 4
         ) Z% end
byte 5
         not used
byte 6
byte
     7
         D% = 8 (extra bytes in
         command)
byte 8
byte 9
byte 10
         ) X offset
byte 11
byte 12
byte 13
byte 14
         ) Y offset
byte 15
```

Unlike the x and y co-ordinates in most of the commands, it was not worth the extra program lines necessary to pack this command further.

The print command can have a varying length, which is given by D%

```
byte 0
        command code
byte 1
byte 2
        ) x% bottom left start of print
byte 3
        y% bottom left start of print
byte 4
        not used
        = 1 for single height, 2 for
byte 5
        double height
byte 6
        not used
byte 7
        D% length of print string
byte 8
        String
byte 8 + D%
```

The vertical print routine has embedded codes to move each letter down and back one pixel between each letter. Not the most efficient way of storage, but it keeps the program short and could be extended to give diagonal print.

Follow mode is the most difficult to pack. Thought has been given to the problem of editing this command, so the follow command is stored in groups of 25 co-ordinates, two bytes for the X co-ordinate followed by one byte for the Y co-ordinate.

```
byte 0 command code
byte 1 )
byte 2 ) x% move position
byte 3 y% move position
```

```
byte 4 not used
byte 5 not used
byte 6 not used
byte 7 D%:—number of co-
ordinate sets. Maximum 25
byte 8

"""
byte 83 (This could be shorter)
```

Using the pictures in programs

It's of little use being able to draw elegant pictures if these cannot easily be displayed or incorporated in your own programs. Easyplot has been designed with this in mind, and I've included a program, RUNPLOT, to do this. It contains all the routines for loading in the picture, 'unpacking' the data and the drawing routines. All the variables and procedure names start with a '£' sign to avoid confusion with your own variables and procedures except the integer variable M% which gives the mode. To add this program onto your own, first ensure by renumbering that your program has no line numbers greater than 19999. Then with your program loaded in the computer type *EXEC RUNPLOT and press Return. This enables the program to be loaded in from tape or disc as if you were typing in the lines from the keyboard. Ignore any error messages that may appear. Once loaded the program can be renumbered.

To call a picture named MAP drawn in mode 1, insert the following line at the appropriate point in your program:

M% = 1:MODE M%:PROC£LOAD
("MAP")

The program then loads the named picture and draws it. The mode must be entered using the above syntax as the drawing routines require the mode value given by M%. This need only be done the first time a picture is loaded or each time a different mode is required. The mode is not selected by the routine and must first be done in the user's program. (A mode change cannot be made in a procedure. Using VDU22 is fraught with problems.) If the mode change had been included in the routine, then the user would have been unable to put one picture on top of another, as changing the mode clears the screen even if it changes to the same mode! There is a three line area at the bottom of the screen for instructions, etc.

Some difficulty may be experienced by users who load in a series of pictures one after the other or who load in a long picture. The RUNPLOT routine contains its own DIM statements to save memory for each picture. The amount of memory saved is tailored to the length of the picture to be loaded in.

CERIOUS SOFTWAR FOR THE B.B.C. MICRO



SLEUTH



- Revolutionary new debugging tool for Basic programmers
- Dual screen operation
- Single step facility
- Speed adjuster
- Gives YOU control over Basic.

HELP

£25.00



- The Information ROM
- On screen Help facility to aid
- programming
- Includes Basic keywords *
 Sound * Colour * Teletext * VDU
 commands * FX Calls * GCOL * Screen Modes * Memory usage
 - · PAGE/HIMEM etc

EXMON II



- Dual screen operation
- Full screen memory editor
- 60 machine code commands Invaluable if you wish to
- program, debug, or learn about assembler

!FREE!

information pack

To find out about these and other Beebugsoft products please phone for a

FREE information pack. 24 hour 0494 81 5228





£19.00

Eleven powerful utilities to support the disc user:-Disc Editor * String Search * Recover * Movedown * Disc Menu • Indexer • Copier • Link • Overlay • 40 to 80 • Dual Catalogue • Formatter

MASTERFILE II



£19.00

- General purpose file management package
- Allows large amounts of information to be stored and processed
- Extremely flexible
- Easy to use

ORDERING INFORMATION

All these products are available from your local dealer and larger branches of Boots.

Post and packing 50p Prices include VAT

Telephone orders (24 hours) 0494 81 6666



Mail order:- P.O. Box 50 St Albans Herts

For further information telephone (0727) 60263

BEITCHECKI



- ROM-based spelling checker for Wordwise or View
- Extremely fast on test timings Watford 1.3 DFS 920 wpm Acorn 1.2 DFS + tube 1450 wpm
- 6,000 word dictionary disc
- Dictionary increased with usage

Each time the procedure is called, a new amount of memory is dimensioned. BBC Basic uses extra memory each time this is done, even though the array has the same name! To get round this problem, heralded by the 'Dim space' or 'No room' errors, first locate the DIM statement that contains the £A (DIM £A £A%), and put it at the start of your own program so that it is dimensioned once only. (In fact it's better if all the DIM statement is put at the start of your program - it's only included in the procedure for compactness.) It's necessary to dimension it to suit the length of the longest picture file, which can be determined by using *CAT to find the picture file length in hexadecimal. This is the value to insert in the DIM statement in place of £A%.

Disc use

The user has the option of loading from and saving to disc or tape and onscreen instructions are provided to do this. If disc is selected, the user is asked which drive to save to or load from. Pictures stored on cassette can be transferred to disc using the in-built routines.

A BBC micro with disc interface fitted has 3k of memory less than that available for the tape user so you cannot use *Easyplot* with modes 0, 1 or 2.

If you have disc drives then two 'hidden' routines can be utilised. Once PLOT2 has loaded and the question 'Which mode?' appears on the screen. type 'R' and the program relocates down to &E00. There is a brief pause, then the program starts again, and now any mode can be selected. You cannot save the pictures on disc, but must save them on tape. In order to run them using RUNPLOT with discs, a second routine is included to transfer pictures from tape to disc, disc to tape, or tape to tape. This is also accessed at the start of the program by typing 'C' when asked 'Which mode?', and you can select a drive for loading and saving.

This program will not work with the 0.98 DFS which was fitted to some machines but not 'officially' released.

Because of the 'Can't extend' error, if a file is to be saved which already exists on disc, the old file will be deleted first, so check before using *Easyplot* which files are already present on the disc, and protect them if necessary by locking them.

User-defined characters

If you want to reproduce pictures which incorporate user-defined characters, here's how. When the picture needs to be redrawn using the RUNPLOT procedure, or programs such as VUFOIL DISPLAY or NOTICE BOARD, then the character set must be loaded in too.

This can be done by including the following line at the start of your program:

*LOAD "CHSET"

where CHSET is the filename under which the character set has been saved. If using cassette, this file must be saved immediately after the main program, and before the picture files.

Copying files

The character set is stored in the area of memory from &C00 to &CFF. First load it in from disc or cassette using:

*LOAD"CHSET"

Once the file has loaded, it can be resaved by typing in:

*SAVE"CHSET" C00 CFF

Command extensions

Apart from the possible extension of the types of command, you can

improve the existing commands. As memory is so limited, something else has to be sacrificed in order to fit these commands in. Readers might be able to compact PLOT2 still further, or only use them in modes 4 or 5.

Owners of 6502 second processors can extend PLOT2 to include these routines as they'll have spare memory.

The following three routines should be included in the PLOT2 program, replacing the lines of the same numbers. They enable lines, circles, and rectangles to be defined numerically so that the whole shape can be moved round the screen. The use of these alternative routines will have no effect on RUNPLOT, NOTICE BOARD or VUFOIL DISPLAY, therefore it's possible to have an alternative version of PLOT2 with these extensions included.

For Martin Phillips' listing see yellow page 103.

240 B%=1:1%=0:h%=0:ang=0:PRINT"Enter d
imensions Y/N ":PROCg:INPUT"Enter length
or press return "1%:INPUT"Enter height
or press return "h%:IF1%*h%=0:INPUT"Ente
r angle "ang:ang=0.0001+RADang
242 IF1%=0 1%=h%/TANang:ELSEIFh%=0 h%=
1%*TANang
244 PROCe:PROCp:REPEAT:PROCa:IF1%+h%>0

244 PROCe:PROCp:REPEAT:PROCa:IF1%+h%>0
x%=X%:y%=Y%:X%=x%+1%:Y%=y%+h%
246 PROCli(6+D%):PROCi:PROCli(6+D%):UN
TILA\$=" ":PROCli(5+D%):PROCb:RETURN

This routine adapts PLOT 2 to define lines numerically . . .

250 B%=2:1%=0:h%=0:PRINT"Enter dimensions Y/N":PROCg:IF A\$="Y"INPUT"Enter length "1%:INPUT"Enter height "h%
252 PROCe:PROCp:REPEAT:PROCa:IFh%*1%>0
:x%=X%:X%=x%+1%:y%=Y%:Y%=y%+h%
254 PROCre(6+D%):PROCi:PROCre(6+D%):UN
TILA\$=" ":PROCre(5+D%):PROCb:RETURN

... Replace these lines in PLOT 2 to do the same for rectangles ...

260 B%=3:INPUT"Number of sides "P%:INP UT"Enter radius or press return "c%:ang= 0:IFP%<30:INPUT"Enter angle or press ret urn "ang:IFang<91 ang=ang-0.1

262 ang=RAD(ang):PROCe:PROCp:PROCf(x%, y%):REPEAT:PROCa:IFc%>0:PROCf(x%, y%):x%=X%:y%=Y%:Y%=Y%+c%*SINang:X%=X%+c%*COSang:PROCf(x%, y%)

264 PROCf(X%,Y%):PROCci(6+D%):PROCi:PR OCci(6+D%):PROCf(X%,Y%):UNTILA\$=" ":PROC f(x%,y%):PLOT69,x%,y%:PROCb:PROCci(5+D%) :RETURN

... And finally, for circles (see text for how to use them)

PACKAGE DEAL!

For serious users of the BBC Computer.

A professional trio which can be integrated to produce an information management system of exceptional power.

THE PROFESSIONAL WORD PROCESSOR designed for the serious user All operations fully prompted

■ No special knowledge of the computer system necessary Document size NOT limited by computer memory ■ Automatic disc buffering ensures text is moved between'disc and computer memory without user intervention ■ Up to 255 pages in a single document ■ 80 column display

on screen underline and right justify

See it as it will be printed. SCRIBE comes in a chip with

5 minute fitting instructions, utilities disc and manual. DISC MACHINES ONLY.

£59.95 + 60p p&p

DATABASE

A superb record keeping system with an incredible operating speed. 96 fields per record

One record 2 Kbmax

One field 900 characters max

■ 4000 records per database ■16 level conditional search ■ Find any record in 2 secs ■ Wild card search ■ Record match ■ 8 automatic sub indexes Total flexibility of output via report writer with auto write back to any field ■ Maths pack ■ Semi programming language.

Integrates with Scribe to give conditional search with MAIL MERGE and high powered report formatting Database is in a chip.

DISC MACHINES ONLY £49.00 + 60p p&p. Scribe & Database II

Double density disc interface for the BBC computer.

A high capacity database or word processor is enhanced even further with this state of the art disc interface.

The many features include almost 800 Kb of CONTINUOUS file space on a standard 80 track disc drive ■ Automatically read standard Acorn files Compensate for discs formatted in single density Provide up to 159 files IN ONE DIRECTORY ■ Automatically read, write and format double sided drives to appear as one disc surface ■ Allow maximum use of **MERTEC** Scribe and Database.

Fitting to your computer is made exceptionally safe and reliable by providing connection via a flexible ribbon cable. Full instructions provided.

£109.25 + 90p p&p

NOW AVAILABLE IN ONE GREAT PACKAGE

Purchasers of MCP software are

QTY			
QTY 🗆	L DOD M O - 120- 111	Macking to the second	
In enclose £	Inc P&P My Credit Card No. is		
	Visa □	Access	Tick which
Name			
Address			



provided with a free update service and an unmatched level of technical support. (Updates subject to postal charge.)


MERLIN COMPUTER PRODUCTS

IMPORTANT NOTE:

Please check with us if you decide to use any other disc interface than Acorn or Double-Dos with Scribe or Database.

1

ACORN USER OFFER



UserRAM in place in BBC micro sideways RAM socket between OS and View ROMs. Lead goes across board to leg of 8271 chip (or IC77)

FIRST EASY-FIT SIDEWAYS RAM

16k ● Fully-compatible with BBC B/B+ ● Backed by Acorn User
 3 minutes to fit ● Software support ● Comprehensive manual ● Disc or cassette ● Simple for schools ● Ideal for Econet ● No soldering ● No chips to remove ● No cutting tracks ● Only one lead to fit

TAKE a piece of software, load it in User-RAM using the utilities provided and it can be accessed instantly using a '*' command or run as a Basic program: no waiting for the disc or cassette. It's just like using software on a chip such as Wordwise or View.

The Acorn User UserRAM is as easy to install as a sideways ROM, with just one lead to clip onto the leg of a chip (there's a choice of two) – there's no need to unplug the chip to fit the lead. It takes three minutes to do – and two of those are taken up removing and replacing the BBC's lid! This has been made possible by fitting two of the

latest 8k RAM chips onto a circuit the size of a standard 16k EPROM or ROM.

A comprehensive printed manual gives fitting instructions, information on how to create your own sideways RAM software, ideas on using the equipment and technical hotes on how the utilities provided work. Also, a standard disc (which runs on 40 and 80 track drives with any DFS and is unprotected) is supplied with all the basic utilities needed. One year's guarantee is given, with postage and VAT included.

Write to Acorn User for details of multiple orders.

SO EASY TO FIT

- Switch off BBC micro. Remove lid and keyboard to reveal sideways ROM sockets.
- Insert UserRAM into any empty sideways ROM socket, just like a normal chip.
- Take lead over to left of BBC board and clip to leg of a chip (does not have to be soldered, or chip removed).
- Replace keyboard and lid.
- That's it! You're ready to check the installation with the software supplied.

Pack 1 £45.50

on

nc

- 16k sideways RAM chip with attached connecting lead.
- Disc of utility software.
 Instruction booklet.

Copyright notice:

No party connected with this product will give aid to anyone seeking to break software copyright. Acorn User welcomes details from software houses willing to license schools and other users of UserRAM for their products.

Pack 2 £62

at £9.95).

- As in pack 1, plus
 19 new utilities including printer buffer, *FORMAT and VERIFY for discs, ROM auto boot, two OS calls, save graphics screen, list function keys, and much more.
- BBC Micro ROM Book by
 Bruce Smith
 (published by
 Collins

 BRUCE
 THE ROO

THE BBC MICRO ROM BOOK SIDEWAYS ROMS AND RAMS

PERSONAL PROPERTY.			114/040000	diine fre	MOTTER	amittanca	40
FIII IN THIS	coupon	and send	it (or a cop	A) MITH	your	emmanice	24
			ong Acre				

Please send me: . . . copies of pack 1 at £45.50 each

.... copies of pack 2 at £62.00 each

I enclose a cheque/postal order made payable to

Frondwood Ltd for £.....

*Tick appropriate box. Prices include VAT and post

Please debit my Access card Expiry date

Account number

Signed...... Date

BUALTYIN PRIN



BUT APPROX 10% SLOWER

CJE MICRO'S

BBC PRINTERPACKS

Top Service

OR KAGA TAXAN KP810

NEAR LETTER QUALITY PRINTER

NLQ Mode 23 x 18 Matrix: 27 cps Draft Mode 11 x 9 Matrix: 160 cps Full range of Epson FX 80 Print Codes Friction & Tractor Feed Centronics Interface Standard

CANON PW-1156A Available (Accepts 17" Paper)

CANON PW-1080A £265.22 + VAT = £305.00 CANON PW-1156A £360.00 + VAT = £414.00 £256.52 + VAT = £295.00KAGA KP810

See below for Printerpack prices

C.J.E. MICRO'S **BBC PRINTERPACKS**

For Star, Canon & Juki Printers include:

- 1. The Printer
- Next Working Day Delivery
 Cable to the BBC 1.25 Metres
- 4. Screen Dump Program (M/C Source)
- 5. Text Dump Program
- 6. Function Key set up Program. For use with WORDWISE
- 7. Function Key Label Printing Program. For use with above.
- 8. VIEW Printer Driver
- 9. 100 Sheets of Paper
- 10. Mains Plug with 3 Amp Fuse
- 11. Booklet giving details of using the printer with a BBC
- 12. Character Defining Program for Downloadable-character-set

CANON PW-1080A CANON PW-1156A

KAGA KP810

JUKI 6100 STAR SG10 C.J.E. PRINTER PACK £330 inc VAT C.J.E. PRINTER PACK £439 inc VAT

C.J.E. PRINTER PACK £320 inc VAT


C.J.E. PRINTER PACK £400 inc VAT

C.J.E. PRINTER PACK £295 inc VAT



4-8 SEPTEMBER 1985 OLYMPIA, LONDON

Sponsored by Personal Computer World



JUKI 6100

One Year Warranty 20 CPS: BiDirectional & Logic Seeking 10, 12, 15 & Proportional Spacing Wordstar Compatible 2K Buffer: 13 Inch Platen Underline: Backspace + Lots more Centronics Interface Standard

RS 232 Interface £54.00 + VAT Extra

Tractor Feed £119 + VAT Extra

Single Sheet Feeder £199 + VAT Extra

JUKI 6100 £330.43 + VAT = £380.00

See left for Printerpack prices

JUKOWIN 500



PRINTER CABLES INTERFACES FOR MOST COMPUTERS STOCKED

SPECIAL RS 232 PRINTER BARGAIN

STAR DP8480 (8" Printing) £187.00 Inc VAT Ideal for BBC/Newbrain/HX20 & Spectrum Int. 1 Phone for full specification

NLQ Mode 17 x 11 Matrix True Descenders 9 x 9 Matrix 120 CPS Bidirectional & Logic Seeking 40, 48, 68, 80, 96, 136 cpl Italics, Emphasized, Double strike Super & Sub Scripts Downloadable Character Set Hi-Resolution & Block Graphics Friction or Tractor Feed 10" Carriage

See above for Printerpack prices

Centronics Interface Standard RS232 Int. £58.00 + VAT Extra

STAR SG10 £270.00 Inc. VAT

STAR DELTA 10

160CPS: 8K BUFFER CENTRONICS + RS232 INT'S STD

RING FOR SPECIAL PRICE

OFFICIAL ACORN APPROVED DEALER

FONTAID

For Canon and Taxan KAGA NLQ Printers. Design your own NLQ fonts or 'download' one of eight predefined fonts (Square, Outline, Gothic, Computer Type Style, Bold, Shadow and Broadway). FONTAID requires 6264 Ram Chip in printer

40 or 80 track disc. Please

Maths and Supercondensed (192 column in 8 inches) £P.O.A.

EXPORT ORDERS WELCOME

VAT INCLUDED WHERE APPLICABLE PHONE/CREDIT CARD ORDERS WELCOME Postage 50p per order or as stated Next day Delivery for Printers/Disk Drives £8.00 FULL RANGE OF CONNECTORS & CABLES AVAILABLE PRICE LIST ON REQUEST

RING FOR SAMPLE PRINTOUT. **FULL SPECIFICATIONS** & LATEST PRICES



Dept AU9, 78 Brighton Road, Worthing W. Sussex BN11 2EN (0903) 213900

MADALEX'S EARRING AID

Simon Dally sends Mad Alex on

another long trail of confusion

AD Alex once again holds the key to the solution to this month's competition. Recently he decided he was in need of a complete reset – and how better to achieve it, he speculated, than take a nice trip to Venice on the luxury Orient Express.

00

Only one minor drawback clouded this agreeable vision – his employers seemed dubious at his assurances that their temperamental Econet system would receive the same devoted attention to its intricacies from the vantage point of a Venetian gondola as when Alex was in the more prosaic surroundings of Long Acre.

All was not lost, however. Some nifty Logo programming, a quick patch to the second processor, a *CLONE and hey presto! Alex's double appeared on the scene in a cloud of solder. Thus the real Alex was able to swan off to Venice for a week leaving the clone free to roam the Redwood building muttering to himself and cursing Acorn Computers and all associated with them - and generally behave in a fashion indistinguishable from the genuine article. Upon his return the real Alex did the decent thing and consigned the clone to the Acorn User dungeon, which is where you, gentle reader, come in. Although the clone looks and behaves like its maker, Alex built one piece of software protection into the system - his earrings fashioned out of silicon chips. The only difference between the two (undiscernible to the naked eye, of course) is that when Mad Alex's earring is a RAM chip he's telling you the truth and when it's a ROM he's lying to you. By contrast, if the clone wears a RAM chip he's telling you a lie and if it's a ROM he's telling you the truth. For three days you visit the pair of them in the dungeon in an attempt to obtain the secret combination to the Techno Torture chamber, (described by Joe Telford in May's Acorn User), where the prize of 10 copies of Sleuth, Beebugsoft's new debugging ROM worth £29 each, awaits.

First, as usual, you must solve the puzzles. In each case 'age' always means a whole number of years and

the solution is the youngest possible which will fulfil the conditions. Moreover, in each case, no two children ever share the same age.

1. Three families containing two, three and three children respectively find that the sum of their children's ages is the same, as is the sum of the squares of their children's ages. What is the age of the elder child in the family with two children?

2. Three families have three children each. The sum of their ages is the same in each case, as is the product of their ages. What is the sum of the ages of the eldest child from all three families?

3. Two families have two and three children; again, the sum of the ages is the same for each family; so is the sum of the cubes of their ages. What is the sum of the ages of all five children?

Your starting number is the product of all three solutions. Thereafter each day when you visit the dungeon you must do exactly what Mad Alex – and only Mad Alex – tells you.

Day one

A: At least one of our earrings is a ROM. Multiply your number by the solution to question one.

B: That's right! Subtract the solution to question one from your number.

A: I am Alex.

Day two

A: I am Alex. Add the solution to question two to your number.

B: I am Alex. Subtract the solution to question two from your number.


A: My clone's earring is a RAM.

Day three

A: Both our earrings are ROMs. Add the solution to question three to your number.

B: That's not true! Subtract the solution to question three from your number.

By now you should have the combination number. What is it? Answers on a postcard please to September Competition, Acorn User, Redwood Publishing, 68 Long Acre, London WC2E 9JH, to arrive not later than 4 October 1985.



Sleuth: for the 10 lucky winners

May winners

MAY's competition was a toughie which brought in just under 400 entries, about 70 per cent correct. There were two printing errors (corrected in the June issue) but most of you had already spotted them. The solutions were as follows:

Page 11 Based on Inkey values spelling Acorn Computers Ltd. (240) Page 15 Anagram of 'Baud rate not guaranteed by *FX6,7' (19200). This

one caused the most difficulty Page 45 Format = 20,508

These three could all be gleaned from the user manual for the Beeb

Page 59 Prime numbers. 25,575

Page 61 Hex sum = 170042

Page 63 10,000

Page 97 Morse code asking how many programmable keys on a Beeb (16)

Page 114 Mozart should have equalled 41 but 'Schubert = 8.5' gave the game away. Beethoven wrote 9 symphonies

Page 115 Goals. Answer = 2

Page 127 ANNE = 1332

Page 139 ASCII. Using CHR\$ you get TBONTBTIT ('To be or not to be . . .'). ASCII for Q = 81

Page 108 The first program is a straightforward letter substitution code giving you hints and tips. The second program tells you how to put the answers together (consistently using the Shift key wrongly for the mathematical signs) and the correct solution was 930853.

Congratulations to all those who got there and to the lucky winners of a second processor and Plus 3, Howard Grahame of London and Tony Dodd of Bolton.

TAKEATESTI FROM THE RANGE

to Cumana - the best name in memory. Already a market leader throughout Europe for their innovative design and state of the art disk drive technology. Cumana now have other products on offer. all to the same exacting standards that have made School their disk drives the number one choice in the home and in education.

BE SAFE NOT SORRY

Cumana's CS range of

disk drives have been

subjected to the strict

They have now been awarded BS415 approval. so if you value safety do not trust it to anything

less than Cumana. Cumana's dual range of

disk drives have

also been

THE MARK OF SAFETY

submitted for

approval.

BEAB.

safety demands of the

The Touch Pad

So now you have got your home computer, you're ready to talk

The Touch Pad is a low-cost graphic plotting aid for the BBC micro and is supplied with comprehensive userfriendly software. This compact device can be programmed as a teaching aid, used for games or in a CAD/CAM environment. A library of educational software is available contact our Sales Office for details.

> TOUCH PAD - WITH NEW SCREEN ARTIST PROGRAM

> > £69.95 including VAT.



CUMANA O

CUMANA

DISK DRIVE GUIDE

Cumana have spent years on research, development and marketing a range of drives second to none. Our drives are compatible with BBC, Spectrum, Dragon, Oric, Tandy Models III and 4, Video Genie and *Amstrad. They are fully guaranteed for 12 months and approved for electrical

*When used as a Second drive

safety by the D.M.E.E. and are extensively used in GLC and ILEA establishments. Cumana were the first independent disk drive supplier and are now Europe's market leader. Cumana's products have been proven The re the schools, universities and homes throughout Europe. Let us drive you in case the right direction, send now for further details of the Cumana range, or see them at our distributors and at selected branches of W.H. Smith, Laskys, Greens, Currys, Spectrum UK and Dixons.

Disk in now av Acorn

Disk

Only densi

qualit

The A

A mic

BBC Micro

partic

and c

comp

a sim progra

includ

educa

and h

accou

price were to it. comp sold in index

> Cuma in bot single from y trust t on rec



he Acorn Electron Computer

microcomputer with a proven track record. Using BBC Basic, the Electron was developed out of the Micro that has been chosen for over 80% of schools participating in the Government's current Micros In Schools project. It connects into almost any TV set and cassette player and is supplied with a omprehensive Úser Guide which runs through, in simple to follow manner, the basic principles of programming. A wide range of software is available, ncluding games,

educational packages and home

accounts.

nade

ic

is

be

er.

s

at

u in

Disk interface now available for the Acorn Electron

£114.95 including VAT.

Diskettes

Only when Cumana found a double density diskette up to their stringent quality control requirements, and at a price that made sense to the end user, were Cumana ready to put their name

ven in The result was a top quality diskette, complete with a plastic protective case for the ten-pack (they are also sold in two-packs!) together with index stickers.

> Cumana diskettes are available now in both 51/4 inch and 31/2 inch as single or double-sided, 40 or 80 track, from your local computer dealer. Don't trust to chance, go for the best name on record.

Cumana BBC Microcomputer compatible disk drives: retail price list.

Cumana disk drives supplied with formatting diskette, drive connecting cable and comprehensive user manual. Independent power supply, mains lead and moulded plug included.

 574 INCH DRIVES
 574 INCH DRIVES

 CS L100 40 Track single sided (100K)
 £119.95

 CS 100 40 Track single sided (100K)
 £129.95

 CS 200D 40 Track double sided (200K)
 £159.95

 CD L2002 × 40 Track single sided (200K)
 £219.95

 CD 2002 × 40 Track single sided (200K)
 £249.95

 CD 2002 × 40 Track double sided (400K)
 £299.95

 CD 2005 × 20 Track double sided switchable (800K)
 £299.95

31/2 INCH DRIVES

CS35140 Track single sided (100K) CS35480 Track double sided (400K) CD3522x40 Track single sided (200K) CD3582x80 Double sided (800K)

5½INCHDRIVES (less power supply)
CSXL100 40 Track single sided (100K)
CSX100 40 Track single sided (100K)
CSX200D 40 Track double sided (200K)
CSX400 80 Track single sided (400K)
CDXL2002×40 Track single sided (200K)
CDX400D2×40 Track double sided (400K)
CDX800/S2×80 Track double sided (400K)
CDX800/S2×80 Track double sided £99.95 £109.95 £129.95 £149.95 £189.95 £249.95 £289.95 Q.F.S. Double density disk filing system
Cumana Disk Interface for the Electron

31/2 INCHDRIVES (less power supply) CSX35140 Track single sided (100K) CSX35480 Track double sided (400K) CDX3522 x40 Track single sided (200K) CDX3582 x80 Double sided (800K)

A selection of peripheral covers, diskettes, and data cassettes are also available. For details contact Cumana.

ALL PRICES INCLUSIVE OF VATIDELIVERY CHARGES EXTRA)
ALL 80 TRACK 5¹/₄* DRIVES ARE SWITCHABLE TO 40 TRACK MODE
ALL PRICES ARE SUBJECT TO CHANGE WITHOUT NOTICE
+ ACORN, SPECTRUM, DRAGON, ORIC, TANDY, VIDEO
GENIE & AMSTRAD ARE REGISTERED TRADEMARKS.

DISTRIBUTORS/RETAIL

Available from the following retail outlets: W.H. Smith, John Lewis Partnership, Laskys, Greens Leisure, Spectrum UK and Dixons.

Area Distributors:

D PLOT

DEG

Eltec Home & Business Computers (Bradford) 0274 722512.

HCCS Associates (Gateshead) 0632 821924.

Hugh-Symons Distribution Services Ltd (Bournemouth) 0202 26535. Kingdom Design (Belfast) 0232

Microworld (Edinburgh) 031 228 1111. National Micro Centre (Stockport) 061 429 8080.

J. S. Simnett Computers (Kingstonupon-Thames) 01 541 1495.

+ National Dealer Network


E & OE



Cumana Limited, Pines Trading Estate, Broad Street, Guildford, Surrey. GU3 3BH Tel: Guildford (0483) 503121. Telex: 859380.

Can YOU avoid the fangs of a deadly spider?

▶ Addictive launch BOFFIN ◀ A Mad Professor on the Loose



decisions to determine the fate of Professor Boffin as he journeys through hazardous caverns — one slip and a horrible doom may await him! Boffin is armed with an umbrella which he can put up to break a fall or a leap from a great height, and trampolines are to be found in certain of the caverns which help him to "bounce" his way to safety. However, there is added danger as hideous creatures are lurking waiting for Boffin to stray too close to their fateful grasp!

Boffin is available for BBC 'B' and Electron priced £9.95.

ALSO AVAILABLE



STRINGER

Stringer is an arcade adventure game in which you are a press photographer set the task of snatching a shot of a Film Star in an hotel. The game is tantalisingly playable, graphically excellent and Addictive!

Commodore 64 £6.95



The All Time Classic Available . . . Spectrum 48K £6.95 . . . Commodore 64 £7.95 . . . Amstrad CPC 64 £7.95 . . . BBC 'B' ... Electron £7.95 Vic 20 £5.95 . . .

the same and			-	
	-	you	 -	-
10 MARIE		A WALL		
		WL		

Addictive Game, there's new world of discover

waiting for you.

	To:	Addictive	Games	Ltd. 7	a Rich	nmond	Hill.	Bourne	emouth.	Dorset	BH ₂	6HE
- 1	Section 2	-	THE R. P. LEWIS CO., LANSING, MICH.	1	Character Street	OCCUPANT OF REAL PROPERTY.					Contract of the last	

cassette(s) for Boffin for. (computer) cassette(s) for Stringer for (computer) cassette(s) of Football Manager for l enclose cheque/postal order for* £.

lease debit my Access card No. *Delete as applicable

For overseas orders, please add £1.50




Addictive Games • 7a Richmond Hill, Bournemouth BH2 6HE Telephone: 0202 · 296404.

ACORN USER OFFER

DETECTA BARGAIN

Save £4 on Sleuth from Beebugsoft




Be your own detective with Sleuth

IF you're having problems getting those bugs out of the latest program you've entered from the hallowed yellow pages of *Acorn User*, then we might have just the answer for you in our latest special offer – Beebugsoft's new *Sleuth* ROM.

Sleuth is a ROM-based debugging aid for the Basic programmer. It allows you to 'watch' your programs run so that you can locate those elusive bugs. Sleuth can be entered before you run your program or it can form part of an ON ERROR *SLEUTH command line, whereby it will be entered at the point the error occurred in your program.

Dual screens mean that you can even debug the



most complex of graphics programs, switching between the *Sleuth* screen and your graphic display at the touch of a key!

Using the accelerator key you can speed up the operation of your program or slow it down to single stepping to examine the outcome of particular commands. A full list of variables and arrays with their current assigned values can be obtained at any time – and changed at any point in the program so you can see the effect immediately.

Condition breakpoints may be set so that if a variable reaches a certain predefined value the program will stop running at that point.

Place your order for *Sleuth* now, at a special reduced price of £25 – that's £4 off the normal retail price! The price includes postage and packing and VAT on UK orders, and postage and packing on overseas orders. What's more, the first five orders out of the bag will have their cheques returned, with a free copy of *Sleuth*!

Offer closes 7 October 1985.

PLEASE SEND ME	SLEUTH ROM PACKAGE(S) AT £25 EACH
(INCLUDING POSTAC	GE AND PACKING)
I ENCLOSE £	_ (MAKE CHEQUES PAYABLE TO BEEBUGSOFT LIMITED)
OR DEBIT MY VISA/A	ACCESS CARD NUMBER
NAME	
ADDRESS	
	POSTCODE
SIGNATURE	
SEND TO SLEUTH OF	FFER, ACORN USER, 68 LONG ACRE, LONDON WC2E 9JH.



1. July/August 1982 The first issue. Articles on drawing techniques. The BBC Computer Programme. Machine code graphics. Questions & answers. Hints and Tips. Sound. Interfacing scientific instruments. Dumb Terminals for 0.1 machines. Disc drives. Econet in schools.

 September Ceefax telesoftware.
 Beeb in business. Mailing list. Simple files. 30-Hour Basic course. Art on a micro. Music. BBC micro as a key-



board. Extra Atom commands. BBC Basic board. ULA design. Teletext graphics. Machine code graphics. Analogue input. Schools training. 0.1 cassette bug patch.

3. October Electron details. BBC TV series—confessions. Two Epson graphics dumps. Seikosha GP100 dump. Worldwide networking for BBC micro. Garbage handling. Voice ROMs. Sound pitch envelope. Moving graphics. ZX printer for Atom. RGB colour separations for Atom. Biofeedback, Book reviews.

4. November Teletext. Second BBC TV series. Machine code series 1. Programming forum. Trek III. Speeding up graphics. Bomber game listing. 7-tone Epson graphics dump. Atom graphics manipulation. Dumb terminal for 0.1 machine. Firework graphics. Editing tips.



5. December BBC TV in schools. Machine code 2 – registers. Programming forum. Program generators. Carols. Hints & Tips. Logo and Turtle graphics in schools. Introduction to procedures. Software review. Atom word processing. Toolbox review. 16-colour graphics on model A. Sorting. Sound envelope design.

6. January 1983 MEP school launch. *FX commands for sound. Second BBC TV series. Machine code 3—two pass assembly. Disc drives for the Beeb. Programming forum. Program protection. Micros in schools—new series. Commodore Pet printer used with Beeb. BBC programs written on an Atom. Extra Atom memory.

7. February 1 MHz bus examined (4). 3D Atom graphics (3). Atom BBC Board reviewed (3). Machine code 4 – memory (5). BBC Computer Literacy update (1). Atom error handling (2). Micros in schools 2 – getting organised (6). Hints and Tips (4). Beeb Forum (3). Reviews of Wordwise (2) and the Amber printer (1).

8. March Chess on the BBC micro (3). Sound on the Beeb (4). Printers for beginners (4). Atom analogue converter (2). Schools 3-micros and maths (6). Machine code 5-indirect addressing (3). DIY lightpen (5). MEP's Microprimer review (2). Atom Ross toolkit review (1). Beeb Forum (2). Assembly language and Pascal book reviews (2).




9. April Hexangle game listing (4). Bach on the Beeb (4). Hints & Tips on disc drives (4). Machine code 6 – the CALL statement (4). Interfacing the 1 MHz bus (3). Schools 4–young children and micros (6). Graphics listings (2). Printers for beginners 2 (4). Reviews of BCPL, educational software and Atom software (3).

10. May Review of Basic II(1). Graphics listings(1). New *FX calls in OS1.2(1). Colour mixing on the Beeb(4). Jazz, blues and folk on the BBC(6). Schools 5-language development(6). DIY Beeb interface box(4). Atom sound board(5). A to Z of printing: how to get going(4). Hints and Tips: PROCs, discs and FNs(5). Printer, software and book reviews.

11. June Techniques series—sorting(2). Hints and Tips: 50p network(5). Drawing techniques and CAD(5). Machine code: interrupts(6). Schools 6-information technology. Atom Forum. Beeb Forum. Printers—write your own graphics dumps(4). Comparative review of View and Wordwise(3). Three graphics packages reviewed(3). Test of Acorn User's interface box(4).

12. July Techniques – hash tables(2). Hints and Tips: logic made easy(5). Recursion and graphics(6). Handling strings(3). Two ideas for passing variables(2). Beeb aids the blind(2). DIY second keyboard(5). Beeb Forum. Sounds on the Atom(2). Hardware, firmware, software and book reviews. Atom Forum.

13. August Printer graphics and dumps(2). Techniques—Tree structures and sorting(2). All the fun of the fair(7). 40/80 disc copier(2). Colour painting(5). Basic II: random access files(2). Screen dumps for Olivetti, Centronics and Seikosha(5). Atom strings(3). Reviews of Tandy CGP115 printer, five educational packs, A to D converter.



14. September Techniques – ink-blots and mazes. Painting by lightpen. DFS space explored. Beeb Forum. Mega



Monsters game listing. Machine code graphics dumps. Atom Forum. Atom cassette recorder check. Reviews of Atom RAM boards, Cumana disc manual, Logo for schools, Hobbit floppy tape and books.

15. October Women and computing. Techniques - random numbers. Review of Computer Concepts' Beebcalc.



Fractal graphics. 57 files on 40 & 80 track discs. *Vampire* game listing. Beeb Forum. Assembly code controls tab key. Osfile merging. Atom future. Atom verify routine. Reviews of *Vu-Type*, Procyon Atom book, Epson FX80, Teletext adapter, disc drive, software.

16. November Techniques – impossible problems. Contour graphics. Connecting two Beebs together. XREF: sorts & lists variable, function and procedure names. Assembler utilities in Basic II. OS, VDU, *FX, OSBYTE calls – pull-out poster. Disc overlays. Adding extra Atom commands. Reviews of 7 educational packs, Atom ROM, books, games.



17. December Random graphics. Animated graphics in colour. Techniques – graphs. Hints & Tips. Universal printer


dump. 6522 connected to the Electron. Saving machine code. Beeb Forum. Graphics pull-out poster. Index: July 82–July 83. Forum Extra: EQUS. BBC helps the disabled. Schools – data processing. Transferring data between Beebs, Atoms... or Pets. Atom block demolition utility. Atom disassembler program. Reviews of software, books, educational programs from Chalksoft. 18. January 1984: Games special issue

18. January 1984: Games special issue Techniques—graphs part 2. Stacks and queues, Basic and languages. Hints & Tips. Voice chip revealed. How to write games. Electron interfacing. Beeb Forum. Life graphics routines. Defencecom game listing. The Train Game listing. Machine code graphics. Where to put machine code. Schools—handling data. Juki daisywheel printer examined. Atom Forum and adventure.



Reviews of utilities, software, *Beeline* wordprocessor, educational packages, two chess programs.


19. February: Adventures special issue Techniques – efficient sorts(3). PROC for a numeric keypad on the Beeb keyboard(1). 12 graphics listings(1). Random access filing on disc(5). Locking files(2). MCP40 printer/piotter looked at(5). Hints & Tips(3). Beeb Forum(2). Make discs readable on 40 and 80 track drives(4). Screen memory



organisation(3). Hints on adventure design(3). Adventure action(4). Adventure ideas in computer language(2). Text compression(2). Word-crunch-

ing(4). VIA chip on Electron to drive a parallel printer(3). Atom Forum(2). Schools—simulation packages(4). Reviews: *Disc Doctor*, Leasalink's DFS upgrade, Hitachi's microdrive system, Solidisk's sideway RAM board, software.

20. March Utility: timing routine. Fractals. Teletext and mode 7 dump. ROMs reviewed. Hints & Tips. Beeb Forum. Add sounds to your games. Learn Lisp



1. Cube graphics. Printer driver for View. Basic II from Basic I. Beeb's ADC chip. Atom Forum. Listing formatter for the Atom. Atom 'bytes free' routine. Schools—test of Factfile. Keyboard skills. Amcom DFS v Acorn DFS. Reviews: Beebpen wordprocessor, Atom expansion system, software, books.

21. April Beeb graphics on TV(3). 6845 chip explored(3). Advanced filing systems(1). Lisp 2(4). Hints & Tips(3). Beeb Forum(4). Choose disc tracks to copy(4). Function key editing(4). Teletext dumps(3). CES scrutinised(3). Passing variables(2). Computer Concepts' graphics ROM(4). Schools—simulations(4). Calculating Easter dates(3). Better programming(3). Atom Forum(2). Atom RoM routines(5). Converting BBC to Atom Basic(2). Three printers compared(2). Reviews: software, Aries B20 RAM board, Toolkit, Monitors.



22. May Bitstik graphics system. Hints & Tips. 6502 second processor examined. Lisp 3. Beeb Forum. Disc utility to keep track of available space. Statistics. Pattern graphics. OSWORD explained. 4 colour graphics listings. Second-hand



disc drives. Education - do girls get a fair deal? Atom Forum. BBC to Atom

Basic 2. Reviews: British Micro's Grafpad, Edword wordprocessor, 4 sprite generators, Opus microdrive, Beasty, software.

23. June Acorn Z80 second processor(3). Forth(2). Graphics brighten up your games(2). Soft Pottery Go faster and save graphics(4). memory space(3). Rapid search and load routine for tapes(2). How the Beeb and Electron work 1(3). Business: reviews and how to gently enter office computerisation(4) Education - adult literacy(3). Dumping Atom programs on the BBC(2). Atom Forum. copyright laws(2), Hints & Tips(4), Techniques - B-Trees(3). Beeb Forum(2). Reviews of monitors, printers, books, software, adventures, EPROM programmer

24. July Communications: the future; portable micros; modems & electronic mail. Hints & Tips. First Byte: using your micro. Beeb Forum on Basic. How it works II: slow down the Beeb. Business: Acorn's Z80 software, Starbase ROM. Education: a look at Edfax, how to teach facts. Atom Forum. Converting BBC to Atom Basic. Reviews:



Electron Plus-1, Solidisk's 128k RAM board, three IEEE interfaces, Canon colour and Brother printers, ADE ROM.

25. August Downloading the weather. Teaching tots: keyboard overlays, activity board. First Byte: writing & debugging programs. Hints & Tips. Beeb Forum: 6502 second processor & Tube tips. How it works III: random numbers. Business: Plan software for Z80. Atom Forum, avoiding errors. Reviews: 3 drawing packs, Torch Unicomm, MCP's Interbeeb, software plus for Micronet.

26. September Decoding radio signals, First Byte: getting moving. Hints & Tips.



Education: problem solving. Sprite design and animation part I. Beeb

Forum: fastest dump. Write your own disc formatter. How it works IV: random number generator. Business: Nucleus software for Z80, accounts. Atom Forum, ? and !. Reviews: Torch Unicorn, Quinkey, Parfitt plotter, Turbo compiler, Multi-aid.



27. October The BBC and space. First Byte: noises on the Elk. Hints & Tips. Sprite design and animation part II. Programming the 8271. Sorting techniques. Diagnosing ills in the Beeb. Beeb Forum: NFS update. Education: report on government scheme, review of Microtext. Atom: wordprocessor. Communications: bulletin boards. Reviews: Basic utility ROMs, sideways ROM sockets, Bearsoft's Editor, Watford's Buffer & Backup, Ampersand's Colour module.

28. November Acorn's ABC range. First Byte: drawing. Hints & Tips: 3D-effect printing. Sprite design and animation part III. Floating point variables. ROM juggler. Micro Live. Education: news, Edword in the classroom, school quiz. Atom forum: hardware, the Auto command. Reviews: Six turtles and buggles. Toad's extension socket, Watford's Speech Synthesiser and



Beebfont ROM, BBtype, Romex 13 ROM board, 3 language coaching packs, two graphics tablets.

29. December Guide to bar codes. First Byte: text & graphics windows. Hints & Tips: control codes for Epsons. The Domesday project. Low-cost keyboard for the Beeb. Dumping games' screens. Speed up your micro. DIY database. Education: news, science quiz, review



of the Dudley suite of software. Atom: Forum, build a ROM pager, competition. Reviews: 6 databases compared, part I of lightpens, Acornsoft's Logo and Pascal, best games of 1984.

30. January 1985 Games special: Quadline, Picture Puzzle, musical tunes. Colourfill graphics. Hints & Tips. Operation



Raleigh report. Setting up your own teletext database. Second processors examined. Education: news, activity board revisited. Reviews: 6 wordprocessors compared, three astronomy packs, software for lightpens.

Sold-out copies

Eleven issues are not available – July 1982; February, March, April, May, June, July and August 1983; February, April and June 1984. Photocopies of articles are available at 18p a page (minimum charge 50p, inclusive of postage). Orders should be addressed to AU Photocopies, Redwood Publishing, 68 Long Acre, London WC2E 9JH. Figure in brackets indicates the number of pages in each article.

HOW TO ORDER

Fill in the order form on page 96 and send with your cheque or postal order for £1.25 per issue (made payable to Redwood Publishing) to Acorn User Services, PHS Mailing Ltd, PO Box 14, Horley, Surrey RH6 8DW.

VELVE

Acorn User presents 12 titles to captivate, entertain and educate. Could you run a railroad? . . find out with Trains. Try your hand at swordfencing with Swordmaster. Break into the computer with Hacker 2000. Beat the bacteria in Corpuscle. Face the final frontier in Trek. Try three great games with our compendium. Or see how good your adventuring skills are with Vampire Castle and Flint's Gold. What more could you ask for? All these tried, tested and developed by Micrograf.



Make sure you play this adven-ture with the lights on. You can almost smell the dank odours and feel the terror around every corner


£6.95 Cassette, £9.95 Disc (40/ 80) BBC micro only

TRAINS

This classic game by Peter Balch requires quick wits and clear thinking. Your aim is to manoeuvre a number of trains around a complex network of track, as you pick up fare-paying passengers and deliver them to their destinations. £7.95 Cassette, £10.95 Disc (40/

BBC micro only





COMPENDIUM

Three Acorn User games. In HEXANGLE you and the micro take turns in drawing lines between six points. In MEGA MONSTERS you are confronted by waves of aliens while you rescue stranded mutants. VAM-PIRE is a two-player action game. £7.95 Cassette, £10.95 Disc (40/ 80) BBC micro only

HACKER 2000

In the year 2000 only two classes survive, Programmers and Proles. As a Prole, your only escape from a life of drudgery is to 'hack' your way into the mass-ive Multivax complex in order to change your Brain Scan Report £7.95 Cassette, £10.95 Disc (40/

BBC micro only





In your search for the legendary Flint's Gold you will sail the Spanish Main to a land of bloodthirsty pirates. £6.95 Cassette, £9.95 Disc (40/

80) BBC micro only

SWORD MASTER

SWORD MASTER is one of the few two-player games around, and is designed for joystick or keyboard. It is based on the fencing rules written in 1190 by Herman von Salza for the Deutscritter Order of Teutonic Knights £7.95 Cassette, £10.95 Disc (40/ 80) BBC Micro and Electron





CORPUSCLE

In CORPUSCLE you assume control of the body's defences, journeying into the three-dimensional labyrinth of the human arterial system. Invading colonies of bacteria advance relentlessly and you must destroy as many as you can. £7.95 Cassette, £10.95 Disc (40/ BBC micro only

Post code



TREK was the first game to take advantage of voice synthesis on the BBC micro - and uses joystick or keyboard.

Trek puts you in charge of a Starship with the task of wiping out an alien fleet.

£7.95 Cassette, £10.95 Disc (40/ 80) BBC micro and Electron



Please send me:	(£10.95)	(£7.95)	Other title	40/80 disc* Cassette*
Crazee Caverns Mars Mission plus Ast Grafpak plus Maze	tro Blaster		*******	
Tellscope			Total value of my order is	£
l enclose a cheque/posta Please debit my Access/		edwood Publ	lishing for £	
Account No			Expiry date	
Namo		Addre	999	

ACORN USER SOFTWARE

Date..... Send this form with your remittance in an envelope to: PHS Mailing Ltd, PO Box 14, Horley, Surrey RH6 8DW. All the above prices include VAT, postage and packing. 'Tick appropriate box(es)

HOW TO ORDER

You can order all the games on these pages by filling in the order form on the left.

DISC EXCHANGE SERVICE

you've bought these games on tape you can now send them to the address on the coupon on the left, together with a cheque for £3.50 (each), and we will exchange them for a disc (which will run on 40 or 80 tracks)



ACORN USER JBSCRIPTIONS Please start my subscription to Acorn User Please answer these questions to help us improve from the next available issue your magazine. as indicated: 1 Do you use your micro for?: 1 ☐ school 2 ☐ business 3 ☐ hobby 2 Do you have, or intend to buy, any of the following?: 1 □ monitor 2 □ disc drive 3 □ second processor 12 months 24 months £17.50 [£35 🗌 01: UK 4 □ printer 5 □ modem £25 🗆 €50 □ 02: Europe 3 How many software packages do you think you will £30 🗆 260 □ 03: Middle East buy in the next 12 months?: £30 🗌 £60 □ 04: The Americas and Africa 1 □ 0-5 2 □ 6-10 3 □ 10 or more 05: All other countries £35 🗆 £70 🗌 ☐ I enclose my cheque/postal order/sterling bank Name draft payable to Redwood Publishing for £ ☐ Please debit my Access/American Express/ Barclaycard Address Account no. Expiry date Signed .Date... Send this form, with your remittance, to Acorn User Subscriptions, Redwood Publishing, 68 Long Acre, London WC2E 9JH **ACORN USER** BACK DATED ISSUES @ £1.25 per copy MONTH YEAR£..... AU issue£..... AU issue£..... issue AU ☐ I enclose my cheque/PO payable to Redwood Total £..... Publishing for £..... **BINDERS** ☐ Please debit my Access/Barclaycard In red with Account no. silver logo Expiry date on the spine. Holds 12 issues Signed...... Date...... of over 200 pages. ONLY £4.75 inc. p&p. Send this form, with your remittance, to Acorn User Services, PHS Mailing Ltd, PO Box 14, Horley, Surrey @ £4.75 £ **Binders** RP01 RH6 8DW. All the above prices include postage and Please add £1.00 each for overseas items packing. Please allow 28 days for delivery **SOFTWARE** MONTHLY PROGRAM LISTING ACORN-USER **CASSETTES**



ORDER FORM

ORDER FORM

ORDER FORM

24 HOUR PHONE SERVICE (02937) 72208

Please add £1 each for overseas items Please allow 28 days for delivery.

Please send me the following listings cassettes @ £3.75 each. (State which month(s) you require.)

NameAddress
□ I enclose my cheque/PO payable to Redwood Publishing for £ □ Please debit my Access/Barclaycard Account no:

Account no:

Expiry date

INDEX

PROGRAM		Page	BBC B	BBC B+	6502SP	Electron
Hints and tips:	Listing 1	97		•		
	Listing 2	97		•		14 1/2 1
Run Silent, Run Deep:	Listing 1	98	•		•	•
	Listing 2	99		•	•	•
Runplot:	Listing 1	103		•	•	•
Disloc:	Listing 1	104		•	•	
Wordwise Edit:	Listing 1	107	•	•	1	i ne i
ViewSuite:	Listing 1	108	•	•	•	•
Clone:	Listing 1	109		•	•	•*

* With Plus 3

```
.
                                                                                           .
             Listing 1. Menu Creator program
.
                                                                                           10 REM Automenu creator program
                 20 REM By Martin Phillips
30 REM For BBC DFS 0.9, 1,2 and 2.0
40 REM (c) Acorn User Sept 1985
.
.
                                                                                           50
                      *KEY10 D. IMRUNIM
.
                                                                                          -
                 70 *LDAD AUTOMNU 5000
80 title$=CHR$(129)
0
                                                                                          .
                90 DIM C 200
100 MDDE7
               110 VDU23;8202;0;0;0;
120 VDU134,157,132,141
130 PRINTTAB(5) "Automatic Menu Creator"
140 VDU134,157,132,141
150 PRINTTAB(5) "Automatic Menu Creator"
160 FOR N=2 TO 24
.
                                                                                          .
0
                                                                                          -
.
                                                                                          .
                170 PRINTTAB(0,N) CHR$(132) CHR$(157) C
.
                                                                                          .
            HR$ (134);
               180 NEXT N
190 VDU28,3,23,39,3
200 IF LEN(title$)>1 THEN GOTO 320
.
                                                                                          0
.
                210 PRINT"This program will put an auto
                                                                                          .
               220 PRINTTAB(10) "menu on a disc."
-
                                                                                          0
               230 PRINT' "Enter title for disc menu" 240 REPEAT T$=GET$
.
               240 REPEAT T$=GET$
250 IF T$=CHR$(127) THEN title$=LEFT$(t
                                                                                          0
            260 IF is=cHR$(127) [HEN title$=LEF($())
title$, LEN(title$)-1): GOTO270
260 IF LEN(title$)<30 AND T$>=" " THEN
title$=title$+T$:ELSE VDU7
270 PRINTTAB(0,4)title$" ";
0
                                                                                          0
0
               280 UNTIL T$=CHR$(13)
290 FOR N=0 TO 30-LEN(title$) STEP 2
300 title$=" "+title$+" "
-
                                                                                          -
.
               310 NEXT N
                                                                                          .
               320 CLS
               330 PRINTtitle$
0
               340 *FX15,0
350 PRINT' "Now remove the menu creation
.
            360 PRINT"and put your disc into the di
                                                                                          0
.
                                                                                          -
               370 PRINT"drive"
380 PRINT'' "Press space bar when ready"
390 REPEAT UNTIL GET = 32
.
                                                                                          8
               400 ON ERROR GOTO 630
410 PRINT''" SAVING MENU PROGRAM"
.
                                                                                          .
               410 PRINT'" SAVING MEN
420 PROCoscli("OPT4,3")
430 PROCoscli("SPOOL !BOOT")
-
                                                                                          0
               440 PRINT"*FX15,0"
450 PRINT"CH.""AUTOMNU"""
460 PRINTCHR$(27)
.
                                                                                          .
               470 PROCoscli("SPOOL")
480 M=&500D:$M=title$
.
                                                                                          .
               490 N=LEN(title$)
                                                                                          .
               500 N?M=32
               510 PROCoscli("SAVE AUTOMNU 5000 +C00")
0
                                                                                          .
               520 CLS
530 PRINTTAB(12,8)"MENU CREATED"
.
                                                                                          .
               540 END
550 :
               560 DEFPROCoscli(O$)
                                                                                          0
               570 $C=0$
.
                                                                                          -
            Continued >
```

```
.
                                                                                                      .
              Continued
.
                                                                                                      .
               580 X%=C MOD 256
               590 Y%=C DIV 256
600 CALL &FFF7
.
                                                                                                     .
               610 ENDPROC
                                                                                                      -
               620
               630 SQUND 1,-15,125,10
640 IF ERR=17 THEN VDU26,12:END
650 PRINT' "An error has occurred:"
.
               650 PRINI' "An error has occurred to 660 REPORT 670 PRINT' "Press space bar when ready" 680 REPEAT: A$=GET$: UNTIL A$=" "
.
                                                                                                     .
.
                                                                                                     -
               690 GOTO100
.
```

```
-
                                                                                                   .
             Listing 2. Automatic menu program
.
                                                                                                   .
            10 title$=" A B C D E F G H I J K L M N
0
                                                                                                   -
                20 REM Automenu program
30 REM by Martin Phillips
40 REM For BBC with DFS 0.9, 1.2 or 2.0
50 REM (c) Acorn User Sept 1985
.
0
                                                                                                   0
.
                 70 MDDE 7
                                                                                                  0
                 80 PROCinitialise
-
                90 PROCsetscreen
                                                                                                  .
               100 PROCorintcat
               110 PROCselect
0
                                                                                                  .
               120 END
                                                                                                  0
               140 DEEPROCinitialise
               150 ON ERROR PROCerror
0
                                                                                                  .
               160 *KEYO MODE7:M:NL.:M
170 S%=0:T%=0
               170 S%=0:T%=0
180 DIM prog$(30),dir$(30),type(30)
190 DIM file$(30),C 30
.
-
               200 PROCcat
                                                                                                   210 track%=((?&F06 AND 3)*256 +?&F07)/10
               220 drive%=?&1046
.
                                                                                                  .
               230 ENDPROC
.
              250 DEFPROCsetscreen

260 VDU134,157,132,141;:PRINTtitle$

270 VDU134,157,132,141;:PRINTtitle$

280 FOR N=0 TO 20

290 VDU132,157,(134 +N DIV 17):PRINT
                                                                                                   0
-
                                                                                                  0
.
                                                                                                  -
               300 NEXT N
.
               310 VDU134, 157, 132: PRINT
              310 VDU134,157,152:FRINT
320 VDU134,157,132
330 PRINTTAB(3,24)"Program types:";
340 PRINT CHR$(129)"Basic,";
350 PRINT CHR$(133)"machine code";
.
                                                                                                   -
.
                                                                                                   -
               360 ENDPROC
               370
0
               380 DEFPROCprintcat
                                                                                                   0
              380 DEFPROCPrintcat
390 PRINTTAB(3,23);track%;" track disc";
400 IF track%=40 THEN GOTO 430
410 PRINT" TAB to see drive ";
420 PRINT; (drive%+2) MOD 4
430 IF T%=0 THEN GOTO 510
440 FOR N=0 TO T%-1
450 x%=3+(19*(N DIV15))
460 y%=3+(N MOD 15)
470 PRINTTAB(x%,y%)CHR*(134)CHR*(65+N);
480 IF type(N)=*R0 PRINTTHR*(129)**FISE
.
                                                                                                   0
.
                                                                                                   8
.
                                                                                                  .
.
                                                                                                  .
          480 IF type(N)=&80 PRINTCHR$(129);:ELSE
PRINTCHR$(133);
.
                                                                                                  0
              490 PRINTprog$(N)
.
              500 NEXT N
                                                                                                  0
              510 IF S%=0 THEN GDTD 580
520 FDR N=T% TO T%+S%-1
530 x%=3+(19*(N DIV15))
                                                                                                  -
              540 y%=3+(N MOD 15)
550 IF file$(N-T%)="$.!BODT " THEN GOTO
0
                                                                                                  .
.
              560 PRINTTAB(x%,y%)CHR$(131) "file: "file
                                                                                                  0
.
              570 NEXT N
580 ENDPROC
                                                                                                  .
.
              590
                                                                                                  0
              600 DEFPROCselect
              620 VDU28,3,21,39,19,12
630 IF T%=0 THEN PROCend: ENDPROC
640 IF T%=1 THEN PRINT"Press key A to lo
                                                                                                  .
.
                                                                                                  .
          ad the program": 60TO 660
.
                                                                                                  .
          Continued ▶
.
```

See 'That Sinking Feeling', page 72

```
◀ Automatic menu program continued

0
                                                                       .
            650 PRINT"Select a letter (A-"; CHR$ (64+T
.
            660 *FX4,1
            670 A=GET
680 IF A=135 THEN PROCcopy: GOTO 670
6
                                                                       690 *FX4,0
         690 *FX4,0

700 IF A=9 THEN PROCoscli("DRIVE "+CHR$(

48+(drive%+2)MOD4)):RUN

710 IF A<65 OR A>(64+T%) THEN GOTO 660

720 PROCoscli("DIR "+dir$(A-65))
0
                                                                       .
0
                                                                        0
         730 IF type(A-65)=&80 THEN VDU26,12:CHAI
N prog$(A-65)
0
                                                                       .
            740 PRINT"*LOAD or *RUN (L/R)? "
750 REPEAT:B=GET:UNTIL B=82 OR B=76
760 IF B=82 THEN PROCoscli("RUN "+prog$(
0
                                                                       8
0
         A-65))
                                                                        770 PROCoscli("LOAD "+prog$(A-65))
            780 ENDPROC
0
            800 DEFPROCCAL
0
                                                                       .
            810 7&A00=0: ! &A01=&A10: X%=0: Y%=&A: A%=5
            820 CALL&FFD1
0
            830 FORI%=OTO (?&F05) -8 STEP8
           840 IF 1%7%F0B=0 OR 1%7%F0B=%FF THEN PRO
.
         Ccatfiles:GOTO 860
                                                                        0
           850 PROCcatprogs
            860 NEXT
-
                                                                        870 ENDPROC
            880
.
                                                                        0
            890 DEFPROCoscli(O$)
            900 $C=0$:X%=C MOD256
910 Y%=C DIV256:CALL&FFF7
.
                                                                        0
            920 ENDPROC
.
                                                                        6
            940 DEFPROCcatfiles
.
                                                                        0
            960 FOR J%=1 TO 7
970 A$=A$+CHR$(?(J%+I%+&E07))
.
                                                                        0
            980 NEXT J%
990 IF A$= "!BOOT " THEN ENDPROC
.
                                                                        .
           1000 file$(S%)=CHR$((I%?&EOF)MOD128)+"."+
0
                                                                        1020 ENDPROC
.
                                                                        0
           1040 DEFPROCcatprogs
1050 n=(I%?&EOF)MOD128
.
                                                                        0
           1060 dir$(T%)=CHR$(n)
.
           1070 As='
           1080 FOR J%=1 TO 7
          1090 As=As+CHRs(?(J%+I%+&E07))
1100 NEXT J%
.
                                                                        -
           1110 IF AS="AUTOMNU" THEN ENDPROC
.
                                                                        .
           1120 W%=I%?&F09
           1130 IF W%=&58 OR W%=&30 OR W%=&7C THEN E
.
         NDPROC
                                                                        -
          1140 prog$ (T%)=A$
          1150 type(T%)=I%?&FOB
1160 T%=T%+1
.
                                                                        -
           1170 ENDPROC
.
                                                                        -
           1180 :
           1190 DEFPROCError
-
                                                                        8
           1200 IF ERR=17 THEN VDU26, 12: END
1210 CLS
.
           1220 *DRIVE 0
1230 PRDCsetscreen
                                                                        .
.
           1240 VDU28,3,22,39,20
1250 REPORT
           1260 PRINT' "Press space to continue"
1270 REPEAT: UNTIL GET=32
0
                                                                        .
           1280 RUN
0
           1290
                 DEFPROCend
•
                                                                        0
           1310 PRINT"This disc has no programs on i
0
           1320 PRINT' "Press space to end";
           1330 REPEAT UNTIL GET=32
           1340 VDU26,12
0
                                                                        0
           1350 ENDPROC
.
                                                                        -
           1370 DEFPROCCOPY
           1380 *FX3,10
0
                                                                        0
           1390 PRINTtitles'
          1400 FOR N=0 TO T%-1 STEP 2
1410 PRINTprog$(N); TAB(20)prog$(N+1)
-
           1420 NEXT N
0
           1430 PRINT
                                                                        -
          1440 FOR N=0 TO S%-1 STEP 2
1450 PRINTfile$(N); TAB(20)file$(N+1)
                                                                        0
           1460 NEXT N
0
         Continued >
                                                                        .
```

Run silent, run deep program notes

LISTING 1 contains the pre-loading instructions plus sound and envelope data. This should be entered first and saved to tape or disc. Once saved, try running the program. If all is well a short animated sequence should take place followed by the loading message.

If everything's correct, enter listing 2. This is somewhat longer and a line-by-line checksum is provided on page 102. Once your own figures tally save this to tape (immediately after part 1) or disc.

To set the game in motion simply chain the first part, ie:

CHAIN "SUB"

where SUB is the filename for part 1.

Note that the first program will reset page to &1100, so if you should abort the program at any point, reset page to its normal value for your machine to restore the original. The value of page can be found by typing:

PRINT "PAGE

Electron conversions

Run silent, run deep will work on the Electron. Listing 1 is intended primarily for use with the BBC micro's mode 7 screen, so much of it will become redundant. The changes and deletions required are as follows:

- Change MODE 7 in line 80 to MODE 6.
- Delete lines 90 to 410 inclusive.
- Change line 420 and 430 to:

420 PRINT SPC(10); "Run Silent, Run Deep" 430 PRINT"

Change line 860 to read:

860 VDU 30

Change line 870 to read:

870 PRINT TAB(0,(K% + 4));

- Delete line 890
- Delete lines 960 to 1110 inclusive.

Program 2 can be entered exactly as shown. Please refer to the notes above. Happy hunting!

```
.
                                                                       .
     Listing 1. The pre-loading instructions for Run silent,
     run deep
-
.
           10 REM Run Silent, Run Deep
20 REM By Phil Martin
           30 REM BBC B/B+/6502/Electron
.
                                                                       8
           40 REM (C) Acorn User September 1985
0
                                                                       0
           60 PROCsetup
           70
-
           80 MODE7:VDU23,1,0;0;0;0;
90 PROCtitle("Run Silent, Run Deep")
00 FOR K%=3 TO 18
                                                                       .
0
          110 PRINTTAB(0, K%) CHR$(132); CHR$(157); C
                                                                       .
0
         Continued ▶
.
```

```
■ Run silent, run deep listing 1 continued

.
                                                                         0
0
          HR$ (158)
                                                                         0
             120 NEXT K%
             130 FOR K%=19 TO 20
.
                                                                         0
             140 PRINTTAB(0,K%)CHR$(141);CHR$(134);
150 PROCcentre("You've seen the film,"
-
                                                                         -
             160 NEXT K%
.
                                                                         0
             170 FOR K%=21 TO 22
             180 PRINTTAB(0, K%) CHR$(141); CHR$(134);
-
             190 PROCcentre ("now play the game.", K%)
                                                                         .
             200 NEXT K%
            210 VDU2B, 0, 14, 39, 7
220 A%=INKEY(100)
-
                                                                         0
            230 FOR Y%=0 TD 5
240 FOR X%=2 TD 36 STEP4
6
                                                                         0
                 READC%
             250
0
             260 B%= (C%AND&FFFF0000) DIV&10000
             270 A%=C%MOD&10000
            280 IF A%=0 A%=&FFFF
290 IF B%=0 B%=&FFFF
.
                                                                         -
             300 VDU31, X%, 7, A%; B%;
                                                                         .
            310 NEXT X%
             320 *FX19
.
                                                                         .
            330 VDU31,0,7,148,255
340 VDU31,38,7,255,255,148,157
350 A%=INKEY(50)
-
                                                                         0
             360 NEXT Y%
                                                                         0
            370 VDU26
0
                                                                         .
             390 A%=INKEY (500)
410 MODE7
                                                                         .
            420 PROCtitle("Run Silent, Run Deep")
430 FOR K%=3 TO 4
PRINTTAB (0, K%) CHR$134; CHR$141;
            450 PROCcentre ("CONTROLS", VPOS)
0
                                                                         0
             460 NEXT K%
            470 K%=5
480 REPEAT: READ T$: K%=K%+1
                                                                         .
            490 IF T$<>"<nl>" AND T$<>"<end>" PROCj
ustify(T$.K%)
                                                                         .
            500 UNTIL T$="<end>"
510 VDU23,1,1;0;0;0;
520 VDU28,8,24,34,20
                                                                         8
            530 PRINT"Loading Game"
0
                                                                         540 PAGE=&1100
            550 CHAIN"RUN2"
0
                                                                         0
            560 END
.
            580 DEF PROCsetup
                                                                         580 DEF PROCSETUP
590 VDU23,230,224,160,224,96,96,96,0,0
600 VDU23,231,96,&F0F0;96,0;0;
610 VDU23,232,16,16,48,56,252,127,63,0
620 VDU23,233,8,8,12,28,63,254,252,0
.
                                                                        .
.
            630 VDU23, 234, 56, 56, 108, 124, 68, 124, 56, 1
.
            640 VDU23, 235, 8, 20, 54, 62, 42, 62, 42, 62
            650 VDU23, 236, 3, 7, 14, 156, 248, 240, 240, 24
                                                                        .
          8
            660 VDU23, 237, 16, 48, 112, 255, 255, 112, 48,
0
                                                                        .
            670 VDU23, 238, 248, 240, 240, 248, 256, 14, 7,
.
                                                                        -
            680 VDU23,239,24,24,24,24,255,126,60,24
690 VDU23,240,24,60,102,219,219,102,60,
.
          24
            700 VDU23, 241, 24, 60, 126, 255, 24, 24, 24, 24
.
                                                                        0
            710 VDU23, 242, 192, 224, 112, 57, 31, 15, 15, 3
                                                                        0
            720 VDU23,243,8,12,14,255,255,14,12,8
            730 VDU23, 244, 31, 15, 15, 31, 57, 112, 224, 19
                                                                        0
            740 REM Bleep, echos and explosions
750 ENVELOPE1,1,0,0,0,3,3,3,126,-4,-1,-
8
                                                                        0
            760 ENVELOPE2, 1, 0, 0, 0, 3, 3, 3, 75, -1, -1, -2
                                                                        -
         ,100,0
            770 ENVELOPE3, 2, 0, 1, -1, 3, 3, 3, 40, -1, 0, -2
6
                                                                        .
         ,70,30
            780 ENVELOPE4, 2, 0, 0, 0, 3, 3, 3, 126, -1, 0, -1
                                                                        .
         ,126,80
            790 ENDPROC
                                                                        .
            800
            810 DEF PROCcentre (A$, vpos)
            820 PRINTTAB ((20-LENASDIV2), vpos); A$;
                                                                        0
            830 ENDPROC
                                                                        0
            850 DEF PROCtitle (A$)
0
                                                                        .
```

Continued >

```
.
                                                                                                   .
             Continued
.
                                                                                                   .
                860 VDU30:FOR K%=0 TO 1
870 PRINTTAB(0,K%)CHR$(129);CHR$(157);C
.
                                                                                                   .
             HR$ (131); CHR$ (141);
                880 PROCcentre (A$, VPOS)
.
                                                                                                   .
                 890 NEXT K%
                 900 ENDPROC
.
                                                                                                   .
                 920 DEF PROCiustify(S$.vpos)
                        PRINTTAB(12-INSTR(S$, "-"), vpos) S$
.
                                                                                                   .
                 940 ENDPROC
                 950
0
                                                                                                   960 REM Picture data
               960 REM Picture data
970 DATAO,0,0
980 DATAO,&&AFF2FFF,0
990 DATAO,O,O,O,O,0
1000 DATAO,&AAFF35FF,0
1010 DATAO,O,O,O,O
1020 DATAO,&AAF35FFF,0
1030 DATAO,O,O,O,O,O
1040 DATAO,SFFFFFFF,86A202020,0
.
                                                                                                   .
0
                                                                                                   .
.
                                                                                                   0
•
                                                                                                   0
               1040 DATA&35FFFFFF, &6A202020, 0
1050 DATAO,,0,0,0,0
1060 DATA&35FFFFFFF, &6A945587, 0
1070 DATAO,0,&FF2037FF
1080 DATAO,&60602F2F, &2D2D8660
1090 DATA&2020202D,&2020200,&2D202020
1100 DATA&942D2D2D,&60606060,&FF202060
0
                                                                                                   0
.
                                                                                                   .
.
                                                                                                   .
               1110
               1120
                       REM
                                Controls Data
               1130 DATA"Z - Ship Thrust Left"
1140 DATA"X - Ship Thrust Right"
0
                                                                                                   6
               1150 DATA"* - Ship Thrust Up"
1160 DATA"? - Ship Thrust Down"
0
                                                                                                   .
                        DATA"(n1)"
0
                                                                                                   1180 DATA"(space) - Drop Depth Charge"
1190 DATA"(nl)"
1200 DATA"(return) - Drop Marker Bouy"
0
                                                                                                   0
               1220 DATA" <up> - Set charge depth higher
.
                                                                                                   0
               1230 DATA" <down> - Set charge depth lower
.
                                                                                                   .
0
                                                                                                   0
               1250 DATA"T - Time left"
               1260 DATA"(end)
.
                                                                                                   0
.
                                                                                                   0
```

```
-
                                                                                                                0
             Listing 2. Phil Martin's Run silent, run deep game
.
                                                                                                                .
                           REM Listing 2
.
                                     Run Silent, Run Deep
by Phil Martin
                      10 REM
                      20 REM
0
                                                                                                                0
                      30 REM
                                     BBC B/B+/6502/Electron
                      40 REM (C) Acorn User September 1985
0
                                                                                                                .
                      60 ON ERROR GOTO 500
.
                                                                                                                .
                           PROCinit
                      80 REPEAT
.
                      90
                           5%=0:D%=100:pg%=0:CLS
                                                                                                                .
                    100 REPEAT
                           PROCreset
.
                    110
                                                                                                                0
                    120 MODE1: PROCscreen
                    130
.
                                                                                                                0
                  150 PROCShip (X%, Y%): IF K% GOTO250
160 IF INKEY(-98) xv=xv-a:ch%=0
170 IF INKEY(-67) xv=xv+a:ch%=1
180 IF INKEY(-105) yv=yv-a:ch%=2
190 IF INKEY(-73) yv=yv+a:ch%=3
200 X%=X%+xv+cx%: Y%=Y%+yv+cy%
210 IF ABS(X%)>580 X%=-X%
220 IF ABS(Y%)>460 Y%=-Y%
230 PROCShip (X%, Y%)
240 xv=xv-SGN(xv) *f; yv=yv-SGN(yv) *f
250 IF FNinmf (X%, Y%) PROCimmf
260 PROCSonar (X%, Y%, TIME-T%>300)
270 IF torp%ANDNOTT% PROCtorp
280 IF INKEY(-99) ANDNOTB% PROCdrop
290 IF B% dcdt%=dcdt%+2:IF dcdt%>=
                    150 PROCship(X%, Y%): IF K% GOTD250
-
                                                                                                                0
.
                                                                                                                .
.
0
                                                                                                                0
.
                                                                                                                0
8
                   290 IF B% dcdt%=dcdt%+2: IF dcdt%>=W% P
0
                                                                                                                ROCcharge
300 IF INKEY(-74) PROCbouy(X%,Y%)
310 IF INKEY(-36) M%=1:m$="Time remain
ing: "+STR$((t%-TIME)DIV100)+" secs"
.
                                                                                                                -
0
                                                                                                                .
                   320 IF INKEY(-58) PROCdcd(-2)
0
              Continued >
-
```

0

```
-

    Run silent, run deep listing 2 continued

                                                                                                 Continued
.
                                                                               .
                                                                                                                                                                     .
               330 IF INKEY (-42) PROCdcd (2)
                                                                                                    940 IFP% AND sd%>17 P%=FALSE:ENDPROC
.
                                                                                                    950 MOVEsx, sy: GCOL3, 2: VDU230: ENDPROC
                                                                                       .
                                                                                                                                                                     0
              340 PROCsub
              340 FRUCSUB
350 IF 0%>0 PROCoil(bx%,by%)
360 IF E%>0 PROCexpl(bx%,by%)
370 IF torp% AND NOT K% PROCtorp
380 UNTIL NOTB% AND (N%=0 OR (E%=0 AND
                                                                                                    970 DEF PROCoil (X%, Y%)
                                                                               8
                                                                                       .
                                                                                                                                                                     0
                                                                                                    980 LOCALx%, y%, 1%: 0%=0%-1:1%=19-0%: 6CO
                                                                                                 L1.1
                                                                               .
                                                                                                                                                                     .
                                                                                                    990 FOR I%=1 TO 3
             Q%=speed%)OR(TIME>t% AND E%<1))
              390
                                                                                                   1000 x%=X%+(RND(2*1%)-1%) *4: y%=Y%+(RND(
-
                                                                                       -
                                                                                                                                                                      400 T%=TIME: S%=S%+FNscore (T%): *FX21,0
                                                                                                 2*1%)-1%)*2
           400 [%=||fm:|s%-+rhscore(|%):#Fx21,0

410 PROChox(-420,-196,416,192,3):VDU28

7,21,32,10,4,12

420 UNTIL K%OR(T%\t%)OR(N%=0)

430 IF K% m$="Your ship was destroyed"

ELSE IFT%\t% m$="Out of time!" ELSE m$=

"Out of charges!"
                                                                                                  1010 MOVEx%-8, y%: DRAWx%+8, y%
-
                                                                               6
                                                                                       .
                                                                                                                                                                     0
                                                                                                   1020 NEXT
                                                                                                   1030 ENDPROC
-
                                                                                       -
                                                                                                                                                                     1040
                                                                                                   1050 DEF PROCexpl (X%, Y%)
                                                                                                  1060 LOCALx%, y%: C%=0: E%=E%-1: READx%, y%
.
                                                                               .
                                                                                       .
                                                                                                                                                                     0
           440 PRINT; yb$; SPC3"Run Silent, Run Dee
p"; SPC3; bb$"Time allowed : "; 4*D%; " secs
                                                                                                  1070 SOUND1, - (x%<>999), x%+ (E%=OANDK%) #4
-
                                                                                       0
                                                                                                                                                                      6
                                                                                                  1080 FOR 1%=1 TO 4
           450 PRINT"Time taken : ";T%/100''."Ch
arges dropped : ";20-N%'"Markers dropped
: ";8-mb%
                                                                                                  1090 x%=X%+(RND(19-0%)-1)*(RND(2)-1.5)*
-
                                                                                       .
                                                                                                                                                                     .
                                                                               0
                                                                                                8:y%=Y%+(RND(19-0%)-1)*4
1100 IF POINT(x%,y%)=3 GOTO 1090 ELSE G
0
              460 PRINT'ybs; ms; bbs
                                                                                       .
                                                                                                                                                                     0
                                                                                                COLO, 3: MOVEX%, Y%: DRAWx%, y% 1110 NEXT
               470 PROChiscore (S%):PROChitable
0
              480 UNTIL FALSE
                                                                                                   1120 ENDPROC
                                                                                       .
                                                                                                                                                                      490 :
                                                                                                  1130
              500 VDU4:REPORT:PRINT" at ";ERL:*FX21
                                                                                                   1140 DEF PROCESY
0
                                                                                       .
                                                                               -
                                                                                                                                                                     0
                                                                                                 1150 REPEAT:sxv=FNsv:syv=FNsv:UNTILsxv<
>OORsyv<>0
              510 END
              520 :
                                                                                       0
                                                                                                                                                                     0
                                                                               -
              530 DEF PROCsonar (X%, Y%, S%)
                                                                                                   1160 ENDPROC
           540 LOCAL dst%, tmp%
550 IF S% THEN T%=TIME:SOUND2,1,154,2:
Q%=0:F%=FALSE:M%=M%-1:VDU4:COLOUR2:PRINT
                                                                                                  1170
-
                                                                               0
                                                                                       -
                                                                                                                                                                      1180 DEF PROCtorp
1190 IF torp%=-2 torp%=-1:60T01210
1200 GCOL3,3:MOVEtx%,ty%:PLOT1,-txv%*4,
TAB(0,31); m$;: VDU5: H%=0: IF M%=0 m$=STRIN
                                                                                       0
                                                                                                                                                                     0
           G$ (27
                                                                                                 -tvv%*4
                                                                                                  1210 tx%=tx%+txv%:ty%=ty%+tyv%
1220 IF ABS(tx%)>570 OR ABS(ty%)>450 to
              560 Q%=Q%+speed%:dst%=FNhypot(X%-sx,Y%
                                                                                       0
                                                                               570 IF NOT F% AND Q%>dst% F%=TRUE:SOUN
                                                                                                 rp%=FALSE: ENDPROC
0
                                                                                                                                                                      D&12, 2, 154+(L%-dst%) DIV16, 4:H%=(256-dst%) DIV2:5%=16:L%=dst%
                                                                                                 1230 IF ABS(tx%+txv%-X%)<18 AND ABS(ty%+tyv%-Y%)<18 PROCds
-
                                                                                       .
                                                                                                                                                                      0
              580 IF RND(D%)=1 SOUND3,3,151,5:H%=H%+
                                                                                                  1240 GCOL3, 3: MOVEtx%, ty%: PLOT1, -txv%*4,
           RND(8) *10: 6%=8
                                                                                                 -tvv%*4
.
                                                                                       .
              590 IF pg%>B ENDPROC
                                                                                                  1250 ENDPROC
                                                                                                                                                                     -
              600 H%=H%+(H%>G%)*G%:dst%=H%+RND(13)-1
610 tmp%=G%DIVspeed%:GCOL3,3
                                                                                                  1260
.
                                                                                                  1270 DEF FNhypot(xd%,yd%)=SQR(xd%*xd%+y
                                                                                                                                                                     -
                                                                                       -
                                                                               -
              620 MOVE290+G%, tmp%?&900-456
630 DRAW290+G%, -456:tmp%?&900=dst%
                                                                                                 d%*yd%)
6
                                                                                       .
                                                                                                  1280
                                                                                                                                                                      640 DRAW290+Q%, dst%-456: ENDPROC
                                                                                                   1290 DEF PROCbox(a,b,c,d,1c)
                                                                                                  1300 GCOL 0,1c:MOVE a,b:DRAW a,d
1310 DRAW c,d:DRAW c,b:DRAW a,b
.
              450
                                                                                       0
                                                                                                                                                                     0
               660 DEF PROCship (X%, Y%):GCDL3, 3:MOVEX%
           -16, Y%+16: VDU232+ch%: ENDPROC
670:
                                                                                                  1320 ENDPROC
.
                                                                               -
                                                                                       -
                                                                                                                                                                     0
                                                                                                  1330
              680 DEF PROCcharge
690 LOCALH%:N%=N%-1:B%=FALSE
                                                                                                  1340 DEF PROCscreen
0
                                                                                       0
                                                                                                  1350 VDU19,0,4;0;19,1,0;0;17,129,12
1360 PROCbox(68,62,1208,968,3)
              700 SOUND&10,4,5,25:IFK% ENDPROC
710 VDU4:COLOUR2:PRINTTAB(15,0);N%;TAB
5,0);" ";:VDU5
0
                                                                                       .
                                                                                                  1370 PROChox (40, 36, 1236, 988, 3): VDU29, 64
                                                                                                                                                                     .
                                                                                                0;512;
              720 IF FNhypot (X%-bx%, Y%-by%) <d2% PROC
                                                                                                   1380 FOR IX=-568 TO 568 STEP71: MOVEIX
8
                                                                                       0
                                                                                                                                                                     .
                                                                               -
           ds
                                                                                                 448: DRAWI%, -476: MOVEI%, 452: DRAWI%, 476: NE
              730 H%=FNhypot(sx-bx%,sy-by%)
740 IF H%(D% O%=10:V%=RND(10)*10 ELSE
=" IT MISSED! ":M%=4:ENDPROC
750 IF bd%>sd%+d2% m*=" Too Deep !":M
0
                                                                                       .
                                                                                                                                                                     0
                                                                                                  1390 FOR 1%=-448 TO 448 STEP56:MOVE-572
                                                                                                  I%: DRAW-600, I%: MOVE568, I%: DRAW592, I%: NE
-
                                                                                       0
                                                                                                                                                                      6
                                                                                                  1400 PRINTTAB(0,0);yb$;"Depth Charges";
b$;" ";N%;" Left Set at ";bd%;yb$
1410 PROCvert(" Run Silent Run Deep
           %=3:60T0790
-
              760 IF bd%<sd%-d2% m$=" Not deep enoug
                                                                                       0
                                                                                                                                                                     ": M%=3: GOT0790
              770 m$=" Depth D.K. Cap
780 IF H%<d2% E%=11:0%=16
                              Depth O.K. Captain":M%=2
.
                                                                               .
                                                                                       .
                                                                                                                                                                     1420 PRINTbb$:PROCvert("PATROL "+STR$pg
+" Current "+FNcch,39,3)
1430 VDU24,-568;-448;564;452;16
               790 ENDPROC
.
                                                                                       .
              800
                                                                                                1440 FOR I%=0T024:PROCcross((I%MOD5-2)*
284,(I%DIV5-2)*224):NEXT
              810 DEF PROCsub
-
           820 IF NOTtorp%AND sd%<30 AND(SGN(X%-s
x)=sxv AND SGN(Y%-sy)=syv) PROC1t
                                                                                       .
                                                                                                                                                                     .
                                                                                                  1450 VDU26: PROCbox (880, 0, 1276, 208, 3)
-
           830 IF C%=0 AND RND(200+D%+40*P%)=1 C%
=10+RND(90): Z%=(RND(2)-1.5)*2: IF sd%<15
                                                                                                  1460 PROCbox (888,8,1268,200,2)
1470 VDU24,892;12;1264;196;16
                                                                                       .
                                                                                                                                                                     0
                                                                               -
                                                                                                1480 GCDLO,2:MOVEB92,36:PLOT21,1236,36
1490 PLOT21,1236,200:GCDLO,1
1500 FOR I%=924 TO 120B STEP71:MOVEI%,4
0:DRAWIX,200:NEXT
1510 FOR I%=60 TO 200 STEP56:MOVEB92,I%
.
                                                                                       -
                                                                                                                                                                     840 IF C%>0 C%=C%-1:sd%=sd%+Z%:SDUNDO,
            -11,3,2
                                                                                       .
                                                                                                                                                                     0
              850 IF sd%>249 Z%=-Z% ELSE IF sd%<10 s
           d%=10: C%=0
-
                                                                                       .
              860 IF sd%<18 AND NOT P% P%=TRUE:GOTOB
                                                                                                :DRAW1232, I%:NEXT
                                                                                                  1520 GCDL0,3:MOVE924,60:DRAW924,160
1530 PRINTTAB(30,31);yb*; Sonar ";
0
                                                                                                                                                                     .
                                                                               0
              870 IF P% MOVEsx, sy: GCOL3, 2: VDU230
              880 IF V%>0 V%=V%-1:60T0930
                                                                                                  1540 IF pg%>8 PRINTTAB(30,29);yb$;"Scop
.
                                                                                                e Off";bb$;
                                                                                       -
                                                                                                                                                                      890 sx=sx+sxv:sy=sy+syv
                                            IFRND(14+pg%)=1 G
                                                                                                  1550 VDU29, 640; 512; 24, -568; -456; 564; 452
              900 IF FNinmf(sx,sy)
0
           COL1,1:SOUNDO,3,5,8:MOVEsx,sy:VDU231
910 IFABS(sx)>560 sxv=-sxv:syv=FNsv
                                                                               .
                                                                                       -
                                                                                                                                                                     8
                                                                                                  1560 PROCship (X%, Y%)
                   IFABS(sy) >440 syv=-syv:sxv=FNsv
                                                                                                  1570 PROCsonar (X%, Y%, TRUE)
                                                                                       -
                                                                                                                                                                     1580 ENDPROC
              930 IF NOT P% ENDPROC
0
                                                                                       .
                                                                                                                                                                     0
           Continued ▶
                                                                                                 Continued ▶
```

```
    Run silent, run deep listing 2 continued

          1600 DEF PROCinit
           1610 D%=RND(-TIME):ch%=0:speed%=12
          1620 a=1:f=1/16
           1630 FORIX=OTO7:PROCss(IX,500):PROCsn(I
          ,"Acorn User"):NEXT
1640 yb$=CHR$17+CHR$130+CHR$17+CHR$1
          1650 bbs=CHR$17+CHR$129+CHR$17+CHR$2
          1660 ENDPROC
          1670
          1680 DEF PROCreset
           1690 IF S%<>O PRINT'' "Score for patrol
         ";pg%;" = ";FNscore(T%)'"Total score = "
                                                                    .
          1700 D%=D%+10*(D%>20):d2%=D%DIV2:pg%=pg
         %+1:t%=400*D%
        1710 PRINT' SPC5; "Patrol ";pg%
1720 PRINT' "You have ";4*D%;" seconds to
o"'"locate the next sub..."''yb$;
1730 PRINT" Press <space> to start ";
1740 REPEAT UNTIL GET=32
                                                seconds t
          1750 sx=RND(1000)-500:sy=RND(860)-430
1760 sd%=20+RND(200-D%):g%=0:L%=200
          1770 X%=RND (200)-100: Y%=RND (200)-100
          1780 K%=FALSE: 0%=0: E%=-1: N%=20: C%=0
          1790 P%=FALSE: V%=0: A%=0: bd%=40: B%=FALSE
           1800 Z%=FALSE:torp%=FALSE:mb%=8:G%=0
          1810 mx%=(RND(15)-8) *71: my%=(RND(15)-8)
          1820 mfs%=120-D%:PROCnsv
1830 IF pg%>3 cx%=RND(pg%DIV2+1)-(pg%DI
         V4+1):cy%=RND(pg%DIV2)-(pg%DIV4+1) ELSE
         cx%=0:cv%=0
          1840 FOR I%=0 TO 252 STEP4: I%! & 900=0: NE
                           ENEMY SUB IN AREA": M%=6
          1860 xv=0:vv=0:RESTORE:TIME=0
          1880
0
          1890 DEF PROCCHOSS (X%, Y%)
          1900 MOVE XX-32,Y%:PLOT 21,X%+32,Y%
1910 MOVE XX,YX-32:PLOT 21,XX,YX+32
          1920 ENDPROC
          1930
           1940 DEF PROChouy (X%, Y%)
          1950 mh%=mh%+(mh%>0)
          1960 M%=1:m$=STR$(mb%)+" marker bouys 1
          1970 IF mb%=0 SOUND2, 1, 200, 4: ENDPROC
          1980 SOUND 0,3,4,26:PROCship(X%,Y%)
1990 MOVE X%-16,Y%+16:VDU231
          2000 PROCship (X%, Y%): ENDPROC
          2010
          2020 DEF PROCVERT ($$,P%,V%)
2030 FOR I%=1 TO LEN($$):PRINTTAB(P%,V%
         +1%); MID$ (S$, I%, 1): NEXT
          2040 ENDPROC
-
          2050
          2060 DEF PROChitable
          2070 CLS:PRINTyb$;SPC3"Today's High Sco
         res";SPC4;bb$
2080 FOR n%=0 TD 7
         2090 PRINT; n%+1; SPC2; FNn (n%); STRING$(10
-LEN(STR$(FNs(n%))), "."); FNs(n%)
          2100 NEXT
          2110 PROCspace: ENDPROC
          2130 DEF PROChiscore(S%)
          2140 LOCAL n%:*FX21,0
2150 IF S%<=FNs(7) PRINT"You scored ";S
         %':PROCspace:ENDPROC
          2160 PRINT"Your score of ";S%;" will""
0
        be recorded."
          2170 INPUT"Please enter your"' "name: "m
          2180 n%=8:REPEAT:n%=n%-1
          2190 IF S%>FNs(n%) PROCss(n%+1,FNs(n%))
         :PROCsn (n%+1, FNn (n%))
          2200 UNTIL n%=0 OR S%<=FNs(n%)
2210 IF S%<=FNs(n%) n%=n%+1
          2220 PROCss(n%, S%):PROCsn(n%, m$)
          2230 ENDPROC
          2250 DEF FNs(n%)=!(&A00+4*n%)
          2260 DEF FNn(n%)=$(&A28+11*n%)
          2270 DEF PROCss(n%, S%): ! (&AOO+4*n%)=8%:
         ENDPROC
          2290 IF LEN(S$) >=10 S$=LEFT$(S$,10) ELS
```

Continued >

```
-
          Continued
.
                                                                  .
         E S$=S$+STRING$ (10-LEN (S$) . ". ")
.
                                                                  0
           2300 $ (&A28+11*n%) =S$: ENDPROC
           2320 DEF PROCspace
0
                                                                  0
           2330 PRINT'yb$;" Press SPACE to continu
            ":bb$:
                                                                  .
           2340 REPEAT UNTIL GET=32
2350 ENDPROC
                                                                  2370 DEF FNscore(T%)=(N%*(pg%DIV4+2)-A%
                                                                  .
0
           (t%-T%) DIV100* (sd%DIV100+1) * (E%=OANDK%=
         0)) *10* (pg%DIV4+1)
-
                                                                  2380
           2390 DEF FNinmf(X%, Y%) = ABS(X%-mx%) < mfs%
         ANDABS (Y%-my%) <mfs%
                                                                  •
           2410 DEF FNSV=RND(3)-2
                                                                  .
          2430 DEF PROCES
                                                                  0
           2440 bx%=X%:by%=Y%:K%=TRUE:D%=6:E%=11
          2450 torp%=FALSE: VDU19, 0, 1; 0; : SOUND&10,
                                                                  -
           2460 ENDPROC
.
          2470
                                                                  .
           2480 DEF PROCded (n%)
          2490 bd%=bd%+n%: IF bd%<10 DR bd%>250 bd
.
                                                                  -
         %=bd%-n%
           2500 VDU4: PRINTTAB (31,0); bb$; bd%; " ": VD
.
                                                                  .
         U5: ENDPROC
          2510 :
          2520 DEF PROCinmf
2530 H%=H%+RND(7)*4+8:G%=24
          2540 IF RND(10+pg%*2)=1 A%=A%+1:SOUND&1

3,3,180,4:M%=1:m*=yb*+" MINEFIELD WARNI

NG! "+STR*(d2%DIV2-A%+1)+" "+bb*

2550 IF NOT K% AND A%>d2%DIV2 PROCds
.
                                                                  6
                                                                  .
          2560 xv=xv-SGN(xv)*f*2:yv=yv-SGN(yv)*f*
          2570 ENDPROC
.
                                                                  .
          2580
           2590 DEF PROCdrop
.
          2600 B%=TRUE: bx%=X%: by%=Y%: W%=bd%: dcdt%
                                                                  -
.
          2610 COLDUR3: VDU4: PRINTTAB (35, 0); "AWAY"
                                                                  .
         ;:VDU5
          2620 SOUND 2,1,1,6:ENDPROC
                                                                  0
          2640 DEF FNcch=CHR$ (240+3$SGN(cx%)+SGN(
0
                                                                  .
          2650
                                                                  .
          2670 SOUND 0,2,4,20:tx%=sx:ty%=sy
                txv%=6*sxv:tyv%=6*syv:torp%=-2
                                                                  0
          2680
          2690 PROCHSV: ENDPROC
0
          2700
                                                                  .
          2710 DATA97,24,97,8,101,8,101,8,999,8
2720 DATA97,8,101,12,97,4,89,8,81,8,77,
-
                                                                  .
```

0

-

.

.

-

0

-

8

.

0

0

0

.

.

-

0

.

-

.

0

0

0

Check-out our Checksums


IF you're having problems checking your listings, then send an A4 sized stamped addressed envelope plus a cheque or postal order for 50p, and we'll send you a photocopy of a line-by-line checksum value for each program in this month's Acorn User. These values can then be matched against your own using Tessie Revivis' BSUM program presented in the August 1985 Acorn User, so that you can spot instantly where the erroneous line is.

Cheques and postal orders should be made payable to Redwood Publishing and your envelope should be clearly marked Checksums and sent to Acorn User, Redwood Publishing, 68 Long Acre, London WC2E 9JH.

60 1132 680 1126 70 687 690 1191 80 250 700 1366 90 1317 710 2632 100 250 720 2739 110 799 730 2123 120 1238 740 3751 130 63 750 3192 140 250 760 3841 150 2202 770 2236 160 1812 780 1278 170 1807 790° 230 180 1854 800 63 190 1808 810 835 200 1873 820 4645 210 1246 830 4508 220 1246 840 2399 230 1070 850 2759 240 2542 860 2303 250 1953 870 2067 260 1755 880 1662					-
Line Number 60 11126 680 1126 687 690 1191 880 250 700 1366 900 1317 710 2632 1100 250 720 2739 1100 799 730 2123 120 1238 740 3751 130 63 750 3192 120 1238 740 3751 130 63 750 3192 120 1238 740 3751 130 63 750 3192 120 1238 740 3751 140 250 760 3841 150 2202 770 2236 140 1812 780 1278 170 1807 790 230 180 1854 800 63 190 1808 810 835 200 1873 820 4645 210 1246 840 2399 230 1070 850 2759 240 2542 860 2303 250 1953 870 2067 260 1755 880 1662 270 1913 890 1838 280 1805 900 4805 290 3410 910 2657 3300 1784 920 2656 330 1381 950 1935 320 1434 940 1637 330 1381 950 1935 330 1381 950 1935 370 2012 990 3410 910 2657 3300 1774 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 350 1747 970 1212 380 3519 1000 2599 370 63 1010 1456 400 2117 1020 242 410 2809 1030 230 440 5454 1060 1979 450 6121 1070 1992 460 1046 1040 63 110 242 500 1837 110 20 2793 500 1837 110 20 2793 500 63 63 640 640 1460 1260 63 63 640 640 1460 126	O To use this shoo	koum lieting f	or Bun cilont was		
60	2, you'll need BS	SUM program	on page 47, Augu	ist 1985.	-
60					
70 687 690 1191 80 250 700 1366 90 1317 710 2632 100 250 720 2739 110 799 730 2123 120 1238 740 3751 130 63 750 3192 140 250 760 3841 150 2202 770 2236 160 1812 780 1278 170 1807 790 230 180 1854 800 63 190 1808 810 835 200 1873 820 4645 210 1246 830 4508 2200 1246 840 2399 230 1070 850 2759 240 2542 860 2303 250 1953 870 2067 260 1755 880 1662 270 1913 890 1838 280 1805 900 4805 290 3410 910 2657 300 1784 920 2656 310 4007 930 853 320 1434 940 1637 330 1381 950 1935 340 580 960 63 350 1747 970 1212 360 1855 980 2223 370 2012 990 792 380 3519 1000 2599 390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 440 5454 1060 1979 450 6121 1070 1992 460 1046 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 590 1837 1120 230 510 229 1130 63 550 1837 1120 230 550 1837 1120 230 550 1837 1120 230 550 1837 1120 230 550 1837 1120 230 550 1951 120 2965 63 1140 888 550 63 1110 242 500 1837 1120 230 550 63 1140 888 550 63 1170 63 550 63 1140 888 550 1604 1150 3510 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 640 1450 1260 63 650 63 1270 3142 660 3685 1280 63					•
80					•
90	80			17//	
100					
110					0
120	110	799		0107	
140	120	1238			-
150			750	3192	0
150			760	3841	
170	150			2236	
180					0
190 1808 810 835 200 1873 820 4645 210 1246 830 4508 220 1246 840 2399 230 1070 850 2759 240 2542 860 2303 250 1953 870 2067 260 1755 880 1662 270 1913 890 1838 280 1805 900 4805 290 3410 910 2657 300 1784 920 2656 310 4407 930 853 320 1434 940 1637 330 1381 950 1935 340 580 960 63 350 1747 970 1212 360 1855 980 2223 370 2012 990 792 380 3519 1000 2599 390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 545 1190 2349 550 550 5358 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63				The second secon	0
200				0.0	
210					0
220					
230				2700	
240					
250					9
260	250	1953		2017	
280	260			1662	
290 3410 910 2657 300 1784 920 2656 310 4407 930 853 320 1434 940 1637 330 1381 950 1935 340 580 960 63 350 1747 970 1212 360 1855 980 2223 370 2012 990 792 380 3519 1000 2599 390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242	2.70				
300 1784 920 2656 310 4407 930 853 320 1434 940 1637 330 1381 950 1935 340 580 960 63 350 1747 970 1212 360 1855 980 2223 370 2012 990 792 380 3519 1000 2599 390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 6358 1170 63 550 903 1210 2793 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	280				
310				2037	
320 1434 940 1637 330 1381 950 1935 340 580 960 63 350 1747 970 1212 360 1855 980 2223 370 2012 990 792 380 3519 1000 2599 390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 5455 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1933 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63		The state of the s			9
330 1381 950 1935 340 580 960 63 350 1747 970 1212 360 1855 980 2223 370 2012 990 792 380 3519 1000 2599 390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 5445 1190 2349 580 2581 1200 2793 580 2581 1200 2793 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63					
340 580 960 63 350 1747 970 1212 360 1855 980 2223 370 2012 990 792 380 3519 1000 2599 390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 545 1190 2349 580 2581 1200 2793 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63				1007	
350					
360					0
370				****	
380 3519 1000 2599 390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 640 1460 1260 63 650 63 670 63	CONTRACTOR OF THE PROPERTY OF				9
390 63 1010 1456 400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 6358 1170 63 550 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63					9
400 2117 1020 242 410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	700				-
410 2809 1030 230 420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 550 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63				242	
420 1406 1040 63 430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	410	2809			D
430 7002 1050 1330 440 5454 1060 1979 450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	420	1406	1040		9
450 6121 1070 1992 460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	430	7002	1050		
460 1046 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	440		1060	1979	D
460 1048 1080 793 470 2246 1090 3110 480 455 1100 3435 490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	450		1070	1992	
480	460			793	
490 63 1110 242 500 1837 1120 230 510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 550 6358 1170 63 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 640 3685 1280 63 670 63 1280 63	1,0				9
\$500					9
510 229 1130 63 520 63 1140 848 530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63				242	
530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63				230	
530 1604 1150 3510 540 1067 1160 230 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63				03	
540 1067 1160 230 550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63				040	
550 6358 1170 63 560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	EAO			230	
560 3099 1180 959 570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 640 3685 1280 63					D
570 5445 1190 2349 580 2581 1200 2793 590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63					
580	570			2740	
590 903 1210 2172 600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63				2793	D
600 1961 1220 2965 610 1705 1230 3536 620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63 670 63				2172	0
620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	600		1220	2965	
620 1453 1240 2793 630 1933 1250 230 640 1460 1260 63 650 63 1270 3142 660 3685 1280 63	010			3536	9
670 63 Continued •			1240	2793	0
670 63 Continued •				230	
670 63 Continued •	- 640			63	0
670 63 Continued •				3142	9
Continued >			1280	00	
Commided		63	Continued	CHURCH IN	9
			Commuda		

			CONTRACTOR OF THE PARTY OF THE	THE RESERVED	
					7
1	◄ Continued				
	Line Number	Checksum	Line Number	Checksum C)
	1290	1704	1920		
-	1300	1702	1930	230 63	1
	1310	1625	1940	1336)
	1320	230	1950		į
	1330	63	1960	1046 3050	4
	1340	1148	1970	1596	
	1350	1635	1980	. ===	
10	1360	1489	1990	1326	4
	1370	2368	2000	1355	1
	1380	4168	2010	4.7	
	1390	4159	2020	1493	4
	1400	4761	2030	3007	1
	1410	2979	2040	230	
	1420	4114	2050	63	4
	1430	1479	2060	1238	1
	1440	3419	2070	3406	71
	1450	1880	2080	832	1
	1460	1483	2090	3590	1
	1470	1377	2100	242	
	1480	1800	2110	1061	
	1490	1227	2120	63	
	1500	2776	2130	1463	ı
	1510	2782	2140	878	
	1520	1632	2150	3649	
	1530	2064	2160	3638	1
	1540	2988	2170	2765	
	1550	2013	2180	1092	
	1560	1070	2190	3767	1
	1570	1413	2200	1508	
	1580	230	2210	1514	
	1590	63	2220	1831	1
•	1600	942	2230	230	
	1610	1835	2240	63	
-	1620	641	2250	1443	1
	1630	3714	2260	1498	
	1640	1629	2270	2270	
	1650	1615	2280	1127	1
	1660	230,	2290	3057	
	1670	63	2300	1141	
	1680	1054	2310	63	1
	1690	5663	2320	1031	1
-	1700	2720	2330	3199	1
	1710	1628	2340	901	1
	1720	5106	2350	230	1
	1730	2549	2360	63	1
•	1740	901	2370	5229	1
	1750	1944	2380	63	1
	1760	1737	2390	3034	1
	1770	1654	2400	63	1
	1780	1571	2410	1133	1
-	1790	1769	2420	03	1
	1800	1844	2430	719	1
	1810	2133	2440	2003	1
	1820	1384 5194	2450	2240	1
	1830		2460	230	1
	1840	1926	2470	63	1
	1850	1901	2480	1036	1
	1860	1453	2490	2877	1
	1870	230	2500	2369	1
	1880	63	2510	575	н
	1890	1444	2520	932	1
	1900	1649	2530 2540	1183 6035	1
	1910	1047	Continued ▶		ı
0			John Hued >	•	1

GRAPHICS



. . . 0 0 2610 2195 2700 63 876 2620 2710 1662 2630 63 2720 1861 •

How to enter Runplot

THIS listing has been packed to make it as small as possible - the longer this procedure is the less room will be available to you for your own program. The £ sign in front of all the variables and procedure names (except M%) avoids any variables clashing with those in your own programs.

To make this program easier to type in correctly, it has been split up in the same way as the PLOT2 program was in the August issue. The length of each part is given below. When all the various parts have been saved and combined again in the method described last month, the whole procedure should be *SPOOLED using the filename RUNPLOT.

Line number	Length
20000-20050	500
20060-20100	508
20110-20150	265
20160-20200	269
20210-20250	398
20260-20310	452

•	Listing 1. Martin Phillips' Runplot allows pictures drawn	•
•	with Easyplot to be displayed in your own programs	
	20000 DEFPRDC£LDAD(£T\$)	
	20010 PROC£dim: £=OPENIN(£T\$):INPUT#£, £A% :FOR£N=O TO£A%:£A?£N=BGET#£:NEXT:CLOSE#£	
	:VDU23:8202:0:0:0::£N%=2^(1+M%MDD3):£n%=	
	£N%-1: IFM%>3£n%=(£N%/2)-1	
	20020 MOVEO, 96: DRAW1279, 96: DRAW1279, 1023	
	:DRAWO,1023:DRAWO,96	
	20030 FOREN=0 TOEn%: VDU19, £N, (£A?£N); 0;:	
	NEXT: VDU28, 0, 31, (160/£N%)-1, 29: £N=8: REPE	
	AT:PROCEr(£N):£N1=FN£a:PROCEty(£N,0,0):£ N=£N+£N1:UNTIL£N>=£A%:ENDPROC	
	20040 DEFPROCEdim: £J%=HIMEM-(TOP+1500):V	
0	DU21:DIM£A (£J%-24),£F 75,£f(1,1),£G%(75	0
),P% 30:£f%=P%+20:[:DPT0:.£f6%:LDX#£f%MD	115
	D256:LDY#£f%DIV256:LDA#&D:JSR&FFF1:RTS:J	
	:VDU6:ENDPROC	
0	20050 DEFPROC£mo(x,y,s,e):LOCALs1:REPEAT	
	:PROC£r(s):s1=FN£a:PROC£ty(s,x,y):s=s+s1	
	:UNTILs>e-1:ENDPROC	
	20060 DEFPROC£ci(K):£cs=2*PI/£P%:£cr=SQR	
	((£Y%-£y%)^2+(£X%-£x%)^2):IF£cr<2*£N%THE	-
	NENDPROC: ELSE£ca=ATN((£X%-£x%)/(0.5+£Y%-	
	fy%)):IFfY% <fy%thenfca=fca+pi:elseiffx%<< td=""><td></td></fy%thenfca=fca+pi:elseiffx%<<>	
	£x%THEN£ca=£ca+2*PI 20070 MDVE£X%,£Y%:FDR£cn=1 TO£P%:PLOTK,£	
_	20070 MUVELXA, 17A:FURECR=1 TULFA:FLUTK, 1	-

x%+fcr*SIN(fca+fcn*fcs),fy%+fcr*COS(fca+

20080DEFPROC£pr (pc,d): VDU5, 18, pc, £C%, 25,

4, £x%; £y%+32*d; : IFd=1:PRINT£P\$: VDU4: ENDP

20090 A%=10:X%=0:Y%=10:£p=&A00:FOR£pb%=1 TOLEN£P\$:£p\$=MID\$(£P\$,£pb%,1):IF£p\$<" ":VDU10,8,10£pb%=£pb%+1:60T020110

20100 ?£p=ASC£p\$: CALL&FFF1: VDU23, 240, £p?

fcn*fcs):NEXT:ENDPROC

Continued ▶

0

0

-

0

0

0

•	■ Runplot continued	•
•	1,£p?1,£p?2,£p?2,£p?3,£p?3,£p?4,£p?4:VDU 23,241,£p?5,£p?5,£p?6,£p?6,£p?7,£p?7,£p?	•
•	8,£p?8,240,8,10,241,11;	•
•	20110 NEXT: VDU4: ENDPROC	•
•	20120DEFPROC£ty(a%,ax,ay):GCOLO,£C%:IF£B %=15 PROC£mo(ax+£A!(a%+B),ay+£A!(a%+12),	
•	£x%,£x%):ENDPROC 20130 £x%=£x%+ax:£y%=£y%+ay:IF£B%<4£X%=£	
•	X%+ax:£Y%=£Y%+ay 20140	
	%,£Y% 20150	
	%,£y%:PLOT(£D%+5),£x%,£y%:PLOT(£D%+5),£x %,£y%:PLOT(£D%+5),£x%,£y%	•
•		
•	20160 IF£B%=3:£P%=£D%MQD160:£D%=16*(£D%D IV160):PROC£ci(£D%+5)	•
	20170 IF£B%=4:£f(0,0)=£A?(a%+4):£f(1,0)=	
Barrier H	£A?($a\%+5$):£f(0,1)=£A?($a\%+6$):£f(1,1)=£A?(
•	a%+7):PROC£fi 20180 IF£B%=16:£P\$=\$(£A+a%+8):PROC£pr(0,	•
•	£X%) 20190 IF£B%=17:MOVE£x%,£y%:FOR£i=a%+8	
	TO£D%+7+a%STEP3: DRAWax+256*(£A?£i)+£A?(£	
•	i+1), ay+4*(£A?(£i+2)):NEXT	•
•	20200 ENDPROC	•
•	20210 DEFFN£a=8+£D%*(£B%DIV10) 20220 DEFPROC£r(a%):£B%=(£A?a%)DIV8:£C%=	•
•	(£A?a%) MOD8: £x%=256*(£A?(a%+1))+£A?(a%+2	
): £y%=4*(£A?(a%+3)): £X%=256*(£A?(a%+4))+	
•	£A?(a%+5):£Y%=4*(£A?(a%+6)):£D%=£A?(a%+7):ENDPROC	•
	20230 DEFPROC£fi:£f1%=1:£f2%=0:PROC£fa(£ x%):REPEAT:£f3%=£G%(£f1%):£f4%=£G%(£f1%+	
	25):fy%=4+fQ%(ff1%+50):ff1%=(ff1%+1)MOD2	
•	5:PROCEfc:£y%=£y%-8:PROCEfc:UNTIL£f1%=£f	
_	2%+1:ENDPROC 20240 DEFPROC£fc:£Z%=POINT(£f3%,£y%):IF£	
•	Z%=-1ENDPROC:ELSEIF£Z%=0£f8%=£f3%:ELSEPR	
	OC£fb(£f3%) 20250 IF£f8%>£f4%-£N%:ENDPROC	•
	ZOZJO IFITOKOLTYK-LNALENDINGC	
	20260 REPEAT: PROC£fa(£f8%): PROC£fb(£f8%)	
•	:UNTILEf8%>Ef4%-EN%:ENDPROC	•
	20270 DEFPROC£fa(x%):PLOT76,x%,£y%:CALL£	
•	f6%:£f2%=(£f2%+1)MOD25:£G%(£f2%)=!£f%AND &FFFF:£G%(£f2%+25)=£f%!4 AND&FFFF:PROC£f	•
•	d(£G%(£f2%),£G%(£f2%+25)):£G%(£f2%+50)=£ y%:ENDPROC	•
•	20280 DEFPROC£fb(£f10%):PLOT92,£f10%,£y% :CALL£f6%:£f8%=£N%+£f%!4 AND&FFFF:IF£f8%	
	>£f4%PROC£fd(£f10%,£f4%)ELSEPROC£fd(£f10	
•	%,£f8%-£N%) 20290 ENDPROC	•
•	20300 DEFPROCEFd(£f10%,£f11%):£Y%=(£y%DI V4)MOD2:£X%=(£f10%DIV£N%)MOD2:5COLO,£f(£	•
	X%, £Y%): IFPOINT (£f11%, £y%)=0:PLOT77, £f11	
	%, £y%: 6COLO, £f((£x%+1) MOD2, £Y%): MOVE£f10 %+£N%, £y%: PLOT21, £f11%, £y%	
•	20310 ENDPROC	•
•		•

Listing cassettes and bar code booklets

IF KEYING in all these listings gets you down and your fingers in a tangle why not send off for our monthly listings cassette? It contains all the major programs in this issue and costs £3.75 including postage and packing. You'll find the details about the cassette and the order form on page 96.

Better still, be the envy of your friends and buy a barcode reader (see our offer on page 113). All the listings in these yellow pages are reproduced in bar code format - send a cheque or postal order for £1.60 plus an A4-sized stamped addressed envelope to Bar Code Listings, Acorn User, 68 Long Acre, London WC2E 9JH.

Entering Disloc

ALTHOUGH the program is designed to run with a 6502 second processor attached, it may be entered without it. Make sure that page is set no higher than &1900 and leave out all REMs and excess spaces or else you may run out of memory when you run it. The Basic should be straightforward to type in and the assembly language routine is quite short, so, if you are careful, no errors should occur.

So that the data at the end of the listing is entered correctly, a checksum routine has been included. If you have made a typing error a message will be displayed. Check your listing, and when no message appears delete the checksum (lines 90 to 120) and save the program.

Disloc procedures

HERE is a summary of the more important procedures. Before the program can go to work on the ROMs it has to set up several tables. This is done by PROCsetupdiss at line 1950. The table mn% contains the assembler commands, and the command types (eg, "immediate", "zero-page,X") are stored in the table type%. PROCsetup_rom (line 340) assembles the short machine-code routine that is used by FNrdrom (line 760) to read a byte from the chosen ROM. PROCdiss (line 860) handles the disassembling, calling FNline (line 1000) which uses the tables set up by PROCsetupdiss to disassemble an individual instruction. PROCreloc (line 1200) enables the user to relocate blocks, jump tables and individual bytes. Finished code is saved by PROCsave at line 1540.

```
Listing 1. Disloc will relocate languages to allow fuller
0
       use of the second processor's memory
0
           10 REM Dislo
           20 REM by Peter Higginbotham
30 REM for BBC B/B+ with 2nd 6502
40 REM (c) Acorn User Sept. 1985
                                                                     .
                                                                     .
           40 MODE7: HIMEM=$3COO
               PROCtitle
6
           80 PROCsetupdiss
           90 REM Checksum for data
8
          100 T%=0:FDRX%=0T0255:T%=T%+X%?type%:N
                                                                     6
.
          110 FORX%=0T01023: T%=T%+X%?mn%: NEXT
                                                                     120 IFT%<>48467 CLS:PRINT"Checksum err
- please check data":END
0
                                                                     .
          130 PROCgetcode
          140 :
.
                                                                     0
          150 ONERROR IFERR<>17 REPORT:PRINT" at
         ": ERL: STOP
                                                                     0
              REPEAT: PROCtitle
       170 PRINT" 1=Disassemble"'' 2=Relocat
e"'' 3=*SAVE code"'' 4=Quit"'
0
                                                                     -
         180 job%=FNq("Which do you want", 1, 4, 0
0
                                                                     190 IFjob%=1 PROCdiss
200 IFjob%=2 PROCreloc
210 IFjob%=3 PROCsave
0
                                                                     0
          220 UNTILjob%=4
.
                                                                     8
         230 END
-
                                                                     .
         250 DEFPROCgetcode
260 romst%=&8000:up%=romst%-HIMEM
0
          270 job1%=FNq("Source code from 1=ROM,
                                                                     .
       2=File",1,2,0)
280 IFjob1%=1 PROCsetup_rom:PROCcopyro
m:ELSE PROCloadfile
.
                                                                     .
          290 spage%=romst%DIV256:epage%=romend%
-
                                                                     .
       DIV256
          300 size%=(epage%-spage%+1)*256:newst%
-
                                                                     .
       =&F800-size%
          310 move%=newst%-romst%:mpage%=move%DI
.
       V25A
                                                                     -
         320 ENDPROC
.
                                                                     .
         340 DEFPROCsetup_rom
-
                                                                     .
       Continued >
```

```
Continued
-
                                                                     0
            350 osbyte%=&FFF4:osword%=&FFF1
.
            360 DIM blk1%4,blk2%4,blk3%4,S%1,rbyte
                                                                     8
         750
            370 A%=&FC: X%=0: Y%=&FF
.
                                                                     380 S%?1=(USR(osbyte%)AND&FF00)DIV256
            390 'blk1%=%FFFF00F4
.
                                                                     0
            400 !blk3%=!blk1%:blk3%?4=S%?1
            410 FORpass%=OTO2STEP2:P%=rbyte%
.
                                                                     420 COPT pass%
            430 LDA #6
440 LDX #blk1%MOD256
450 LDY #blk1%DIV256
.
                                                                    .
            460 JSR osword%
470 LDA #&97
0
                                                                    .
            480 LDA #&30
490 LDY 5%
.
                                                                    .
            500 \ Enable ROM
510 JSR osbyte%
520 LDA #5
0
                                                                    0
530 LDX #b1k2%MOD256
540 LDY #b1k2%DIV256
                                                                    -
•
            550
                \ Read byte
                                                                    .
            560 JSR osword%
570 LDA #6
580 LDX #61k3%MOD256
0
                                                                    0
            590 LDY #b1k3%DIV256
0
                                                                    .
            600 JSR osword%
610 LDA #&97
0
                                                                    .
            620 LDA #&30
630 LDY S%+1
640 JSR osbyte% \Re-enable BASIC
                                                                    0
            650 RTS
.
            660
                                                                    -
            670 NEXTpass%: ENDPROC
           680 :
.
            690 DEFPROCcopyrom
           700 skt%=FNq("Which ROM socket",0,15,0
0
                                                                    -
           710 romend%=FNq("End address of code",
.
         &BOFF, &BFFF, 1)
720 PRINT' "Please wait..."
                                                                    .
0
            730 FDRa%=romst%TOromend%:?(a%-up%)=FN
                                                                    0
         rdrom(skt%,a%):NEXT
740 ENDPROC
.
                                                                    8
            760 DEFFNrdrom(r%,a%):b1k1%?4=r%:!b1k2
0
                                                                    0
         %=a%: CALLrbyte%: =b1k2%?4
.
           780 DEFPROCloadfile
790 INPUT' "Name of file: "$file%
800 !j%=file%:!(j%+2)=HIMEM
                                                                    0
                                                                    0
           810 A%=&FF:X%=j%MOD256:Y%=j%DIV256
820 I%=USR(&FFDD)
.
                                                                    0
           830 romend%=romst%+!(j%+&A)-1
           840 ENDPROC
0
                                                                    •
           850
           860 DEFPROCdiss: PROCtitle
870 REPEAT: PROCrange
880 INPUT' "Search string (RETURN if no
0
                                                                    ne): "search$
           890 VDU14
0
           900 FORrom%=st%TOend%:ram%=rom%-up%
                                                                    0
            910 lines=FNline(ram%,rom%):IFsearchs=
           'ORINSTR(line$, search$)PRINTline$
.
                                                                    0
           920 rom%=rom%+len%
           930 NEXTrom%
0
                                                                    .
            940 VDU15
            950 UNTILFNY("More")=FALSE
.
                                                                    960 ENDPROC
            970
0
                                                                    .
            980 REM Disassemble a%, put operand
            990 REM length in len%
0
                                                                    0
           1000 DEFFNline(a%,b%):ds=""
1010 in%=?a%:m%=type%?in%
          1020 len%=odlen%?m%:od%=0
1030 IFlen%>0 FORIX=len%T01STEP-1:od%=o
.
         d% $256+a%? I%: NEXT
1040 FORIX=OTO1en%:d$=d$+" "+RIGHT$("0"
+STR$~(a%?I%),2):NEXT
                                                                    6
0
                                                                    .
         1050 d$=d$+STRING$(3*(3-len%)," ")+$(mn
%+in%*4)+" "
0
          1060 ods=RIGHT$("0000"+STR$~od%,len%*2)
                                                                    1070 IFin%=jsr%ANDod%>=&FFCE od$=FNosna
0
         me (od$)
                                                                    .
           1080 IFm%=3 od$="#"+od$
         1090 IFm%=4 od%=rom%+FNrel(od%+2):od$=RIGHT$("0000"+STR$~od%,4)
0
                                                                    .
          1100 IFm%=60Rm%=11 od$=od$+", X"
0
                                                                    0
          1110 IFm%=70Rm%=12 od$=od$+",Y"
.
                                                                    0
         Continued >
```

```
■ Disloc listing continued

                                                                                                         Continued
                                                                                   .
                                                                                            0
                                                                                                                                                                                .
-
              1120 IFm%=80Rm%=13 od$="("+od$+")"
                                                                                                          1790 st%=FNq("Start Address", romst%, rom
.
                                                                                            .
                                                                                                                                                                                .
              1130 IFm%=9 ods="("+ods+"),Y"
1140 ds=ds+ods+STRINGs(10-LEN(ods)," ")
                                                                                                        end%,1)
1800 end%=FNq("End Address",st%,romend%
0
                                                                                   -
                                                                                                                                                                                -
              1150 FORI%=OTOlen%: J%=(ram%?I%)MOD128
              1160 IFJ%<320RJ%>126 J%=32
1170 d$=d$+CHR$(J%):NEXT
                                                                                                          1810 ENDPROC
                                                                                                                                                                                0
                                                                                            0
0
                                                                                                          1830 DEFFNmove(a%): IFa% spage%DRa% >epag
              1180 =RIGHT$("0000"+STR$~b%, 4)+d$
•
                                                                                   0
                                                                                                                                                                                1190
              1200 DEFPROCreloc:PROCtitle
                                                                                                          1840 IFdo%=1 PRINTline$:=a%
                                                                                                          1850 =a%+mpage%
1210 REPEAT
                                                                                   0
                                                                                             0
                                                                                                                                                                                .
              1210 REPERT
1220 PRINT'" 1=Relocate Block"''" 2=Jum
Table"''" 3=Single Byte"
                                                                                                          1870 DEFFNosname (NS) : RESTORE 2850
                                                                                            -
                                                                                                                                                                                -
0
                                                                                   1880 REPEAT: READAS, BS
              1230 job1%=FNq("Which do you want",1,3,
                                                                                                          1890 UNTILAS=NSDRAS="*"
1900 IFAS="*" =NS ELSE=BS
            0)
                                                                                   -
                                                                                            .
                                                                                                                                                                                .
1240 IFjob1%<3 PROCrange ELSEst%=FNq("A ddress",romst%,romend%,1):end%=st%
1250 IFjob1%=1 PRINT' "Address of string output routine";:pr%=FNq("O if don't kn
                                                                                                          1910
                                                                                                                                                                                .
0
                                                                                             -
                                                                                                          1920 DEFFNrel(a%)
1930 IFa%<128=a% ELSE=a%-256
             ow",0,&FFFF,1)
1260 IFjob1%=1 ds%=FNY("Include double-
                                                                                                                                                                                -
•
                                                                                   8
                                                                                             0
                                                                                                          1940
                                                                                                          1950 DEEPROCsetundiss
             stores"):dp%=FNY("Include double-pushes"
                                                                                                          1960 lda%=&A9:jsr%=&20:psh%=&48:sta%=&8
                                                                                   .
                                                                                             .
                                                                                                                                                                                .
(
                                                                                                        D:stz%=&85
                                                                                                          1970 DIM od%2,odlen%13,type%255,mn%1023
              1270 do%=FNg("1=Preview targets, 2=Do r
                                                                                                                                                                                0
0
                                                                                             0
            eloc",1,2,0)
1280 IFjob1%=1 PROCblock ELSEPROCtable
                                                                                                         ,file%10,j%40
                                                                                                          1980 line$=STRING$(40," "):d$=line$
1990 FORI%=OTO255:type%?I%=O:$(mn%+I%*4
                                                                                   0
                                                                                             0
                                                                                                                                                                                0
              1290 UNTILFNY ("More") = FALSE
                                                                                                                  ": NEXT
              1300 ENDPROC
                                                                                   2000 FORIX=OTD13:READodlen%?I%:NEXT 2010 FORIX=1TD13
                                                                                                                                                                                -
1310
              1320 DEFPROCblock:last%=0
1330 IFdo%=2 PRINT'"Please wait..."
                                                                                                          2020 REPEAT: READIN$, mn$
2030 IFin$<>"*" J%=EVAL("&"+in$):type%?
                                                                                   •
                                                                                             .
                                                                                                                                                                                0
              1340 FORrom%=st%TOend%:ram%=rom%-up%
              1350 IFdo%=1 line$=FNline(ram%,rom%)
                                                                                                        J%=I%:$(mn%+J%*4)=mn$
                                                                                   .
                                                                                             .
                                                                                                                                                                                -
1360 in%=?ram%:m%=type%?in%
1370 len%=odlen%?m%:od%=0
                                                                                                          2040 UNTILins="*"
                                                                                                          2050 NEXT
0
                                                                                                                                                                                0
            1380 IFlen%>0 FORI%=len%TO1STEP-1:od%=od%*256+ram%?I%:NEXT
                                                                                                          2060 ENDPROC
                                                                                                          2070
                                                                                   -
                                                                                             -
                                                                                                                                                                                0
2080 REM Operand lengths
              1390 ram%=ram%+len%:rom%=rom%+len%
              1400 IFlen%=2 ?ram%=FNmove(?ram%)
1410 IFpr%>0 ANDin%=jsr% ANDod%=pr%:REP
                                                                                                          2090 DATA 0,0,0,1,1,1,1,1,1,1,2,2,2,2
                                                                                                                                                                                0
•
                                                                                             2110 REM Implied
             EAT:ram%=ram%+1:rom%=rom%+1:UNTIL?ram%=0
                                                                                                         2110 REM Implied
2120 DATA 00,BRK,18,CLC,D8,CLD,58,CLI
2130 DATA BB,CLV,CA,DEX,BB,DEY,EB,INX
2140 DATA CB,INY,EA,NOP,48,PHA,08,PHP
2150 DATA 68,PLA,28,PLP,40,RTI,60,RTS
2160 DATA 38,SEC,F8,SED,78,SEI,AA,TAX
2170 DATA AB,TAY,BA,TSX,BA,TXA,9A,TXS
2180 DATA 98,TYA,*,*
.
            OR?ram%=&FF
                                                                                   .
                                                                                             .
                                                                                                                                                                                .
              1420 IFds%=TRUE ANDod%=last%+1 AND(in%=
            sta%ORin%=stz%) a%=ram%-len%-1:IF?(a%-1)
=lda% ?a%=FNmove(?a%)
.
            1430 IFdp%=TRUE ANDin%=lda% AND?(ram%+1)=psh% AND?(ram%+4)=psh% ?ram%=FNmove(?r
0
                                                                                   0
                                                                                             .
.
                                                                                             .
                                                                                                                                                                                1440 IFm%>=5 last%=od%
                                                                                                          2190
                                                                                                          2200 REM Accumulator
                                                                                                          2210 DATA 0A, ASL, 4A, LSR, 2A, ROL, 6A, ROR
2220 DATA *,*
8
              1460 ENDPROC
                                                                                   -
                                                                                                                                                                                -
              1480 DEEPROCtable
                                                                                   0
                                                                                             .
                                                                                                          2230
                                                                                                                                                                                -
0
              1490 FORrom%=st%TOend%STEP2
                                                                                                          2250 DATA 69, ADC, 29, AND, C9, CMP, E0, CPX
2260 DATA C0, CPY, 49, EOR, A9, LDA, A2, LDX
              1500 ram%=rom%-up%:IFdo%=1 line$=FNline
                                                                                                                                                                                .
0
                                                                                   6
                                                                                             .
             (ram%,rom%)
              1510
                     ?ram%=FNmove(?ram%)
                                                                                                          2270 DATA AO, LDY, 09, ORA, E9, SBC, *, *
                                                                                                                                                                                -
.
              1520 NEXTrom%: ENDPROC
                                                                                   6
                                                                                             .
                                                                                                          2280
                                                                                                          2290 REM Relative
2300 DATA 90,BCC,B0,BCS,F0,BEQ,30,BMI
2310 DATA DO,BNE,10,BPL,50,BVC,70,BVS
            1540 DEFPROCsave:INPUT'"Filename:"N$
1550 PROCoscli("*SAVE "+N$+" "+STR$~HIM
EM+" +"+STR$~size%+" "+STR$~newst%+" "+S
.
                                                                                             .
                                                                                                                                                                                0
                                                                                                          2320 DATA *,*
                                                                                                                                                                                •
0
                                                                                   .
             TR$~newst%)
                                                                                                          2330 :

2340 REM Zero Page

2350 DATA 65,ADC,25,AND,06,ASL,24,BIT

2360 DATA C5,CMP,E4,CPX,C4,CPY,C6,DEC

2370 DATA 45,EOR,E6,INC,A5,LDA,A6,LDX

2380 DATA A4,LDY,46,LSR,05,ORA,26,ROL

2390 DATA 66,ROR,E5,SBC,85,STA,86,STX

2400 DATA 84,STY,*,*
               1560 ENDPROC
                                                                                   .
                                                                                             .
                                                                                                                                                                                .
              1570
               1580 DEFPROCoscli(A$)
.
                                                                                                                                                                                6
              1590 $j%=A$:X%=j%MOD256:Y%=j%DIV256
               1600 CALL&FFF7: ENDPROC
6
                                                                                   0
                                                                                             .
                                                                                                                                                                                .
              1610
              1620 DEFPROCtitle:CLS
               1630 FORI%=1T02:PRINTTAB(3)CHR$(141) "RO
                                                                                             .
                                                                                                          2410
                                                                                                                                                                                6
            M Disassembler/Relocator
1640 NEXT:PRINT:ENDPROC
                                                                                                          2420 REM Z-Page. X
                                                                                                          2430 DATA 75, ADC, 35, AND, 16, ASL, D5, CMP
2440 DATA D6, DEC, 55, EOR, F6, INC, B5, LDA
2450 DATA B4, LDY, 56, LSR, 15, ORA, 36, ROL
2460 DATA 76, ROR, F5, SBC, 95, STA, 94, STY
2470 DATA *, *
                                                                                   6
                                                                                             .
                                                                                                                                                                                -
.
               1650
               1660 DEFFNq(Q$,lo%,hi%,hx%):PRINT
.
                                                                                             -
                                                                                                                                                                                1670 REPEAT
            1680 IFhx%=0 PRINTQ$" ("STR$10%"-"STR$h
i%")";:INPUT":"A$:A=VAL(A$)
.
                                                                                             .
                                                                                                                                                                                .
                                                                                                          2480
            i%")";:INPUT":"A$:A=VAL(A$)
1690 IFhx%=1 PRINTQ$" (Hex "STR$~1o%"-"
STR$~hi%")";:INPUT":"A$:A=EVAL("%0"+A$)
                                                                                                          2490 REM Z-Page,Y
2500 DATA B6,LDX,96,STX,*,*
0
                                                                                   .
                                                                                                                                                                                1700 UNTILA>=10%ANDA<=hi%:=A
                                                                                                          2510
                                                                                                                  REM (Indirect, X)
                                                                                   .
                                                                                             .
                                                                                                                                                                                0
               1710 :
                                                                                                          2530 DATA 61,ADC,21,AND,C1,CMP,41,EOR
2540 DATA A1,LDA,01,ORA,E1,SBC,81,STA
               1720 DEFFNY (Q$):PRINT
               1730 REPEAT
0
                                                                                   .
                                                                                             .
                                                                                                                                                                                .
              1730 REPEH
1740 PRINTQ$;" (Y/N)";:INPUT":"A$
1750 UNTILA$>""ANDINSTR("YYNn",A$)>0
                                                                                                          2550 DATA *,*
                                                                                                          2560
                                                                                   0
                                                                                             0
                                                                                                                                                                                .
.
                                                                                                          2570 REM (Indirect),Y
2580 DATA 71,ADC,31,AND,D1,CMP,51,EOR
2590 DATA B1,LDA,11,ORA,F1,SBC,91,STA
               1760 = (INSTR("Yy", A$) >0)
               1770
                                                                                   6
                                                                                                                                                                                .
                                                                                             -
.
              1780 DEFPROCrange
                                                                                             .
                                                                                                                                                                                -
                                                                                                         Continued ▶
             Continued ▶
```

•	◆ Disloc listing continued	•
	2600 DATA *,*	0
•	2610 :	
	2620 REM Absolute	
	2630 DATA 6D, ADC, 2D, AND, OE, ASL, 2C, BIT	
•	2640 DATA CD, CMP, EC, CPX, CC, CPY, CE, DEC	•
	2650 DATA 4D, EOR, EE, INC, 4C, JMP, 20, JSR	
	2660 DATA AD, LDA, AE, LDX, AC, LDY, 4E, LSR	
	2670 DATA OD, ORA, 2E, ROL, 6E, ROR, ED, SBC	
	2680 DATA 8D, STA, 8E, STX, 8C, STY, *, *	0
	2690 :	
	2700 REM Abs, X	
	2710 DATA 7D, ADC, 3D, AND, 1E, ASL, DD, CMP	
	2720 DATA DE, DEC, 5D, EOR, FE, INC, BD, LDA	
	2730 DATA BC,LDY,5E,LSR,1D,ORA,3E,ROL	•
	2740 DATA 7E,ROR,FD,SBC,9D,STA,*,*	
	2750 :	
	2760 REM Abs, Y	_
	2770 DATA 79, ADC, 39, AND, D9, CMP, 59, EOR	
	2780 DATA B9,LDA,BE,LDX,19,ORA,F9,SBC	- 19
	2790 DATA 99,STA,*,*	
	2800 :	
	2810 REM (Indirect)	
	2820 DATA 6C, JMP, *, * 2830 :	
	2840 REM OS routines	
	2850 DATA FFCE, OSFIND, FFD1, OSGBPB	
	2860 DATA FFD4, OSBPUT, FFD7, OSBGET	
	2870 DATA FFDA, OSARGS, FFDD, OSFILE	
	2880 DATA FFEO, OSRDCH, FFE3, OSASCI	
54,-11	2890 DATA FFE7, OSNEWL, FFEE, OSWRCH	-
0	2900 DATA FFF1, DSWORD, FFF4, DSBYTE	
	2910 DATA FFF7, OSCLI, *, *	

Checksums for Disloc

TO check you've entered Peter Higginbotham's Disloc listing correctly here's a set of checksums for each line. To use the checksum listing you'll need Tessie Revivis' program on page 47 of the August issue.

	The chec	ksum figures	for the Disloc pro	gram
91	ine Number	Checksum	Line Numbe	er Checksum
	10	894	310	3262
	20	2331	320	230
	30	2125	330	63
	40	2202	340	1468
	50	63	350	2214
	60	886	360	2682
	70	798	370	1075
	80	1252	380	2059
	90	1919	390	1049
	100	2498	400	1824
	110	2015	410	2081
	120	4831	420	856
	130	985	430	340
	140	63	440	1004
	150	2493	450	1003
0	160	1103	460	993
	170	4579	470	438
•	180	2755	480	425
	190	1419	490	395
	200	1519	500	993
0	210	1417	510	985
	220	729	520	339
•	230	229	530	1005
	240	63	540	1004
-	250	1207	550	987
	260	2109	560	993
	270	3706	570	340
	280	4430	580	1006
	290	3192	590	1005
•	300	3626	600	993
•				Continued >

	■ Dislocat	necksum continued	NE WATER	
•	Line Number	Checksum	Line Numbe	er Checksum
•	610	438	1310	63
9	620	425	1320	1645
	630	489	1330	2208
9	640	2355	1340	2649
	650	256	1350	2616
	660	98	1360	1826
	670	1008	1370	1632
	680	63	1380	3675
9	690 700	1253	1390 1400	2467 2345
9	710	2680 3738	1410	6067
	720	1579	1420	6919
9	730	4289	1430	5596
	740	230	1440	1707
7	750	63	1450	617
D	760	4362	1460	230
1	770	63	1470	63
	780	1309	1480	994
	790	1991	1490	1665
)	800	1329	1500	3788
	810	1720	1510	1607
	820	767	1520	402
D	830	1914	1530	63
)	840	230	1540	2290
,	850	63	1550	5427
)	860 870	1761	1560	230
	880	1082 3698	1570 1580	63 1198
)	890	347	1590	1720
•	900	2649	1600	010
,	910	5317	1610	63
)	920	1220	1620	1299
	930	617	1630	4250
)	940	348	1640	828
	950	1299	1650	63
)	960	230	1660	1915
)	970	63	1670	250
	980	2805	1680	3422
)	990	1573	1690	4181
	1000	1549	1700	1462
)	1010	1601	1710	63
)	1020	1632	1720	984 250
	1030	3450	1730	
)	1040	3099	1740 1750	1412 1565
	1060	2374 1936	1760	001
,	1070	3245	1770	63
)	1080	1243	1780	999
	1090	3774	1790	3532
)	1100	1787	1800	3027
	1110	1790	1810	230
1	1120	1854	1820	63
1	1130	1545	1830	3232
	1140	1715	1840	1596
	1150	2144	1850	811
	1160	1289	1860	63
	1170	1069	1870	1948
	1180	1353	1880	805
	1190	63	1890	730
	1200	1860	1900	1064
	1210	250	1910	63
	1220	4445	1920	936
	1230	2804	1930	1366
	1240	5442	1940	63
	1250	7073	1950	1474
	1260	6511	1960	31/3
1	1270	3636	1970	3378
	1280	2499	1980	1744
	1000			
	1290	1299	1990	2855
	1290 1300	1299 230	2000	2091

See 'On the Transfer List', page 137

_					_
	■ Disloc	checksum cor	ntinued		
	Line Number	Checksum	Line Number	Checksum	-
	2010	743	2470	389	
	2020	1110	2480	63	-
-	2030	3499	2490	939	0
	2040	687	2500	1297	
	2050	242	2510	63	_
	2060	230	2520	1325	
-	2070	63	2530	1877	
	2080	1799	2540	1910	0
	2090	1544	2550	389	-
	2100	63	2560	63	-
	2110	997	2570	1326	
-	2120	1887	2580	1881	-
	2130	2003	2590	1914	
	2140	1988	2600	389	-
	2150	1956	2610 2620	63	0
	2160	1968	2630	1121	-
	2170	2073	2640	2033	-
	2180	835	2650	1986	
	2190	63	2660	2028	
	2200	1445 2002	2670	2010	0
	2210 2220	389	2680	1789	
	2230	63	2690	63	•
	2240	1202	2700	697	
	2250	1922	2710	1948	
	2260	1961	2720	1985	•
	2270	1693	2730	2022	-
	2280	63	2740	1752	0
	2290	1118	2750	63	
	2300	1877	2760	698	_
	2310	1899	2770	1913	
	2320	389	2780	1967	
	2330	63	2790	830	0
	2340	1120	2800	63	•
	2350	1865	2810	1191	_
	2360	1973	2820	836	
	2370	1947	2830	63	-
	2380	1958	2840	1376	•
	2390	1988	2850	1842	
	2400	848	2860	1865	-
	2410	63	2870	1875	
	2420	938	2880	1831	
	2430	1888	2890	1897	0
	2440	1925	2900	1882	-
	2450	1962	2910	1131	•
	2460	1991			
					_

•	Listing 1. Enables Basic programs to be edited using Wordwise. For B +, alter checksum value	•
•	in line 120 from 22512 to 22498. This is because the program accesses vectors in page &2, the	
•	contents of which differ between the B and B +	
•	10 REM Wordwise Edit	
•	20 REM by Neil Gordon 30 REM for BBC B/B+ with Wordwise 40 REM (c) Acorn User September 1985	•
•	50 : 60 PROCinit	•
•	70 PROCassemble	•
•	90 REM Checksum 100 T%=0	
•	110 FOR XX=&COO TO PX-1:TX=TX+?XX:NEXT 120 IFTX<>22512 CLS:PRINT"Checksum err	•
9	or - please check":END	•
9	140 PROCkeys 150 END	•
•	160 : 170 DEF PROCinit	•
•	180 topH=&13:pageH=&18 190 wwpointerL=&78:wwpointerH=&79	•
•	200 wrpointerL=&84:wrpointerH=&85 Continued ►	

_		-
0	■ Wordwise editor continued	
	210 rdpointerL=&86:rdpointerH=&87	
•	220 ysave=&88:blankflag=&89	
	230 oswrchL=&20E:oswrchH=&20F 240 osrdchL=&210:osrdchH=&211	
	250 osbyte=&FFF4:oscli=&FFF7	
•	260 ENDPROC	
-	270 :	
•	280 DEF PROCassemble 290 FOR PASS=0 TO 3 STEP 3	•
	300 P%=&C00	
	310 COPT PASS	
	320 \ Basic to Wordwise	
	330 .btwinit	
	340 \ Intercept OSwrch	•
•	350 LDA #wrch MOD 256 360 STA oswrchL	
	370 LDA #wrch DIV 256	
	380 STA oswrchH	
	390 LDA topH	
•	400 CLC	•
-	410 ADC #1 420 STA wrpointerH	
	430 STA rdpointerH	•
	440 LDA pageH	•
	450 ADC #3	
	460 CMP wrpointerH	
	470 BMI oktop	
	480 STA wrpointerH 490 STA rdpointerH	•
	500 .oktop	
	510 LDA #0	•
	520 STA wrpointerL	•
	530 RTS	
•	540 Prestore 550 LDA #?oswrchL	•
	560 STA oswrchL	
	570 LDA #?oswrchH	•
	580 STA oswrchH	
	590 RTS	
	600 .btwcopy 610 LDA wrpointerL	
	620 SEC	
•	630 SBC #11	•
	640 STA wrpointerL	
	650 BCS samepage	
	660 DEC wrpointerH	
	670 .samepage 680 LDA #0	
	690 STA rdpointerL	
	700 LDY #3	
•	710 STA (rdpointerL),Y	
	720 TAY \ (zero)	•
	730 .loop 740 LDA (wrpointerL),Y	
	750 BEQ donemove	
	760 LDX wwpointerL	
	770 BNE okww	
	780 DEC wwpointerH 790 .okww	
	800 DEC wwpointerL	
	810 STA (wwpointerL),Y	
100	820 LDX wrpointerL	
	830 BNE okwr	•
	840 DEC wrpointerH	
-	850 .okwr 860 DEC wrpointerL	•
	870 JMP loop	
	880 .donemove	
	890 RTS	•
	900 .wrch	
	910 CMP #&A 920 BEQ end	
	930 STY ysave	
	940 LDY #0	
	950 STA (wrpointerL),Y	
	960 INC wrpointerL	
0	970 BNE skip	0
•	980 INC wrpointerH 990 .skip	
	1000 LDY ysave	•
	1010 .end	
	1020 RTS	
0	1030 \ Wordwise to Basic	•
	1040 .wtb	
	1050 LDA wwpointerL 1060 STA rdpointerL	0
	Continued ►	
_		

See 'Commenting on View', page 141

```
0
                                                                -

■ Wordwise editor continued
-
                                                                1070 LDA wwpointerH
        1080 STA rdpointerH
0
                                                                •
        1090 LDA #0
        1100 STA blankflag
0
                                                               -
        1110 LDA #rdch MOD 256
        1120 STA osrdchL
.
        1130 LDA #rdch DIV 256
                                                               •
        1140 STA osrdchH
.
        1150 RTS
                                                               -
        1160 .rdch
0
        1170 STY ysave
                                                               0
        1180 LDY #0
.
        1190 LDA (rdpointerL), Y
        1200 CMP #129
-
        1210 BEQ finish
                                                               .
        1220 CMP
                   #8<sub>D</sub>
        1230 BNE negreturn
.
                                                               -
        1240 STY blankflag
0
        1250 JMP newpointer
                                                               .
        1260 .negreturn
1270 CMP #32
1280 BNE negblank
.
                                                               -
        1290 LDA blankflag
.
                                                               .
        1300 JMP newpointer
        1310
              .negblank
CMP #ASC("0")
.
                                                               .
        1320
        1330 BMI okblank
0
                                                               -
        1340 CMP #(ASC("9")+1)
        1350 BMI newpointer
-
                                                               .
        1360
              . okblank
        1370 LDY #32
.
                                                               6
        1380 STY blankflag
        1390 .newpointer
.
                                                               •
        1400 INC rdpointerL
        1410 BNE exit
-
                                                               .
        1420
              INC rdpointerH
        1430 JMP exit
•
                                                               .
        1440
              .finish
        1450 LDA #?osrdchl
0
                                                               0
        1460 STA osrdchL
        1470 LDA #?osrdchH
.
                                                               .
        1480 STA osrdchH
        1490 TYA
0
                                                               0
        1500 .exit
        1510 LDY ysave
0
                                                               .
        1520 CLC
        1530 RTS
.
                                                               0
        1540
        1550 NEXT PASS
-
                                                               6
        1560
              ENDPROC
        1570
0
                                                               .
        1580 DEF PROCkeys
        1590 DIM A 250
0
                                                               .
        1600 X%=A MOD 256
        1610 Y%=A DIV 256
0
                                                               .
       1620 B$=STRING$(200," ")
1630 B$="KEYO!UMO.7!ML.01!M"
       1640 B$=B$+"CA."+STR$(btwinit)+"!ML.!M"

1650 B$=B$+"CA."+STR$(restore)+"!M"

1660 B$=B$+"*W.!MN*B.!M"

1670 B$=B$+"CA."+STR$(btwcopy)+"!M"

1680 B$=B$+"*W.!MY!["
0
                                                               .
.
                                                               .
.
        1690 B$=B$+"!!!N!!#!!!D!!%!!#!!!N!!, |A!
.
      110"
                                                               0
       1700 $A=B$
       1710 CALL oscli
1720 B$="KEY1!!!O"
8
                                                               -
       1730 B$=B$+":[*B.;M"
1740 B$=B$+"*FX225,1;M"
0
                                                               0
.
       1750 B$=B$+"CA."+STR$(wtb)+"!M"
                                                               .
       1760 $A=B$
0
       1770 CALL oscli
                                                               0
       1780 ENDPROC
0
                                                               0
```

```
.
        Listing 1. David Andrews' ViewSuite program
                                                                            0
             10 REM ViewSuite
.
            20 REM by David Andrews
30 REM BBC B/B+ DFS and View
40 REM (c) Acorn User September 1985
                                                                            .
0
                                                                            0
             50
6
             60 DN ERROR GOTO 1410
                                                                            .
             70 MODE
         Continued >
                                                                            0
```

```
✓ ViewSuite continued

.
                                                                      .
              BO DIM buf% 50,buffer%&200,readcat&50 90 oscli%=&FFF7
0
                                                                      0
             100 :
             110 *FX 18
120 *FX 12
130 :
                                                                      -
             140 REM if no dummy, move REM from
150 REM line 180 to line 170
0
                                                                      0
.
             160
                                                                      0
              170 PROCoscli("KEY9*DR.O:MLOAD dummy:M
           *DR. "+STR$ (D%) +" : M*KEY9: M")
.
                                                                      0
             180 REM*KEY9NEW!M*KEY9!M
             190
.
                                                                      200 PROCintro
             210 PROCmakecode
.
                                                                      -
             220
                  CALLreadcat
             230 PROCdecode
-
             240
                                                                      -
             250 REM display catalogue
             240
.
                                                                      -
             270 PROCoscli("DR."+STR$(D%))
             280 @%=2:T%=0:size%=0:safe=FALSE
.
                                                                      0
             290 PRINT
.
                                                                      0
             310 N%=DPENIN name$(Z%)
320 size%=size%+EXT#N%
•
             330 IF name$(Z%)="$.S-A-F-E" THEN safe
                                                                      0
          =TRUE
             340 F%=BGET#N%
.
                                                                      0
             350 IF F%=128 THEN PROCprint
             360 CLOSE#N%
0
                                                                      0
             370 safe=FALSE
380 NEXT
-
                                                                      0
          390 PRINT STRING$(79,"_")'"Drive ";D%;
400 PRINTTAB(32)"Total files ";E% TAB(
63)"Space used ";(size%+500)DIV1000;"k"
0
                                                                      0
             410 INPUT"Which numbered file "file%
420 IF file%>T% THEN VDU7,11:PRINTSPC(
0
                                                                      .
          30):VDU11:GOTO 410
430 IF file%=0 THEN RUN
0
                                                                      .
             440 N%=EXT#OPENIN name$(file%-1)
             450 CLOSE#0
460 IF N%>9500 THEN MODE 7
-
                                                                     .
             470 PROCoscli("KEY9LOAD "+name$(file%-
.
          1)+" | M*KEY9 | M")
            480 PROCView
490 END
0
                                                                     .
             500
.
                                                                     .
             510 DEF PROCintro
             520 CLS
            530 PRINTTAB(26,8)"1 Catalogue of Fil
.
                                                                     .
          es'
            540 PRINTTAB(26,10)"2 VIEW Word Proce
0
            550 PRINTTAB(28,13) "which option ... "
.
                                                                     .
            560 IF GET=50 THEN PROCVIEW: END ELSE C
0
                                                                     .
            570 PRINTTAB(29,8)"Catalogue of Files"
580 PRINTTAB(29,9)STRING$(18,"_")
590 PRINTTAB(29,11)"Current drive"SPC(
0
0
          4) : D%:
                                                                     .
            600 PRINTTAB(29,13) "New drive"SPC(8):
            610 drive%=GET-48
620 IF drive%>-1 AND drive%<4 THEN D%=
.
                                                                     -
          drive%:PRINT;D%:PROCoscli("DR."+STR$(D%)
0
                                                                     0
          ELSE PRINT: D%
            630 PRINTTAB(25,20)".. assembling cata
.
                                                                     •
          logue
            640 ENDPROC
.
            650
                                                                     0
            660 DEF PROCoscli(cline*)
.
            670 $buf%=cline$
                                                                     0
            680 X%=buf%
690 Y%=buf% DIV 256
.
                                                                     700 CALL oscli%
             710 ENDPROC
0
                                                                     720 :
            730 DEF PROCview
740 PROCoscli("KEYO*DR.O!M*TY.help!M*D"+STR$(D%)+"!M")
.
                                                                     0
.
            750 *KEY18CREENIM
760 *KEY28AVE S-A-F-E!M*FX3,3!M*A.8-A-
                                                                     .
          F-E LIM*FX4,21M*FX3,01M
.
                                                                     .
             780 REM if no printer/driver, then
0
                                                                     0
             790 REM delete lines 810 and 850
.
                                                                     .
          B10 PROCoscli("KEY3*DR.O!MPRINTER DAIS
Y!M*DR."+STR*(D%)+"!M")
.
                                                                     .
            820 *KEY100LD:MMODE3:M
          Continued >
```

0

TOP OF THE LIST

```
.
                                                                             0

◀ ViewSuite continued

.
               830 *KEY11*A.S-A-F-E:MSAVE S-A-F-E:M*A
                                                                             .
               S-A-F-E LIM*FX4,01M
               840 *FX 138,0,137
 0
                                                                             .
               850 *FX 138,0,131
               860 *FX 12,6
                                                                             .
               870 *FX 11,15
               890 REM If "help" is needed each time
900 REM VIEW is entered, delete REM
910 REM in line 930
                                                                             6
.
                                                                             .
               930 REM *FX138,0,128
-
                                                                             .
               940 *WORD
               950 ENDPROC
-
                                                                             .
               960
               970 DEF PROCmakecode
.
                                                                             .
              980 osword=&FFF1
990 FOR Z%=0 TO 2 STEP2
                                                                             .
              1000 P%=readcat
             1010 COPT Z%
-
              1020 LDA #&7F
                                                                             .
             1030 LDX #blk MDD 256
1040 LDY #blk DIV 256
.
                                                                             .
             1050 JMP osword
.
             1070 ?P%=D%:P%!1=buffer%:P%?5=3:P%?6=&5
•
             1080 P%?7=0:P%?8=0:P%?9=&22:P%?10=0
             1090 NEXT
1100 ENDPROC
             1110
0
                                                                             -
             1120 DEF PROCdecode
             1130 E%=(buffer%?&105)/8
1140 DIM name*(E%-1)
0
                                                                             -
             1150 FOR Z%=0 TO E%-1
1160 FOR Y%=0 TO 6
-
                                                                             .
              1170 name$(Z%)=name$(Z%)+CHR$(buffer%?(
            Y%+B*(Z%+1)))
                                                                             .
             1180 NEXT
             1190 G%=buffer%?(Y%+8*(Z%+1))
1200 IF G%>127 THEN G%=G% AND &7F
1210 name*(Z%)=CHR*(G%)+"."+name*(Z%)
                                                                             .
0
                                                                             0
             1220 NEXT
             1230 ENDPROC
1240
             1250 DEF PROCprint
             1260 IF T%=0 THEN CLS
1270 name$(T%)=name$(Z%)
                                                                             1280 IF safe THEN PRINT STRING$(79,"=")
1290 PRINT T%+1 TAB(3)name$(T%)TAB(13);
1300 PTR#N%=PTR#N%+2
0
                                                                             -
1310 FDR C%=1 TO 63
             1320 F%=BGET#N%
-
             1330 IF F%=13 THEN C%=64 ELSE PRINT CHR
                                                                             .
           $(F%)
                                                                             0
            1350 PRINTTAB(77) (EXT#NX+500)DIV 1000
1360 IF safe THEN PRINT STRING$(79,"=")
1370 TX=TX+1
1380 IF TX=20 THEN VDU7:PRINT'".. ANY k
PY to CONTINUE ..":IF GET THEN VDU11:PRI
-
                                                                             .
-
           NTSPC (27): VDU11,11
1390 ENDPROC
                                                                             1400
             1410 ON ERROR OFF
                                                                             0
             1420 CLOSE#0
1430 MODE 7
                                                                             0
             1440 REPORT: PRINT" at line "; ERL TAB(0,
           10) "Program dead - SHIFT/BREAK to restar
0
                                                                             0
.
                                                                             -
            1460 END
```

```
Listing 2. Modifications for use with Disc Doctor's
.
           SWAP format
                                                                                      .
           35 REM plus Disc Doctor SWAP files
315 IF name$(Z%)="!.!!!!!!"THEN size%
=size%+512:GOTO360
                                                                                      .
               385 IF ?&E00=42 THEN S%=?&E01 ELSE S%=
              395 PRINT" "CHR$(S%);:IF S%<>32 THEN P
           S95 PRINT" "CHR$(S%);:IF S%<>32 THEN PRINT" (*SWAP format)";
595 PRINT" "CHR$(S%)
596 Y$="":IF S%<>32 THEN PRINTTAB(29,1
3)"Swap files (Y) ";:Y$=GET$:IF Y$="Y" P
                                                                                      0
                                                                                      6
              597 IF Y$<>"Y" THEN GOTO 600
.
                                                                                      .
               598 *SWAP
```

With a little help from my Clone

TOP of the List returns this month with a useful little utility from J Clarke.

Clone allows you to make a copy of a file on the same disc, something most disc filing systems are unable to cope with. The listing is written in assembly language but includes a checksum which will inform you of any mistakes. If all is well the program will save the machine code to your disc under the filename CLONE. It's worth keeping a copy of the source program itself in case you want to make any modifications at a later stage. Call this S.CLONE.

To use the utility simply insert the disc and type:

*CLONE < afsp1> < afsp2>

where <afsp1> is the file you wish to clone and <afsp2> is the name of the new file.

The program works by reading and writing 255 bytes at a time from one file to the other. File attributes are also copied, so if the original program is locked, the cloned program will be as well.

*CLONE is a useful utility for sideways RAM users to add to their répertoire. No doubt you'll even be cloning Clone!

```
.
   Clone makes a copy of a file on the same disc
0
                                           0
             10 REM Clone
8
             20 REM by J. Clarke
            30 REM for BBC/Elec
                                           -
         tron with Plus 3
0
            40 REM (c) Acorn Us
                                           -
            Sept. 1985
.
                                           0
            50 :
             60 asc=&80
-
                                           0
            70 pblock=&70
0
            80 FOR T%=0 TO 2 ST
         EP2
0
            90 P%=&900
.
           100 :
           110 COPT T%
                                           0
           120 .enter
6
           130 LDA #1
                                           .
           140 LDX #&80
                                           -
           150 LDY #0
           160 JSR &FFDA
                                           .
           170 LDY #0
0
                                           .
           180 .loop0
0
           190 LDA (&80),Y
                                           0
           200 STA readname, Y
0
                                           0
           210
               INY
           220 CMP #&OD
                                           230 BEQ error
0
                                           6
           240 CMP
                    #&20
           250 BEQ ng
-
                                           260 CPY
                    #12
           270 BNE 100p0
                                           0
           280 DEY
-
                                           -
           290
                . ng
.
           300 LDA #&OD
                                           .
           310 STA readname, Y
                                           0
           320 LDX #0
0
                                           .
           Continued >
0
```

-		-
•		
	◀ Clone listing continued	
•	330 .loop01	
	340 LDA (&80),Y 350 STA writename,X	•
	360 INX	
	370 INY 380 CPX #12	
•	390 BEQ error	•
•	400 CMP #&OD	•
•	410 BNE loop01 420 JMP open	•
	430 .error	•
•	440 BRK	•
	450 J 460 ?P%=0:P%=P%+1	•
•	470 \$P%="Syntax: CLO	
•	NE <afsp> <afsp>" 480 P%=P%+LEN(\$P%)</afsp></afsp>	
•	490 EDPT T%	
	500 BRK	
•	510 .open 520 LDA #&40	•
•	530 LDX #readname MD	•
•	D256 540 LDY #readname DI	•
•	V256	•
0	550 JSR &FFCE	
•	560 STA rhandle 570 CMP #0	•
	580 BEQ nofile	
•	590 LDA #&80 600 LDX #writename M	
•	OD256	
•	610 LDY #writename D	
	IV256 620 JSR &FFCE	
	630 STA whandle	•
•	640 .main 650 .loop2	•
•	660 CLC	•
0	670 LDY rhandle	•
•	680 JSR &FFD7 690 BCS atts	•
•	700 LDY whandle	•
•	710 JSR &FFD4 720 JMP loop2	•
•	730 .atts	•
•	740 LDA #0	
	750 LDY #0 760 JSR &FFCE	
•	770 LDA #readname MO	
100	D256	•
•	780 STA pblock 790 LDA #readname DI	•
•	V256	•
•	800 STA pblock+1 810 LDX #pblock MOD2	•
•	56	•
•	820 LDY #pblock DIV2	•
•	56 830 LDA #5	•
•	840 JSR &FFDD	
	850 LDA #writename M	
	Continued >	

```
◄ Continued
0
                                        .
        OD256
          860 STA pblock
          870 LDA #writename D
        IV256
          880 STA pblock+1
          890 LDA #1
          900 JSR &FFDD
          910 .cl
          920 LDA #0
0
          930 LDY #0
                                        .
          940 JSR &FFCE
          950 RTS
          960 .nofile
          970 JSR c1
          980 BRK
          990 ]
         1000 ?P%=0:P%=P%+1
         1010 $P%="File not fo
-
        und"
         1020 P%=P%+LEN($P%)
         1030 COPT T%
         1040 BRK
         1050 .message
         1060 .rhandle
         1070 BRK
         1080 .whandle
         1090 BRK
         1100 .readname
         1110 BRK
.
                                        0
         1120 ]
         1130 :
         1140 writename=P%+15
         1150 NEXT
.
         1160 :
         1170 REM Checksum
         1180 tot%=0
         1190 FDR X%=&900 TD (
        P%-1)
         1200 tot%=tot%+?X%
1210 NEXT
         1220 IF tot%<>22423 P
                                        .
        RINT"Checksum error -
        please check listing":
        END
.
         1230 :
         1240 DIM oscli% 40
         1250 $oscli%="SAVE CL
        DNE 900 "+STR$~(P%+1)+
        " FFFF0900 FFFF0900"
         1260 X%=oscli%: Y%=osc
.
                                        .
        1i% DIV 256
         1270 CALL &FFF7
                                        .
```

Don't forget all listings are available on our monthly cassette and in bar code format – see pages 96 and 113 for details.

PLUS you can ensure you've typed the listings in correctly by sending off for our checksum booklet – details on page 101.

Blasts from the past!


The two bar code listings this month are from the bad old pre-bar code days.


Listing 1 is from the September 1984 issue and is a two line mode 0 screen dumper! Supplied by Mr Beeston it will dump a mode 0 screen to an attached printer in under five minutes.


Listing 2 comes from the June 1984 issue and allows you to auto-run your Basic programs. Simply RUN the program: the machine code is saved behind the REM in line 0. Delete lines 10 to 160. Add line 0 to the start of your programs and *SAVE them with:

*SAVE < name > < PAGE > < TOP > < PAGE + 6 >

where name is the filename, PAGE is the hex value of PAGE and TOP is the hex value of TOP, ie, PRINT ~ PAGE, ~ TOP







BAR CODES will revolutionise the way we use computers in applications as well as the way we load data. Here is the chance to get experience of this important development by ordering the Addison Wesley/MEP Bar Code Teaching Pack (see our January issue, page 129) direct through *Acorn User*.

These BBC micro bar code readers are being offered to schools first and versions will not be available to the public in the shops until later in the year – when they will certainly cost more. However, because of its active involvement in the scheme *Acorn User* is able to offer the Teaching Packs direct to readers at the introductory price of £49.95 plus £2.95 post and packing (plus VAT).

Acorn User will be printing some listings in bar code format in each issue and making booklets of bar codes available by mail order.

Book publishers are already printing listings in bar code format, in fact Bruce Smith's latest book *The BBC Micro Machine Code Portfolio* has 13 pages of bar code listings.

So, to stay ahead of the latest development in computers and education, send off for a pack from Acorn User today. See page 103 for offer of magazine listings in bar code format.

The pack includes:

- *bar code reader
- ★explanatory booklet written by Acorn User author George Hill
- *software to print bar codes
- ★music program by Joe Telford
- *bar code stencil

★disc or cassette of utility software

Note to disc users: the disc supplied is 40 track —

however, if you order the cassette, there are instructions on how to transfer the software to 40 or 80 track discs.

Please state disc or cassette version.

All for £60.84 including VAT and £2.95 postage, (£52.90 excluding VAT).

Make your cheque payable to Redwood Publishing, fill in the form below and send it to Bar Code Offer, Redwood Publishing, 68 Long Acre, London WC2E 9JH

	Howard abiliting, oo Long Acre, London Woze 50H.
The state of the s	Please send me
	Name
	Address
	Post code
i	I enclose a cheque/PO payable to Redwood Publishing for £
1	Signed
1	Date
	Send this form with your remittance to Bar Code Offer, Redwood Publishing, 68 Long Acre, London WC2F 9.1H

4 SUPERB PROGRAM PRODUCTS

GAMEMAKER

animation made simple

The animation package for both BBC MICRO and ELECTRON.

DESIGN multi-coloured shapes and figures in varying sizes from 2 x 1 pixels up to 16 x 24 pixels using our superb menudriven designer program. It includes an animation tester and a file library system.

This designer program is one of the best on the market but is only the start of GAMEMAKER's facilities.

CONTROL your images from your game or animation program with 11 new simple 'BASIC' like commands: (*GMp - paint image). Just *RUN an image file at the start of your program and these commands are available through hidden machine code routines that the designer program places in each image file. They provide High-Speed Movement, Automatic Animation, Collision Detection and many other

LEARN quickly how to use GAMEMAKER whatever your skill level via a 44 page User Guide and a FREE teaching program that shows examples of various animation and image

Supplied on tape the GAMEMAKER package includes a program to create a disk copy.

Available now GAMEMAKER 2

GAMEMAKER5 the Mode 2 version £12.99 the Mode 5 version £12.99

Special offer of both versions for only

Sideways RAM Information System

A private viewdata system inside your BBC MICRO.

This new information system ROM enables you to keep all your vital data in Sideways RAM, available at a key press 'whilst another job is running'.

Yes — interrupt a job, look up your data, then press another key and the machine continues where it left off.

When you are busy programming, word processing, printing, accounts etc, you often need to reach for a reference book. WINDOW turns your Sideways RAM into your own instant reference database.

WINDOW is a viewdata system (like CEEFAX/ORACLE). You create TELETEXT pages of your own data with the designer and combine the pages into WINDOW files. At switch on you load the files you wish depending on how much Sideways you have or allocate to WINDOW.

On interrupt an index p100 shows all pages available. Key the page number and access is immediate, press another key and your job is 'unfrozen' and continues.

Many functions including: NOTEPAD — write a memo. ALARM CLOCK — set an interrupt alarm. BULLETIN BOARD - an automatic page display system.

Works (with slight variations) with all Sideways products and is Tube compatible (not Torch 2nd proc). Supplied as a 16K ROM and 40/80 disk (8271

compatible).

Available now

Computers Ltd.,

P.O. Box 17 Bingley, West Yorkshire BD16 3JO.

JUKI 6100 printer toolkit

The complete toolkit ROM for all users of the superb JUKI 6100 daisywheel printer.

Contains:-

* A page processor that allows single page word processing with full use of every JUKI 6100 facility. On screen you see the page exactly as will be printed including spacing (10/12/15/PS), underlining, bold, shadow, half-lines, graphic mode etc.

Extra facilities include double height characters and the ability to mix spacings within a document (e.g. PS and 10) and the ability to process pages 'landscape', turned sideways.

- * A typewriter program with all the above facilities but no screen display, you have direct control of the printer from the keyboard. This converts your system into a powerful electronic typewriter which is ideal for those messy small jobs such as envelopes and insertions etc.
- * A screen dumper that allows you to dump part or all of the screen in all modes.
- * Printer drivers for View and Wordwise.

This 16K ROM is a new HOLLY product.

Available August 1985

a ROM to rule all ROMs

The perfect ROM manager for full control of the power of your sideways ROM/RAM area.


Contains:—

- * A Status page showing the title of all ROMS and their positions (ROM sockets).
- * An Isolator to enable you to 'switch off' any ROM. This avoids collisions between ROM commands and is maintained even through Soft or Hard Breaks.
- * A Selector to choose and hold a particular ROM socket.
- * A Copier to load into a ROM from normal RAM or to load normal RAM with the contents of a ROM.
- * An Analyser to peek into a ROM header showing title, copyright message and all service calls answered along with the locations jumped to.

This 8K ROM is another new HOLLY product.

Available August 1985

Send for free hardware/software catalogue



One for all

m

255

ner

a

nto

OU

ner

OLL

lys

er

RD

ts

nc.

Ms

ull

eir

ed

ad

th

assembler buffs

will be ASSEMBLER buffs verv interested in the following submission by Mr Waddington of Leeds, who supplies an EQU function that allows you to generate floating point constants in the same way EQUB, EQUW and EQUD do (listing 1). The FN definition is a little involved as there is no floating point indirection operator. It operates by relying on the fact that the variable descriptor block for each argument is on the stack while the function is operating, as Mr Waddington explains.

The address of the floating point value can be extracted and used to copy the value to a fixed location. The state of the stack when the double indirection of line 80 is being evaluated is:

Top: 0 DescriptorforI% (fromI% =)

4 Descriptor for 1% (from LOCAL

LOCAL)

8 Global value of 1%

- 12 Descriptor for OPT%
- 16 Global value of OPT%
- 20 Descriptor for value
- 24 Global value of value
- 29 Pre-existing stack entries

The 16-bit address of the value is in the first two bytes of its descriptor and thus lies at STACK + 20. This address is obtained in the local variable 1%, and used to copy five bytes across to the current code pointer using the conventional indirection operators.

10 REM Floating point pseudo-op 20 REM for BASIC embedded assembler 30 REM BBC Micro and Electron 40 REM (C) Andrew Waddington 6/7/85 60 DEF FN_EQUF(value,OPT%)
70 LOCAL I%
80 I%=!(((!4)AND&FFFF)+20)AND&FFFF 90 !P%=!I% 100 P%?4=I%?4 110 P%=P%+5 120 IF OPT%>3 0%=0%+5 140 150 REM Use as I 160 COPT PASS% .root2:OPT FN_EQUF(1.4142, PASS%) 180 J:REM etc.

Listing 1. Generating floating point constants

A routine for assembler buffs, a tip for Epson printer owners, and musical function keys are the topics in Bruce Smith's forum

Funk-tion keys

VIEW users might be interested to learn that it is quite easy to program music into the function keys using a series of *FX commands. The commands can be typed in directly in command mode, or better still form part of a !BOOT file.

*K.O *FX213,100|M|G *K.1 *FX213,108!M!G *K.2 *FX213,116|M|G *K.3 *FX213,120!M!G *K.4 *FX213,128!M!G *K.5 *FX213,136!M!G *K.6 *FX213,144!M!G *K.7 *FX213,148!M!G *K.8 *FX213,156!M!G *K.9 *FX213,164!M!G

Use *FX commands to program music into the function keys

Simply press the function keys in Command mode to hear the muzak! Thanks to Orlando for this one!

25

Coming to

your ADE

USING the ADE editor frequently has caused J E Bowen of Birkenhead to investigate a method of using the function keys just as you would in Basic. Over to Mr Bowen.

Normally the function keys, alone or with Shift, give various commands.

However, using CTRL with the function keys does not give anything specific, but it is possible to use this combination to produce character or command strings.

To do this it is necessary to use the command *FX 227,1. You can then program the function keys in the normal way

When using the function keys for

commands the sequence | should be used for Escape in a similar way to IM in Basic.



Descender on

the up

STEPHEN Allen from Moreton-in-Marsh has a useful program for Epson owners. He writes.

After having used my Epson FX80 printer for a long time I found that the descenders were becoming very faint. I was told by a dealer that this was because the replacement ink cartridge

```
10 REM " EPSON Descenders "
   20 MODE 7
   30 VDU 2
   40 REPEAT
  50 READ value
60 IF value = 99 THEN GOTO 80
70 VDU 1,value
80 UNTIL value = 99
90 FOR loop = 1 TO 5
100 VDU 1,27,1,71
110 PRINT STRING*(80, "A")
120 VDU 1,27,1,72
130 PRINT STRING*(10, "AAAAypqg")
140 NEXT
150 VDU 3
180 DATA 13,27,33,2,27,58,0,0,0,27
181 DATA 37,1,0,27,38,0,65,65,10,3
182 DATA 3,3,3,3,3,3,3,3,3,99
```

Listing 2. Exercises for your printer pins

was not made by Epson, and contained ink of a different consistency. The problem was caused by the ninth pin, which is only used with descenders, which was sticking.

To solve this problem I wrote a short routine (listing 2) to re-define the letter 'A' so as only to use the bottom two pins. The program then prints the letter A' which exercises the ninth pin and so stops it sticking. Now whenever the descenders start disappearing I run the program a few times until they come back again.


Beeb Forum is a platform for ideas, tips and applications relating to the BBC micro and the Electron, intended for experienced programmers to share their thoughts. For every reader's tip published we pay £5 - or more for something special. Contributions should be typed or printed, with substantial listings on cassette. WRITE TO Beeb Forum, Acorn User, Redwood Publishing, 68 Long Acre, London WC2E 9JH.

Electronequip

(Authorised BBC Micro Dealer, and Econet service centre)

NORDMENDE

14" TV/Monitor £199.00 inc VAT



Remote version £229.95 inc VAT Offer includes RGB/BBC cable 12" GREEN SCREEN £69.00 inc VAT

SOFTWARESALE

most ACORNSOFT £2.99 inc VAT most OTHERS £1.99 inc VAT

VOLTMACE JOYSTICKS

★10% off list prices



SIDEWISE

SIDEWISE FITTED



"SIDEWAYS" rom board for BBC Micro.
No soldering required £39.33 inc VAT




800K SWITCHABLE DISC DRIVE WITH PLINTH AND ACORN DNFS ONLY £409.00 inc VAT.

400K SWITCHABLE DISC DRIVE + ACORN DNFS ONLY £229.95 inc VAT

COMPREHENSIVE ROM/SPARES CATALOGUE
AVAILABLE. PLEASE PHONE


Buy this superb TV/Monitor from the original distributors (since Sept '82)



DISC BOXES

30 Disc	Box	 6.90
40 Disc	Box	 .13.80
45 Disc	Box	 . 18.95
90 Disc	Box	 .25.30

MODEMS



DUST COVERS


FX80	5.29
KP810	4.60
BBC Micro	4.14
Microvitec	6.10
PW 1080A	4.60

RX80 F/T 5.35

LISTING PAPER 11 × 9.5" with micro perforations. £7.50 per 1000

TAXAN/KAGA KP810

£289.00 inc VAT




Printer price includes paper and BBC interface cable. Screen dump rom available for £13.22

MAIL ORDER ONLY THIS ITEM

*EPSON

RX-80FT £258.75 inc VAT

FX-80 £377.20 inc VAT



BRANCHES

MAIL ORDER: 36-38 WEST STREET FAREHAM, HANTS. (0329) 230670 SHOP/TECHNICAL: 59 WEST STREET FAREHAM, HANTS. (0329) 230671

KINGS LYNN: 17 TENNYSON AVE. (0553) 3782

Postage 46p. Securicor £4.90 (per parcel) inc VAT. ALL PRICES INCLUSIVE OF VAT.

Prices subject to variation without prior notification

All Offers subject to availability TRADE, EDUCATIONAL & HMG ORDERS (Phone for discounts)

Large Stocks - 24 Hour Despatch

MAIL ORDER ENQUIRIES TO BELOW OFFICE



Electronequip

36-38 West Street, Fareham, Hants (0329) 230670







RELOCATION SCHEME

Adapt your software to use the

second processor's extra memory

with Peter Higginbotham's program

T FIRST sight, the addition of a 6502 second processor with its 64k of RAM would seem to provide as much memory as anyone could reasonably ask for. Closer inspection, however, reveals that things are not as simple as they seem, particularly when it comes to actually being able to make full use of all that extra memory.

VAT

Let's take Basic as an example of how things work. When you run standard Basic with the second processor, the Tube operating system copies the 16k Basic ROM across from the main machine to the corresponding memory locations in the second processor (addresses &8000 to &BFFF). After subtracting the 2k of second processor memory which is by the Tube, and the bottom 2k which is used for language and system workspace, the user is left with 30k of memory below Basic and 14k above, giving 44k in total. Memory for the screen display, input/output operations, etc, is, of course, now all taken care of by the main machine now termed the I/O processor.

Having our memory in two separate chunks is not particularly convenient, although in the case of Basic you use the upper chunk for storing variables by setting LOMEM and HIMEM to &C000 and &F800 respectively. A much more satisfactory answer would be to move Basic up to the top of memory, so that our 44k is in one continuous block. Enter Hi-Basic!

Hi-Basic is supplied with the second processor, and is essentially the same as the normal Basic (Version II), except that it is assembled to run 14k higher up in memory (addresses B800 to F800). The ROM also contains a 'flag' to tell the operating system that it is to be relocated when run on the second processor (the ROM type byte at location

06 of the ROM has bit 5 set), and gives the base address to be used (following the ROM copyright text). Hi-Basic cannot, however, be used without the second processor.

Once the language is running on the second processor, it can normally be *SAVEd to disc, then when required on future occasions, it can be reloaded and run without the original ROM being present.


Acornsoft seems to be pursuing the policy of having separate 'Hi' versions of their software with the recently released *Hi-View*. The latest version of the BBCSoft *Ultracalc* ROM, on the other hand, relocates itself when run on the second processor but still runs on the standard machine. The ideal solution, however, would be the ability to relocate ROMs for oneself.

Absolute addresses

What then is the difference between code in a normal ROM and code that has been relocated upwards? Essentially, all the references to absolute addresses within the memory space occupied by the ROM have been incremented. In the case of Hi-Basic the start address of the code is upped from &8000 to &C800, an increase of &3800. Thus, any references to addresses between &8000 and &BFFF need &3800 adding to them.

The author of a program has only to specify a different origin to the 6502 assembler (eg, using P% in BBC Basic) and the resulting machine-code will be automatically relocated correctly. Performing this relocation on the already assembled machine-code is, however, a much trickier process. To understand the principles involved, we need to take a look at the 6502's instruction set.

The machine-code instructions of the



Hi-View: specifically for second processors

6502 processor consist of one-byte operation-codes (opcodes) some of which are followed by a one or two-byte operand. One-byte operands may be data values, page-zero addresses, or relative addresses for a branch instruction. Two-byte operands, on the other hand, are always explicit absolute addresses stored with the least significant byte first, followed by the most significant byte (also known as the page number).

The relocation process has much in common with that of program disassembly. Both involve examining each instruction in turn, finding out the length of the operand (if any) and evaluating it.

A disassembler program displays the instruction and operand in a form resembling that written by the original programmer, so that the program and its operation may be understood.

A relocation program, however, aims to modify the code to run at a new location. In the simplest case, this involves adding an appropriate offset to each two-byte address and storing the new value. If the offset is a whole number of pages, then only the final byte need be modified.

To make this clearer, let's look at an example. The instruction

JMP &8165

is assembled as

4C 65 81

In relocating code from a starting address of &8000 to one of &B800 an increment of &38 pages is required giving

4C 65 B9

There are several complications which usually prevent the complete auto-

REAL-TIME CONTROL FOR THE BBC MICRO



Look out for the SPIDER A breakthrough in ease-of-use for all Control Applications

Here's what you get:

- Additional BASIC commands which can be safely mixed with existing BASIC keywords.

 Invoke BASIC PROCs from function keys or by
- external events.

 Run up to 8 independent countdown timers.
- The SPIDER is a powerful combination of RAM and ROM mounted on a butterfly board –
- it leaves the Beeb's memory intact. It's easy to install with no soldering required and a comprehensive manual is supplied.

SEND NOW FOR OUR INFORMATIVE I FAFI FT - YOU'LL BE SURPRISED AT HOW POWERFUL A SPIDER CAN BE!

Paul Fray Ltd

£65.00 including VAT Willowcroft, Histon Road, Cambridge CB43JD Telephone: (0223) 66529

THE ANSWER TO FINDING GOOD QUALITY SOFTWARE FOR YOUR BBC/ELECTRON



MEMBERS RECEIVE.

- * Discount prices on all Tapes & Discs
- * Information & Advisory Service
- * Regular Newsletter
- * Free Postage on 3 or more Titles
- * Rapid Delivery
- * No Obligation to Purchase

ALL FOR ONLY £3.00 PER YEAR!

Send large SAE for Catalogue & full details

THE BRAIN TRAIN CLUB NORTHINGTON HOUSE 59 GRAY'S INN ROAD LONDON WC1X 8TL

BJSOFTWARE FOR THE BBC MICRO AND ELECTRON PERSONAL ACCOUNTS

AND ELECTRON PERSONAL ACCOUNTS

Multi-Account System to record and control income and expenditure of a household, or Catalogue Club, with up to 100 2-way accounts (50 on a BBC with discs), 25 Standing Orders and 15 Special Controlled (Budget) Accounts. The 13 Page menu includes Calculator, Perpetual Calendar, Receipts, Payments, Standing Orders, Transfers between Accounts, Bank Accounts Report (numbers, names and contents), Transaction List (just like your own Bank Statement, and date sorted too), Controlled Accounts Report, Monthly Profit and Loss Report, Back up File for last year's results, etc, etc. Your Data is automatically Filed (by a single key press) on disc or tape when you've made 100 transactions. Hard copy available of all Report Pages. Many safety checks and second chances in case your computer can't spell or read your writing, etc.

Entry to this very friendly, well documented and easy to use program requires the use of your own secret Password (not shown on the screen). The program was originally written for my own accounts and is still being used for them.

Cassette £7. Disc (40 or 80T) £9.

Send cheques and your chosen Password to

Send cheques and your chosen Password to B. R. A. Joynes, 26 Fore Hill Avenue, Bessacarr, Doncaster DN4 7EU.

LIMITED OFFER

PLUS A £5 DISCOUNT VOUCHER! call for details

BBC DFS CHIPS 8271 only £45 74LS00.....28p 74LS10.....25p 74LS123......£1.00 74LS393.....£1.20 4013.....60p90p 2764 (250ns)...... £4.20 27128 (250ns) £8.00 Kit Price£55.00

NIGHTINGALE MODEM

Full function, multi-standard modem for use with BBC, Apple, Apricot,

(Commstar package available) £119

MITSUBISHI DISC DRIVES

A limited quantity of brand new, uncased half-height 80-track drives available at £104 each or £192 per

Please add 60p p&p to all UK orders plus 15% VAT to total

Martelec Ltd, 43 Queen's Rd., Farnborough, Hants GU14 6JP. Tel: 0252 515666

COPAL PRINTERS

SC1200: Near Letter Quality £250.00 SC1200: 120 cps Centronic Interfacing £225.00

SC1000: 80 column Dot Matrix. Centronics and Serial Interfacing £199.00

Postage £5.00

NAMAL TYPE & TALK SPEECH COMPUTER

With Serial and Centronics Interface £171.35

Postage £5.00



Cambridge Microcomputer

153/154 East Road, Cambridge, CB1 1DB Tel. (0223) 355404. Telex 817445

We are sure our prices are the best you'll find for the kind of quality we offer. Drop in for details. We stock a comprehensive range of computers, peripherals and computer consumables, also an informative selection of publications, including the latest book on

Disk Drives.

NAMAL DISK DRIVES (incorporating TEAC and Mitsubishi Drives)

Single Disk Drives: 200 S/S 40/80 Switchable (TEAC) £130.00 Dual Disk Drives with Power Supply:2 x 400K D/S 40/80 Switchable (Mitsubishi) £244.15

Postage £5.00

The Advanced Disk User Guide for the BBC Micro

-by Colin Pharo

Liberally provided with utility programs, this book will enable you to derive the maximum benefit from your BBC Microcomputer Disk System. £14.95

Postage Free

We welcome OEM enquiries.

All prices include VAT. We accept all major credit cards.

119

mation of the relocation process. The first type of problem lies in address references which are made indirectly. For example, with an indirect jump such as

JMP (&300)

it's necessary to find out the address that has previously been stored in locations &300 and &301. This may have been set up elsewhere in the program with a piece of code such as

LDA #&65 STA &300 LDA #&81 STA &301

so that the effective jump is to &8165. Relocating this code involves adding the appropriate offset to the operand of the second LDA instruction if it refers to a page within the memory range occupied by the ROM. The data set up by this 'double-store' sequence might, of course, be something other than an address (eg. a two-byte counter), and the X and Y registers could be used instead of the accumulator. Such details can only be determined by disassembling the program. The discovery of an instruction such as JMP (0300) would usually confirm the function of locations &300 and &301.


Some programs use the technique of 'pushing' an address onto the stack (high byte first), and then doing a JMP (rather than a JSR) to a subroutine. The return from the subroutine is to the stacked address (plus 1), eg:

LDA #&81 PHA LDA #&64 PHA JMP subroutine

returns to address &8165. In this case the operand to the LDA preceding the first PHA instruction needs to be offset. The process is one that can be automated, but exercise caution since 'double-pushes' can be used for other purposes.

Yet another complication is the occurence of blocks of data in the code to be relocated. These include such things as text strings and look-up tables, and can cause problems for both disassembly and relocation. When you try to disassemble blocks of data the results are usually gibberish because the disassembler is trying to interpret data values as instructions and operands. In practice, this is quite useful because it reveals the presence and position of such data.

While some programs store all text strings in a block, perhaps at the end of the program, others use an output routine called by a JSR followed by the text string which may terminate in a &00,&FF or &0D byte. The output rou-



6502 second processor: extra memory

tine returns to the address following the text. With the Basic 2 assembler, this might be programmed as:

JSR message EQUS 'Hello' EQUB 0

For a disassembly or relocation program to keep track, it needs to know the address of the 'message' routine. When this is encountered, it knows to skip through the text until it comes to the zero byte. Without this information, a relocation routine may miss giving an offset, or give one in the wrong place.

Another common type of data block is a 'despatch table' – a list of two-byte addresses, one of which is used according to the value of some variable (rather like the ON...GOTO structure in Basic). For example, each keyword in a language may have its own despatch address. There may be separate tables of addresses for 'immediate' commands and 'stored' commands, and the addresses of the various tables may themselves be stored in a table. Addresses in tables are normally stored low byte first.

The accompanying DISLOC program contains both disassembly and relocation routines which may be used to relocate languages for fuller use of the second processor memory. The term 'language' here also includes wordprocessors, spreadsheets and so on, but not filing-systems, toolkits etc. The main pre-requisite is that the software already runs properly on the second processor in its unrelocated form.

DISLOC will run with or without the second processor connected. As is usual with programs that contain assembly code, save the program before running it. DISLOC is mainly menu-driven, and fairly self-explana-

tory. All memory addresses should be entered in hexadecimal without a preceding '&' character.

Using the program

The main steps are:

a) Copy the code to be relocated into RAM. This may be direct from a ROM, in which case the ROM socket number is requested (the rightmost socket in the Beeb is 15) and the highest address to be read (eg, 9FFF for an 8k ROM or BFFF for a 16k ROM, but remember that ROMs may not always be full of code). Allow a couple of minutes to copy a 16k ROM. Previously stored ROM code may also be loaded back from disc or tape. All disassembly and relocation is performed in RAM, but treat the code as if it were actually still in ROM (ie, addresses &8000 upwards).

b) Use the disassembler to establish where the main code ends, where any data tables are located, if there is a standard text output routine, etc. The search facility may be used to find such things as indirect jumps, eg, by searching for occurrences of 'JMP ('. The display is in 'page' mode during disassembly, and all data and addresses are

displayed in hex.

c) Relocate the main block(s) of code. DISLOC will relocate the code as high as possible. You can optionally specify that 'double-stores' and 'double-pushes' (in the form described above) are to be modified. All candidates for relocation may be previewed before any actual changes are made, and dubious ones inspected with the disassembler. Once you actually relocate a section of code, remember that any absolute addresses (such as that of the text output routine) may now have been changed.

c) Relocate any despatch tables. The address range specified should be from the first 'high byte' to the last 'high byte' in the table.

d) Relocate any other single addresses that you think need changing but have so far been unchanged.


e) *SAVE the relocated code to tape or disc.

f) Try out the new version by typing *RUN name or on disc systems, just type *name.

g) If the relocated code doesn't yet run properly, go back to a) and either reload the relocated code or alternatively start again.

Relocating programs requires a certain amount of patience and detective work. However, if you persevere, the results should be quite uplifting!

Peter Higginbotham's *Disloc* listing is on yellow pages 104–107.



Like to run two programs on the Atom simultaneously? Want Atomic overflow control explained? Then Mike Barwise has all the answers



Running

together

ANDRE de Bruin of Holland has sent in a curious program (below) which allows two Basic programs in different areas of memory to time share the Basic interpreter simultaneously. Andre writes...

With my program it's possible to run two different Basic programs on the Atom at the same time.

When this program is started, you can use the Atom as normal: you can enter a program at some part of the memory (by choosing: ?18 = < pagenr > , followed by NEW) and RUN it.

If you then press Ctrl and Rept at the same time, the running program stops. You may now enter another program (don't forget to choose another value for ?18!!!) and also RUN this.

When you now press Ctrl and Shift (at the same time), the last program stops...but the first will continue where it was halted when you pressed Ctrl-Rept.

The real fun begins when you press Ctrl-Shift-Rept together – if you do this the two programs are executed at the same time.

For example first RUN the *Duotask* program, then enter:

?18=#29 (So the program will start from #2900)

NEW

10 PRINT"TO BE OR NOT TO BE" 20 GOTO 10

RUN

The screen will fill with text, then enter:

CTRL-REPT ?18 = #30

NEW

10 PRINT \$7

20 GOTO 10

RUN

CTRL-SHIFT-REPT

(A real mess is created if you alter line 10 in the second program to:

10 PRINT"THAT'S THE QUESTION")

When the *Duotask* program is started up, it copies the first four pages of memory (address #0..#3FF) to another area in memory. These contain all the 'system-variables' used by the Atom and also the stack of the 6502. If you then enter and/or RUN the program, all the information about the (running) program is stored somewhere in the first four pages (information such as: where the program starts, which statement was last executed, etc).

If you press Ctrl-Shift, the earlier stored pages will be swapped with the last used . . .

As it stands, this is a curiosity only, as dual tasking by keeping three fingers on the keyboard is not very realistic, but the concept sparked off some ideas – how about virtual memory handling by routine dumping from disc, for example?

Here's a neat problem for you – find a method of auto-running Basic in a fixed space from a control program written in Basic somewhere else, and then returning to the control program from where it left off. Supposing the existence of several subroutines on disc, find a way of writing a control program that will sequentially load and run a selection of the subroutines in a fixed block of memory.

This is called 'virtual memory handling' and opens the door to programs of almost infinite size, regardless of memory restrictions, as thirty or so subroutines can be held on a disc, and any of them could be accessed any number of times during the overall run.

It is, of course, quite different from 'chaining', which is relatively easy, but constrains you to a preordained sequence of once-only use of each of the routines.

Anyone who comes up with a good answer (I don't know it myself) and provides a tape/disc and listing to back it up will definitely get their effort rewarded by a spot in the Forum and some liquid refreshment tokens.

ATOM FORUM

Atomic overflow

control

THIS is not, as you might think at first, the plumber's dream come true, but a powerful hardware facility of the 6502 CPU which has never been widely publicised. Examination of the bus connector on the Atom shows pin 26B connected to a mysterious pin on the 6502 labelled 'SO'. The Atom is, as far as I know, the ony 6502 amateur's micro to have this pin available for use.

By now we are all familiar with the concept of status register bit tests and conditional branches, and most of us are well used to interrupts. The principle behind both is the same - some event is flagged (a hardware line state for the interrupt or a status register bit set as a result of a test) and a branch or jump is executed, pointing the CPU program counter at a new routine. The major difference between the interrupt and the test and branch from the hardware point of view is that the interrupt is the result of an outside world event, and the branch is the result of a software test.

The structure of the response to an interrupt always creates a delay between receipt of the signal at the interrupt pin and the execution of the jump to the relevant routine. This is due to the need to finish the instruction being executed and then store the address the program pointer was looking at when the interrupt occurred, so that the main program can carry on later where it left off. An additional delay is caused if, as on the Atom, the environment requires the interrupt service address to be indirected via RAM. The total delay is somewhat variable but is not under the control of the programmer, and is generally not less than 14 clock cycles (14 microseconds on the Atom). The six cycles taken by the RTI instruction must be added to this, resulting in a 20 cycle overhead before you have done anything useful.

The delay between a valid test on a status register bit and the execution of a branch instruction is, however, easily determinable by the programmer and is much shorter than this. The BRANCH instruction takes three or four cycles to execute. An additional delay of a few cycles is created by the preceding instruction which causes the tested flag to be modified. In software tests, this is somewhat variable (three to seven cycles) depending on the operation type. Even when you add the three cycles needed to close the loop using a JMP or BRANCH, the total is still at worst only half the time needed to start a conditional operation under interrupt. It is obvious that if you are chasing extremely short and relatively frequent events (eg, disc data transfer), the test and branch (device polling) has advantages over the interrupt. This becomes even more evident when the event handling code run time approximates to the inter-event timing.

The Atom DOS is an example of the interrupt solution. The single density data transfer rate is one byte every 64 microseconds. Roughly 58 of each 64 microseconds are used by the interrupt (NMI) driven byte transfer routine, with some 18-20 of that being the jump to routine and RTI themselves. Underpolling control the service routine could be reduced to some 28 microseconds in total. It's worth noting that the main routine which is interrupted by the FDC service interrupts should not be doing much more than idling anyway, as you can't work on data which is still being transferred. Furthermore, the foreground time available is only four out of each 64 microseconds average (about time to perform one instruction). Can we do better than this?

So far, the only way an outside world event (eg, a service request from a peripheral chip) can take advantage of the reduced overhead provided by polling is by a conditional flag in a hardware register. This inevitably means an addressing operation, so the polling loop is a minimum of two instructions long: BIT ADDR (four cycles), BRANCH back (three cycles). The resulting seven cycle delay between tests limits the maximum service frequency of the peripheral chip.

A good example is the problem of running a double density disc drive on a 1 MHz 6502 host (eg, Atom). The FDC needs a byte transfer every 32 microseconds in double density, and the transfer must usually be completed within the first 28 microseconds. The shortest possible code to perform a sector transfer by polling takes about 24 microseconds (cycles) per assuming that the polling loop which tests the data request flag of the FDC is passed through only once. However, the CPU (and therefore the polling loop) and the FDC data request are totally asynchronous. It is pure luck if the data request is present the first time the polling loop tests for it. The second time round the polling loop you have added some seven cycles to the service time, making a total of 31 microseconds, which is too long.

If there was a way of substantially reducing the length of the polling loop, it might be possible to accommodate the asynchronicity of the CPU and FDC without going over the top on timings. There is. It's the SO pin.

The SO or Set Overflow pin does just what you'd think: when it senses a signal, it causes the CPU to set its own V or Overflow flag. The V flag is used less than any other flag in general programming. It demonstrates overflow during signed ADC and SBC operations, and it is manipulated by the BIT operation. when it reflects the state of bit six of the tested byte. The V flag is not modified indirectly as a result of any other instruction, and CLV can be used to clear it directly. Thus it proves possible to manipulate the V flag by use of the SO pin and CLV, so long as care is taken not to include any ADC, SBC or BIT instructions in the area of the manipulation

The SO pin is used in our disc example as a synchronous starter. A wait-for-signal state is created by first clearing the V flag, and then a BVC to itself. This will loop indefinitely until the V flag gets set by the SO pin signal, when the branch will not be taken back, allowing the program to proceed. The branch is normally a three cycle instruction, and the flag is tested during the second cycle. Thus if a signal appears at SO during the first cycle of the BRANCH instruction it will be acted on within one microsecond, otherwise there is a maximum delay of four cycles to the next flag test. The one to four microsecond discrepancy only applies to the last pass through the loop, and can usually be ignored, as the worst response time is practically twice as fast as the conventional polling loop, and vastly better than the interrupt response time. The last two instructions in the service routine must be CLV, BVC START, to re-enter the wait state.

The signal required by the SO pin is a negative going edge (TTL one to zero) during phase one of the microprocessor cycle. To create phase one for gating, it should be sufficient to use the half cycle from the falling edge of phase two plus a couple of TTL gate delays. Treat the SO pin as an open collector line, as the other interrupts.

In the coming months I will be discussing some more esoteric functions of the Atom's 6502 hardware, including the uses of RDY and SYNC.

In the meantime, there are many other possible uses of the SO function, and I would like to present some of your ideas here, so get those thinking caps on. Please make sure they work though, and send a tape or disc with your listing.

Invented a routine or discovered a hardware modification for the Atom? Here's a chance to show your originality and win some cash. Send your idea to: Atom Forum, Acorn User, Redwood Publishing, 68 Long Acre, London WC2E 9JH.

BASIC COMPILER

Turns your basic programs into really fast machine code. The compiler is very easy to use, and comes complete with full instructions.

For the BBC model B, or Model A with 32k.

> Cassette Disk

f26.95 £28.95

(40 OR 80 TRACK)

Cheque/P.O. or SAE for details to

ACK Data

Dept Au

21 Salcombe Drive, Redhill, Nottingham, NG5 8JF Tel. (0602) 262498



To total order value add Delivery, then add 15% VAT and send to:

IDS Computer Supplies

P.O. BOX 436, BANCROFT, MILTON KEYNES MK13 0QX. Tel: (0908) 310896.

ANEW 16K EPROM

MAXIM The friendliest assembly system in the business - makes assembler almost as easy as BASIC!

> Tired of the hours wasted peering cross-eyed at endless addresses, trying to remember what they mean?

Maxim displays the program just as you wrote it Makes debugging a pleasure - while it lasts!

> AND you can write program straight into memory-complete with labels!

> > £65 + VAT (includes p and p)

- Assembles either from disc or directly from keyboard into memory. Only disc assembly requires two passes. Both methods can produce machine code or program
- Instructions and labels in program form may be deleted, added to, inserted or altered. JMP tables are specially maintained.
- * Conversion from program to machine code takes typically 2 seconds for 16k of code. Subsequently only limited alterations may be made.
- Optional RUN time filing system automatically saves the two most recent copies of the program.
- * Display always shows eighteen lines with the operational line just over half
- * Display moves forwards or backwards. Maxim calculates the correct starting
- * Labels may be used and saved with or without a program.
- Program and labels are displayed in ASCII assembler form with addresses.
 If needed, programmes may be *SPOOLed into ASCII files suitable for immediate disc assembly
- Comprehensive set of debugging utilities. Maximmay be made fully transparent for single stepping both ROM and RAM. There is a second screen (all graphics modes). BASIC II can be freely used from within Maxim.
- Maxim works at C000 on the 6502 Second Processor, leaving the 'language' area free from 8000 BFFF. It is transparant for writing programs intended to be eprommed. Only the BASIC and direct screen/hex dumps do not work.

Maxim Computer Systems Ltd 17 Wigmore Street, London W1. Tel: 01-580 5816

Programming Screen

0000 00	00 00	FF	NVBDIZC 0000000 0000000	00	00	00	CO
					77.75	9.0	
	VESP						
	BIT						
	BPL						
	JMP		RTVEC)				
	ODMATC						
	LDY		X				
	LDX						
	WSTORE						
4C6A	LDA	(STO	PFEED),Y				
	STA		L,X				
4C70	DEX						
4C71	DEY						
4C72	BPL	NEWS	TORE				
. IN							
MP 4C74	JSR	TUBE	FIND				
4C77	BEQ	HIRA	М				
4C79	LDA	#>RO	UTBRK				
4C7B	STA	RBRK	VEC				
JSR TU	BEFIND	17					

Debugging Screen

						NVBDIZC				
						1010001				
450	0	00	FF	00	FF	1010000	00	00	00	0
		IO	VES	2						
	40	250	1	BIT	SPIL	L-1				
	40	260		BPL	COOD	MATCH				
	40	263	- 06	IMP	(STA	RTVEC)				
		GOX	DOM	OTA	1					
	40	265	- 31	DY	INDE	X				
	40	268	- 1	DX	#OC					
	4	NEX.	WSTY	DRE						
	40	26A	2	DA	(STC	PFEED),Y				
	40	26D	- 2	STA	SPIL	L,X				
	40	270	1	DEX						
	40	371	- 3	DEY						
	40	272		BPL	NEWS	TORE				
		. IN	LAN							
MP	40	274	- 3	ISR	TUBE	FIND				
	40	277	31	BED	HIRA	M				
	40	279		LDA	#21					
	At	ngp.		ATE	RBRK	VEC				

IT'S NOT ALL WORK AND NO PLAY

CP/M is for games

as well as work

says Ed Brown

NE thing every computer can do is play games. Some are designed with games in mind and endowed with excellent graphics facilities and joystick ports. The BBC micro is one such machine and many excellent games exist for it — the majority are still on tape, though more are now appearing on disc.


What sort of games then are available for the Beeb with the Z80 second

processor running CP/M?

Since CP/M was designed as a business orientated operating system there is no provision for graphics or a joystick. Some more recent CP/M based machines have started to supply these facilities but this is still far from normal. Hence most of the games that run under CP/M tend to have simple character output, although this does not stop some excellent games being available, and I'll look at some of those currently on offer in the public domain. The vast majority of games written in MBasic that I tried would not run under the Mallard Basic supplied with the Z80 second processor.

Adventure

Many of you will have played one of the adventure games available for the BBC micro such as *Castle of Riddles* or *Sphinx*. These are interactive text







ALL SOFTWARE NOW AVAILABLE ON 3' DISKS

■ VECTOR 1 ▶

TAPE TO DISK UTILITY

Features

- Once only purchase
- Can save to any disk
- Very user friendly, help pages on disk
- 40/80 Format
- No awkward ROMs, can be used on any machine
- Can load to all available RAM &400 &7FFF
- Simply the best tape to disk utility available

Prices: £12.00 each for Vector 1 or Vector 2 £23 for both.

■ VECTOR 2 b DISK TO DISK UTILITY

Features

- Can copy to any disk
- 40/80 Format
- User friendly, menu driven
- Contains powerful modes to examine disks
- Copies protection we would rather not tell you
- about!!
 The most powerful disk to disk utility available

Version 1.2 now available

Upgrades from old copies £3.00

Vector 1 double density versions compatible with Opus, UDM, Watford DDFS and Cumana QFS (please state density and DFS when ordering)

SDIS

KLIST:





THE SCYTHE TOOLKIT

If you can't see the wood for the trees, get the Scythe and Hack your way through! This ROM contains 26 useful commands, and has the added bonus of accepting HEX, DECIMAL, BINARY and resident INTEGER variable entry. The ROM commands can all be preceded with a "Y" and there are inbuilt ROM management routines to help avoid conflict with other ROMs. Supplied with comprehensive manual.

VECTOR:

MDIS A fast Up/Down scrolling disassembler which will examine all paged ROMs. Will work in any 40 or 80 column mode.

Will spool disassembled code in a form compatible with the BASIC2 assembler TDISK as data is represented with EQUBs.

MEDIT Memory editor with hex/ascii display. Up/Down scrolling with paged ROM/RAM access. Will work in any 40 or 80 column mode.

Expands soft key definitions and presents them so they can be easily edited, all codes are expanded so that Wordwise type definitions can be changed.

BASE . Will accept a number and display its Hex, Decimal & Binary equivalents.

ROMLIST: Displays what ROMs are present in your machine and the ROM size.

ROMSAVE: Will save any sideways ROM to the current filing system

FORMAT: Formats a disk to any number of tracks.

VERIFY: Verifys a disk shows up bad tracks, and displays an error count.

FREE Displays an analysis of the free space available on a disk SFIND Search memory for the occurrence of a specified string.

BFIND Search memory for the occurrence of any sequence of bytes. XLIST: Will search a Basic program for any VDU codes (which may for instance be

used to make the program unlistable) and replace them with a "

Will attempt to repair a bad program

MRELOC Will add a relocating program to a machine code file so that it will automatically download and run.

Dataware

Slide Master: Specialised database for the photographer tailored for perfect cataloguing of a photographic collection. (Disk Only)

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.00

\$ 16.0

n six minutes). £16.00 Contents: Produces a page numbered contents list from spooled text.

#16.

Mam: Write your own adventure and test it on the Beeb. Requires Acornsoft Lisp to £16.00

operate Eliza is also included on the disk. You write the rules to suit your requirements. (Disk Only) £16.00

All software £15.00 if bought with any other product.

Fuji 51/4" Disks 40 TK SS/DD £17.60 Packs of 10 40 TK DS/DD £24.50 80TK DS/DD £28.60

Eproms

2764 (250 ns) Each £4.90 Will slow down operation of the BBC (over a variable range) to allow easier playing on many games, and the analysis of the operation of graphics, etc.

Comprehensive file transfer utility allowing you to transfer files between filing systems (i.e. ROM, Net, Disk, Tape & Tape 3). Many features including: locking/unlocking programs, any length of file, plus most forms of tape protection coped with.

Will produce a menu of the programs on a Vector 1 program disk, and run them, this utilty will cope with some forms of protection which cannot be handled by any disk based product.

ROFF:

Will switch off a particular ROM so that it cannot be accessed. Even Scythe can be switched off! Will reactivate a particular ROM RON:

SECTLOAD: Load sectors from disk SECTSAVE: Save sectors to disk.

FLUSH: Clear resident integer variables.

MSHIFT: Move memory including paged ROMs.

MSWAP: Swap memory including paged ROMs

NROM: Select default ROM

PRICE £24 INCLUSIVE

Nucleus Software & Concept Keyboard

The fastest way to teach reading - EFL etc. Many applications which allow teachers to introduce their own ideas. No programming skill required. Please send for details

> All prices shown include VAT and p&p. Please add £3.00 per disk if you require 3" disks and specify when ordering

Coming Soon

User port expansion board & tutor

Tactical game of Hex (full m/c implementation)

Orders to: Chalice Software 3 Merlin Way, Covingham, Swindon SN3 5AN




All Enquiries Please Ring: 0793-615026 Dealer Enquiries are Welcome

games where the computer gives you a description of your surroundings and you instruct it what to do next. This type of game is ideally suited to CP/M and probably the best game available in the CP/M public domain is Adventure. All the ingredients of a good adventure are there - dark tunnels, hidden treasure, magic, evil creatures, and it has more than its fair share of surprises. The game consists of 191k of program and data so you will find it useful to learn early on how to save a game for playing again later, particularly before entering into a dangerous phase of the game - always assuming you know what's coming next.

It's always difficult to give the flavour of what's in store for the intrepid adventurer without ruining the surprise, so the comments here are limited to general observations on the game and information that you can find out as soon as the game starts. You'll find some more revealing comments and hints on how to play in the box on page 127 (not that I have even reached the stage of junior master yet). First, remember that the computer is acting as your senses - what it tells you is what you would be experiencing if you were there yourself. Second, the micro is always very precise in what it says about your surroundings, so don't jump to conclusions without understanding what your senses are telling you. Third, everything is important, although it may not be obvious. Fourth, as in the real world, don't rely on appearances, they are not always what they seem. Finally, and cryptically, don't be afraid - after all it's only a game.

Chess

As every computer has games, one of them is always a chess program. It does not aspire to a very high standard but will test the ability of most average players. The pieces on the board are represented by abbreviations such as WR for White Rook and WQ for White



Queen. I find it easier to have the board beside me than to follow the board on the screen.

Having researched computer chess while I was at college and played machines such as the world champion Belle, I was interested to see how this program played under unusual strategy – try moving a Rook Pawn as your first move and watch what happens. The complete rules as defined in 'The Laws of Chess' are not implemented in the program, however, these finer points are not really necessary for the level of play the program attains.

Golf

An interactive saunter around an 18-hole course with all the challenge of the real thing – the greens, the fairway, the rough (quite a lot of that) and the sand pits are all there for you to negotiate, I found the nineteenth hole the worst – at least in the real thing you can get a drink to recover.

Merchant

This Basic program runs under Mallard Basic and can best be described as a poor man's *Elite* for the Z80. The aim is to buy and sell goods to make a profit, by purchasing items on one planet, then flying to another and selling them to re-finance more deals. When the game starts it displays at the top of the

screen, so remember to clear it first.

Newpuz

If you enjoy word search games where you have a grid of letters and have to locate a list of words, this one's for you. Try the sample grid presented here.

Other games

These games are a small selection of those available in the public domain for CP/M – there are versions of other favourites such as *Blackjack*, *Othello*, *Startrek*, *Biorythm*, *Space Invaders*, *Dungeons and Dragons*, and *Draughts*. All can be obtained from the CP/M UG (UK) or from Spectronics. Many of them, plus others, are also available on the *Free Software Handbook* discs from Davis Rubin Associates.

Addresses

JCP/M UG (UK), 72 Mill Lane, Hawley, Dartford, Kent. Tel: (0322) 22669.

Spectronic, 138 Holtye Road, East Grinstead, Sussex. Tel: (0342) 313883.

Davis Rubin Associates, 1 Canonbourne, Western-sub-Edge, Chipping Campden, Gloucestershire GL55 6QH. Tel: (0386) 841181.

CP/M WORD SEARCH

DQ BDOC 0 R DGWE DS E Q U B W P S ZS F V A O Y V Y F U P PPO ZS Z NSB S D Α XDDE K RY AH L S IRC K Q В T В X L R 1 0 1 1 W C PW A H W G L Q D -1 Y C E D S C KXZ XMC R D USO P DDM C 0 S OD GO N Ε N D ANUP U ZWA KE LMA C J F 0 W C F N M 0 V U T U F UG MQJ B C L DC P EE KVU Y E B E AU T S 0 AME ZQBSDTDE UMXDM D D 0 XBL F R 100 0 AQ N P G N P Y Z G Q F K 0 Α S T SW M D U K Z Т HBL CWO C M E S H C B GE PKCM E T 0 UP UVNOSA 0 G LA S T NAT NUO C C 0 R YW M Z 0 SMG Z 0 K B 0 C P NOO F LW H M B 1 E Q 1 1 G DMO H 0 XXE L ZC F SECODBTWBE F EOSV RQWZHWGDGIVCEDCRLGUKXBQMB JMUSQXO ILBBDL V U X EAVHC DO AD MSFWXBTSZGEAAKZNO XEJ

Find these hidden words in the grid:

accountant acornuser adventure basic bbc bdos bios сср cobol cpm ddt fileplan graphplan iobyte mallard mbasic memop memoplan osword pinit publicdomain tpa tube uncledavid XYZZY

SYSTEMS

PrintMaster

View £58
ViewSheet £57
WordWise £38
WordWise Plus £49
StarBase £69
Gemini Data £115

£38 £49 £69 £115 £29

BBC&DDFS £379

£349

£399

BBC BD+

BBCB

BBC BD

 Termi
 £69

 Disk Doctor
 £29

 WS 2000
 £135

 DataBeeb
 £23


BBC includes 5 games FREE

Sanyo 555 Q only £999

IBM compatible 2×360 Drives Price includes:


Wordstar Mailmerge Info-Star Calc-Star

Basic+DOS Monitor only £99



PRINTERS

Brother HR15 £389
Juki 6100 £379
Juki 2200 £249
Epson RX80 FT £269
Epson FX80 £379
Canon 80 COL £299
Canon 156 COL £399



DISKETTES in packs of 10



SS40tk.....£ 19.90 DS40tk.....£ 20.00 DS80tk.....£26.00

HIGHEST QUALITY

NOW FOR A REAL BARGAIN

Prices include VAT

UDM DRIVES


200K-400K-800K
plus new 3½"range
(including manual & formatter)

100K single unit £79 200K dual unit £150 200K single unit £125 400K dual unit £205

400K single unit £160 800K dual unit £259 All 80TK drives are switchable PS unit+£20

UDM DDFS £95 with Disk Drive £79 **★**

Rom Expansion including FREE software



£55.00

MICROVITEC MONITORS

Medium resolution £199
High resolution £249
Extra High resolution £399
AP=+£25
Sanvo/BMC 12"HC £110

Philips 12" Hi.Res..... £95





Disk storage boxes £15,00 (takes 35) Disk storage boxes £20,00 (takes 80) ACCESSORIES
BBC Stands £16.00
Dust covers £6.60
Ifor BBC
Drives and

Orives and Printerni

MICROWARE

NORTH LONDON 637, Holloway Road, London N19 5SS 01-281 2431

SOUTH LONDON 67, Westow Street, Upper Norward London SE19 01-771 6373

MIDLANDS 14, Charles Street, Hanley, Stoke-on-Trent 107821 269 883

Name

Address

Signed

ORDER FORM

Prices include VAT

+£10 for delivery. £2.50 software and diskettes Product Price Qty Total

£ 2

CREDIT CARD No.....
TOTAL SUM ENCLOSED

All products are brand new and are offered with full manufactures warranty

Adventure clues

The house in front of you is where you have to leave all the treasure you find - it's not there just to break up the skyline. Once you are prepared for your explorations you must find your way into the caves by the way, water flows down.


Once in the caves just wander about and see what you can find pick up everything, you can always drop it again later. The secret of success is working out what to keep and what to discard. You'll learn this lesson early on when you try to catch the singing bird.

Magic is rampant in the caves and you should use every trick in the book and every magic word in your vocabulary to get you out of sticky situations. Some words work once, others can be used several times, but all only help in the right place.

As the computer provides your only information about your surroundings you should read carefully what it says. For example 'all directions' means exactly that but 'all sides' is not the same. When using magic 'nothing happens' is very different from 'nothing obvious happens', which again is very different from something happening! If you get lost, remember that a 'twisty turny' passage is different from a 'turny twisty' passage, and other variations on the theme.

Certain actions can help you in some situations but hinder you in others. Feeding creatures is one way of appeasing them, but if you nourish the wrong ones you'll need to be able to use an axe or sword presuming you have one, of course.

Well, I think that should be enough to enable you to get to Witts End, see you there . . . now where did I put my lamp? Melenkurion.



SOLUTION TO CP/M WORD SEARCH

CP/M Bumper tips for business users

Checkpoints

OFTEN when pleas for help or advice are received there is insufficient information for us to provide a detailed reply. When requesting assistance give as much information as possible. If you don't mind being telephoned supply a number and if you want a reply provide a stamped addressed envelope. Below are a few guidelines on giving information about your problem.

1. What is your hardware configuration, type of drives, printer etc.

2. What versions of software are you running. Include ROMs, BIOS, and program name and version.

3. Detail the fault, including what appears on the screen and printer. Send in relevant printer listings.

4. Detail any tests you have carried out and any modifications that you have made to the program.

5. If your problem relates to software try to provide the program.

Before writing try to check the following points:

1. Does the same error occur on a different system?

2. If the program is run from a different drive does it still go wrong?

3. Has the program been keyed in correctly? Check for missing lines, confusion between 0 and 0 and 1 and I. Also check for incorrectly entered data. Martin Phillips and Bruce Smith have both covered the topic of careful program entry (see August '84 and June and July '85).

4. Does the manual give an example? If so try it and note the results.

Bad sector errors

MICK HUTESON has asked for help as he is getting BDOS bad sector errors on his disc while running MemoPlan. Bad sector errors are generated by CP/M and when they occur there are two possible replies: a Return or a CTRL C. If you press Return then CP/M will ignore the error and continue with the program. This can be dangerous as your data may well be corrupted, as is the case with MemoPlan. Typing CTRL

by Ed Brown and Richard Clement

C will abort the program, and with MemoPlan you can use RECOVER to get the scratch file back. Although the problem seems to occur only when using MemoPlan this is probably because this package uses more of the disc than the others.

To prove whether or not the drive is at fault the same program should be run from both drives. Remember that the disc that was in the drive when the BDOS error occurred might now have a bad sector due to the original error. Another way of detecting the error is to perform a series of saves to a blank disc in the form SAVE 50 TEST1.ERR. This should highlight the problem and the location.

Bad sector errors should not occur and a simple rule of thumb is to have your drives checked if you get more than one bad sector error a month.

Installed to run

MANY of the problems you write to us about concern software not working as it should on the BBC + Z80. From the few cases we've looked at in detail it would seem that the problem lies in the package not having been installed correctly. Few commercially available CP/M packages run only on a particular machine - the advantage of CP/M is its portability - but most software needs to be properly installed on each machine that it is to run on.

Installation is necessary because, although CP/M provides portability to the extent that all input and output is handled in a standard fashion, it does not cater for the multitude of peripherals that you can attach to the system. Each peripheral has its own set of facilities and commands needed to use them. Control of peripherals such as screens and printers must be handled by the application program. The installation process gives the application the information that it needs to control the peripherals.


MemoPlan shows one of the best ways to accomplish the installation process. In this package the CONFIG program allows you to select the devices you are using from a menu. Unfortunately this is not a universal

BBC Microcomputer in the NORTH

CTECH Computers Telephone:061-366-8223/7794

Free Vouchers for up to Travellers Cheques on certain models

Monitors



Computers	f n
Ferranti Advance 86 256k with monitor	1086.00
BBC Model B	277.39
BBC Model B with DFS	346.96
BBC Model B + (64K)	433.91
BBC Model B with DFS & Wordwise	379.96
All computers come with Fre	a Caccotto Las

BBC Model B+ with 720K disc drive only £549

Acorn Equipment	£ p
6502 2nd Processor	173.04
Z80A 2nd Processor	346.95
Acorn Music 500	169.00
Electron Computer	112.17
Electron Plus One	47.78
Electron Plus Three	199.00
Most add-one include free fitting and installation	1,5.0.0

Ferguson Hi Res Green Screen Ferguson High Res Amber Screen Microvitec Medium Res Microvitec Normal Res Ferguson TV/Monitor	69.00 74.00 260.00 199.00 179.00
Light Pens and Joysticks R. H. Electronics Light Pen Joystick Pairs Hi-Fi Extension Cable Atari-type joystick for BBC AMX Mouse	39.50 17.35 5.17 10.39 69.52
Components and Cables 2764 Eprom 27128 Eprom 8271 Disk Controller BBC to Centronics Printers 1/2m BBC to serial printer Disk Drives Datacable Disk Drives Power Cable R.G.B. Cable BBC to Ferguson Monitor Cable Cassette Leads TV Leads	4.95 10.37 POA 11.26/13.00 13.00 8.65 2.57 3.44 3.44 4.78 2.57



£ p

Boxes of 10 diskettes XIDEX s/s d/d £15.22 XIDEX d/s d/d £16.09 Diskettes, £34.70 for 10 'Storage boxes' £2.17

Printer Ribbons Epson FX80/RX80/MX80 £4.34 NEC/Imagewriter Ribbons £5.21 Canon PW 1080A/KP 810 £8.65

Brother HR15 Multi-Strike £4.34

Addons:	
ATPL SIDEWISE ROM/RAM board	38.00
Nightingale modem	109.00
AMX Mouse	P.O.A.
Ferguson Cassette Recorder	26.04
Acorn Speech Synth	47.83
Canon Printer PW1080A	P.O.A.
Brother M1009 Epson compatible Printer	173.04

ROM Software	
Wordwise Plus	49.00
Graphics ROM	28.65
Print Master	28.65
View 2.1	52.09
1.2 O.S.	10.00
Disk Doctor	28.65
Termi	28.65
Commstar	30.39
Viewsheet	52.09
Beebugsoft Toolkit	23.48
Spellcheck	17.35
ISO Pascal	60.78
ALL Beebug titles now in stock	00.70
Special Offer	
Gemini datagem	85.95

THIS MONTH'S BEST BUYS AT C-TECH.

100k	40 TRACK SINGLE SIDED DISK DRIVE + ACORN DFS £139 + VAT
400k	40/80 DOUBLE SIDED SWITCHABLE DISK DRIVE + ACORN DFS £199 +VAT
TEAC	55F 400K 40/80T SWITCHABLE DISK DRIVE £149 + VAT
FERGUSON	MM02/MM06 26 MHZ BAND WIDTH GREEN/AMBER MONITOR £69/£74+VAT
FERGUSON	14" COLOUR TV MONITOR £179 + VAT
STAR	SG10 PRINTER NEAR LETTER QUALITY, EPSON RX80FT IBM COMPATIBLE P.O.A.
EPSON	NEW LX80 NEAR LETTER QUALITY PRINTER, OPTIONAL CUT SHEET FEEDER AVAILABLE P.O.A.

NO MAIL ORDER RISK WITH US (see below)

PRICES ...

All our prices are constantly moving, so please ring us to check the latest price.

All prices plus VAT

FREE DELIVERY TODAY (Orders over £90)

If you are in Greater Manchester, Cheshire, Lancashire, Midlands, Merseyside, West Yorkshire or South Yorkshire, if you ring us now we can send one of our highly trained staff to install your computer equipment today.

(Pay only when you receive your goods)



COMPUTERS SUPADATA LIMITED 184 Market Street, Hyde, Cheshire

061-366 8223

SK14 1EX 061-366 7794



approach and often a thorough understanding of DDT (Dynamic Debugging Tool) and the way the BBC + Z80 works are required to install a package.

As packages are submitted to CP/M Corner for review the installation will be examined and details provided of how to install them if they do not come ready-installed for the BBC + Z80. With the increasing sales of Z80 second processors more companies are likely to invest in having their applications professionally installed for them.



MemoPlan: menu solution to installation problem

GSX documentation

MANUALS for GSX are hard to come by and look likely to remain scarce in the near future. Digital Research, which supplied Acorn with GSX, apparently expected Acorn to publish the manuals and Acorn expected Digital Research to sell them. For some reason Digital Research is reluctant to supply manuals for GSX, although we eventually persuaded them to supply us with the full set of CP/M GSX documentation. This was supposedly dispatched on September 21, 1984 but has yet to arrive, despite repeated phone calls and notification of change of address.

When we get the manuals we will be writing a series of articles on how to use GSX on the Z80 second processor. Until then if you want a copy of the GSX manuals write to Digital Research (UK) Ltd, Oxford House, Oxford Street, Newbury, Berks RG13 1JB, tel: (0635) 35304.

Changing formats

TO answer a series of questions from the Netherlands with regard to the Z80 and disc formats: CP/M is not restricted by the size of the disc drive attached to the system – there are many systems available with 8in and 5.25in drives. Obviously discs of different sizes cannot be used in other drives as they would not fit. However, this is not the end of the problem, for even with the same size of disc it is often difficult to take a disc from one machine and use it on another, as the formatting and density of data storage often differ.

The best way of transferring between two machines is to use a program such as *UKM7*, discussed in last month's CP/M data communications article.

The type of disc interface fitted to the BBC does affect the CP/M, as this is written to use the single-density 8271 controller chip. Slogger Software supplies a double-density version of CP/M that runs on the Opus double-density operating system board, which needs to be installed. We'll be reviewing this in the near future.

Software

distribution

SPECTRONIC, 138 Holtye Road, East Grinstead, Sussex RH19 3EA distribute public domain software in addition to the CP/M UG (UK).

Public domain

details

JULY'S article on public domain software was attacked by the editor's wandering pen and a couple of errors crept in. First, MSDOS and PCDOS are not Digital Research operating systems. Second the journal of the CP/M UG (UK) is published four times a year, as and when enough articles have been submitted, and not quarterly. Also I miscalculated the number of the discs needed for the software to accompany the Free Software Handbook — you require three, not four.

A shady patch


IN the May and June articles some of the input for the patches were left unshaded. Following an Sxxx input the system prompts for input and the third column of numbers should be entered by the user. This can be checked by looking at the area of memory using the D command.

Direct debugging

WITH the run only form of Mallard Basic supplied with the Z80 second processor a limited number of commands will be obeyed in direct mode. The commands which will be obeyed are provided for debugging programs you have developed and are DIR, PRINT, LET, MID\$, LSET, RSET, GOTO, GOSUB, SYSTEM.

MSDOS agent

THE CP/M UG (UK) is starting to distribute MSDOS and PCDOS public domain software. Contact them for details.



Free Software Handbook: accompanying programs require three discs

If you're a CP/M user with problems, or have hints you'd like to pass on, then write to CP/M Corner, Acorn User, Redwood Publishing, 68 Long Acre, London WC2E 9JH. If you want advice, please supply as much information as possible, enclose a stamped addressed envelope if you'd like a reply, and give your 'phone number if you don't mind being telephoned.



CLWYD TECHNICS LIMITED

Producers of quality educational software

EDWORD 3

The new enhanced version of Edword. As impressive as the original but with more features and facilities



Complete robotic vehicle package designed for education but also ideal for the home enthusiast.

Requires no technical knowledge, plugs directly into the BBC Micro and is supplied complete with manuals to teach yourself control technology, and 3 pieces of software.

BIKE

A road safety program to teach children to ride safely by following instructions on the BBC Micro. Manuals and pupil worksheets included.

BBC MICRO INTERFACING COURSE AND DIGITAL TASTER KIT



Designed and developed for use with science, craft and design technology and electronics classes.

The Interfacing Course provides an inexpensive introduction into control technology and the Digital Taster Kit provides an insight into digital electronics.




PLEASE CONTACT US FOR FURTHER DETAILS
Unit 4B, Antelope Industrial Estate, Rhydymwyn, Nr Mold, Clwyd CH7 5JH.

Telephone: Hendre (035283) 751

Draw with the BBC micro and show the true potential of your machine

Fill shapes in one of 23 colours (Mode I) Draw points, lines, rectangles ellipses and circles Smooth curves Wire frame diagrams Hidden line removal Draw in perspective Measure scaled distances Ekta sketch lines, Half tone facility Mirror images Repeat images, SS, enlarged, reduced, stretched Actual colour displayed Store up to 10 ellipses or circles in memory Redraw any one of these at cursor position Change any actual colour for one of 8 others Clear screen, load screen, save screen Print characters or numbers at any pixel point Error messages for incorrect input Fully comprehensive manual





This programme has been purpose designed by professional Graphic Designers for simplicity and ease of use, and is undoubtedly the most versatile drawing programme on the market at this time. There is no need to input any numerical data, as all judgements are made visually. The BBC Micro is the finest drawing machine in its price range. Find out what it can do.

The A. B. Designs drawing programme costs only £36 for over 70 functions (model B). New AB2 Program, available on disc (price £61) and cassette (price £51). When ordering send Cheque/PO and VAT at 15%. Please include phone no. with all correspondence. For further information send SAE and phone no. to A. B. Designs, 81 Sutton Common Road, Sutton, Surrey. 01.644 6643 (closed all day Thursday).

CROSSWARE CROSS-ASSEMBLERS

HIGH SPEED DISC-TO-DISC ASSEMBLERS FOR THE FOLOWING TARGET PROCESSORS 6800/6801/6802/6301...6 6805/6305/146805 . 6303X 6809, Z80, 8080A/8085 68000/68008

Supplied on Disc for the stand-alone BBC Micro

Phone or write for full details

CROSSWARE PRODUCTS Melbourn, Royston, Herts SG8 8BA Tel: 0763 60838

PROFESSIONAL MUSIC FROM THE BBC MODEL B MUCH MORE THAN JUST A SYNTHESIZER

32 Harmonically Programmable Oscillators

 32 Programmable envelopes Five Octave Keyboard

The New Digital **CLEF CMS**

Price £495

inc VAT & UK carriage

S.A.E. OR PHONE FOR FURTHER INFORMATION

Programmable Stereo Sound Real-Time Polyphonic Sequencer

Un to 4 Osc/Evs per note Touch Sensitive Keyboard

CLEF PRODUCTS (ELECTRONIC) LIMITED

(Dept Au8 44a Bramhall Lane South, Bramhall, Stockport, Cheshire SK7 1AH. 061-439 3297



Best and reliable Service Centre in London

ONE STOP MICRO SERVICES LTD

- Repairs carried out within 24 hours.
- All repairs 90 days warranty.
- We have repair club. To join it just complete the application below and we will send you a membership card. The advantage of the club is that you have to pay only f,25.00 + VAT for your computer repair no matter what's wrong with it, and we will not keep your computer more than 12 hours.
- All up-grades carried out.
- We also sell all up-grades and spares, cables for BBC, Electron.

We buy and sell used BBC, ROM software etc.

ONE STOP MICRO-SERVICES LTD 230 Tottenham Court Road, LONDON W1P 9AD Tel: 01-631-5379.

Name	
Address	
Tel:Computer Serial No	

"HINGRO'S TOCK

A LOW COST DISC BASED

PROFESSIONAL ACCOUNTING PROGRAM

For The BBC Computer

" Micro-Trader "

INTEGRATED SALES PURCHASE AND NOMINAL LEDGERS

Designed for business use by a business man. " Micro-Trader "is a fully integrated program in which all Sales and Purchase Ledger Transactions are automatically updated to the Nominal Ledger.

" Micro-Trader " offers full Sales and Purchase Ledger facilities including SALES INVOICE and STATEMENT PRINTING with a capacity of 450 accounts and 3000 transactions per month in each Ledger

Normal Income, Expenditure, Assets, Liabilities & Journal Posting in the Nominal Ledger with full Reporting for individual accounts, Audit Trail, Trial Balance, Profit & Loss and Balance Sheet,

NEW "MICRO-STOCK"

Stock Control program, fully integrated with "Micro-Trader", 4000 Stock Items with user defined Godes. Invoice and Credit Notes and Cash Sales routine. Full Stock Held Reports.

£95.00 + V.A.T.

PHONE TODAY FOR A FREE FACT SHEET

11 () () () () () () () (00) mp 11

11, LONDON STREET, WHITCHURCH, HAMPSHIRE, RG28 7LH

Telephone: Whitchurch (025682) 2008

27128 EPROM

Hitachi 250nS-THE RELIABLE ONES! PRICE INCLUDES VAT, P&P 1-2 pcs £5.95, 3-9 pcs £5.45, 10 + £4.95

BBC/CENTRONICS PRINTER CABLE £8.95 **BB-PROM PROGRAMMER £33.95**

Low cost, high speed programmer for 2764/27128 and 'A' Z.I.F. socket – **Driver Software in ROM** – Application Notes Functions:—CHECK, READ, BLOW, VERIFY. For BBC-B/disc. Prices include VAT & post (UK). Delivery normally by return.

Send UK Cheques/Money Orders/Official Orders to:

SILICON CITY, Dept A 1 Milton Road, Cambridge CB41UY. ACCESS/VISA orders, telephone 0223 312453

ELECTRONICS C.A.D "ANALYSER I & II"

PERFORMANCE ANALYSIS OF LINEAR CIRCUITS using the BBC MODEL B AND SPECTRUM 48K micros.

Simulates Resistors, Capacitors, Inductors, Transformers, Bipolar and Field effect Transistors,

Simulates Resistors, Capacitors, Inductors, Iransformers, Bipolar and Field effect Transistors, and Operational Amplifiers in any circuit configuration.

Performs FREQUENCY RESPONSE ANALYSIS on Circuits with up to 30 Nodes and 100 Components, for Phase and Gain, Loss, Input impedance and Output impedance. Ideal for the analysis of ACTIVE and PASSIVE FILTERS, AUDIO, WIDEBAND and RF AMPLIFIERS, LINEAR INTEGRATED CIRCUITS etc, etc...


"ANALYSER" can greatly reduce or even eliminate the need to breadboard new designs.

USED BY INDUSTRIAL AND UNIVERSITY R & D DEPARTMENTS WORLD WIDE.

Very easy to use. Prices from £20. Access or American Express welcome

NUMBER ONE SYSTEMS LIMITED Department AU, 9A Crown Street, St Ives Huntingdon, Cambs UK, PE17 4EB Tel: 0480 61778 Telex: 32339

CHASE DATA LTD



SPECIAL OFFER

CANON MDD 210

200K (400K DOUBLE DENSITY)
40 Track Double Sided
6ms TK to TK
Access, Head Load Solenoid
DIRECT DRIVE

£75.00 INC
While stocks last

SPECIAL OFFER


CANON MDD 220

40/80 track switchable with dual colour lead


400K (800K in double density)


3ms Access in 80 Track Mode Head Load Solenoid, DIRECT DRIVE

£ 119.00 INC
Dual with P.S.U. £224.00 INC



221A Super Slim
40/80 Track Switchable
with dual colour L.E.D.
400K (800K in Double Density)





211A Super Slim
40 track Double Sided
200K (400K Double Density)

£89.00 INC
Dual with P.S.U. £219.00 INC

Price includes Drive Cased with Cables Manual and Utilities Disc

THE SCYTHE TOOLKIT

If you can't see the wood for the trees, get the SCYTHE and HACK your way through!! This ROM contains loads of useful commands and has the added bonus of accepting both HEX & DECIMAL entry.

MDIS: A fast UP/DOWN scrolling dissembler which will examine all paged ROM's. Will work in any 40 or 80 column mode

SDIS: Will spool disassembled code in a form compatible with the BASIC2 assembler, data is represented with EQUBs.

MERIT: Memory editor with hex/asci display, UP/DOWN scrolling with paged ROM/RAM access. Will work in any 40 or 80 column mode

KLIST: Expands soft key definitions and presents them so they can be easily edited, all codes are expanded so that wordwise type definitions can be

BASE: Will accept a number and display its HEX, DECIMAL & BINARY

ROMLIST: Displays what ROMS are present in your machine and the ROM

ROMSAVE: Will save any sideways ROM to the current filing system.

FORMAT: Formats a disk to any number of tracks.

VERIFY: Verifies a disk shows up bad tracks, and displays an error count. FREE: Displays an analysis of the free space available on a disk.

SFIND: Search memory for the occurance of a specified string. BFIND: Search memory for the ocurrence of any sequence of bytes. XLIST: Will search a BASIC program for any VDU codes (which may for

instance be used to make the program unlistable) and replace them. BAD: Will attempt to repair a bad program.

MRELOC: Will add a relocating program to a machine code file so that it will automatically download and run.

SLOW: Will slow down operation of the BBC (over a variable range) to allow easier playing on many games, and the analysis of the operation of graphics

TDISK: Comprehensive file transfer utility allowing you to transfer files between filing systems (ROM, NET, DISK, TAPE). Many features including locking/unlocking programs, can handle any length of file, most forms of tape protection coped with.

VECTOR: Will produce a menu of the programs on a VECTOR1 program disk, and run them, this utility will cope with some forms of protection which cannot be handled by any disk based product.

£24 including P&P & VAT



DIAGRAM

A program which allows you to store very large diagrams—up to 39 mode 0 screens—and view or edit them by SCROLLING the computer screen around over any part of the diagram

FEATURES

■ Draw diagrams, schematics, plans etc, in any aspect ratio, e.g. 10*3, 2*12

Access any part of the diagram rapidly by entering an index name, e.g. TR6,R5 etc, to display a specific section of the diagram, and then scroll around to any other part of the diagram using the cursor keys.

■ Up to 128 Icons may be predefined for each diagram e.g. Transistors, resistors etc, in full mode 0 definition, up to 32 pixels horizontally by 24 vertically

 \blacksquare Hard copy printouts in varying print sizes up to 9 mode 0 screens on an A4 size sheet, compatible with most dot matrix printers.

■ Many other features including, selectable display colours, comprehensive line drawing facilities, TAB settings, etc.

■ Disc contains sample diagrams and two versions of the program, one of which will work from a 16k sideways RAM.

Comprehensive instruction manual

£28.75 Including P&P & VAT Supplied only on disc—40T/80T compatible

DISCUS >

Test utility for testing your own disc drive, at regular intervals to avoid the dreaded flop of your floppy. Menu driven, easy to use, 40 or 80 track versions.



TESTS: Motor speed, read/write, steptest, alignment test,*, step & read/write test, read only test.

£8.00 inc £7.00 if purchased with disc drive. This test requires an oscilloscope & alignment disc.

CHASE DATE SOFTWARE NOW COMPATIBLE WITH UDM & OPUS DFS PLEASE STATE WHEN ORDERING

Vector 1-

The ultimate tape to disk utility Vector 1 allows you to transfer almost all your tape software to disk. Únlike

others, you only need to buy 1 copy of Vector 1 since it transfers tapes to specially formatted program discs. This is easily the most powerful tape to disk utility available



Vector 2-Disk to disk utility

Vector 2 allows you to make backup copies of all your valuable disk software. It is the most advanced utility of its kind available.

It is a condition of sale that neither of these products are used for infringement of the copyright.

Vector 1 £16 On its own

£15 If purchased with disk drive

Vector 2 £16 On its own

£15 if purchased with disk drive

Vector 1 & 2 £30

EPROMS

2764 £3.00 28128 £5.00

Inclusive of P&P & VAT

All inclusive price list: This means: disc drive + case + all power & data cables + UK carriage + utilities disc & manual + VAT

Model	210	211A	220	221A	596D SANYO	FUJI FL	.OPPY	DISCS
Formatted Capacity per drive on BBC Micro	200K	200K	400K	400K	400K		Per box 10	If purchased with disc drive
Single Drive & Case	£75	£89	£119	£154	£149	AOTHCCDD	017.00	
Single Drive & Case/PSU:		_	£114	£179	£174	40TKSSDD 40TKSSDD	£17.60 £24.50	£15.60 £22.50
Dual Drive & Case:			£229	£289	£279	80TKSSDD	£28.60	£26.60
Dual Drive & Case/PSU:		£219	£244	£319	£309	These prices in		

DON'T FORGET YOUR VECTOR 1 & 2 WHEN ORDERING

Warranty: All disc drives sold by Chase Data Ltd come with a full oneyear warranty on parts & labour with optional extended warranty on all drives

Extended Warranty Your insurance of trouble free operation.

When ordering your disc drive, ask about our second and third year extended warranty scheme. This covers ALL PARTS AND LABOUR and costs from as little as £15.00 on single drives and £23.00 on dual drives.

Non-Warranty Service: As the experts in our field, we can offer service on most makes of floppy disc drive.

Recalibration & Alignment....£25 per unit inc VAT (parts extra). Phone for details: (Tel: 0784-38487).

Payment:







Send your remittance (cheques only please) with your order to:

CHASE DATA LT

Unit 2. Crabtree Road, Thorpe Industrial Estate,

Egham, Surrey, TW20 8RN

By Phone: (Tel: 0784-38487). Allow up to 21 days for delivery.

AKHTER FOR ACORN AND DISC DRIVES



ACORN PRODUCTS

BBC Model B+	£409 + VAT £469
BBC Model B (including £50 of software)	
BBC Model B with disc interface . A.M. 141.	
BBC Model B with econet interface	
BBC Model B with disc and econet interface	
6502 Second Processor	£173 + VAT £199
Z80 Second Processor	
ECONET PARTS - Full range of Econet prod	

ECONET PARTS - Full range of Econe	t products available.
Winchester Disc Drive - 10MB	£1304 + VAT £1499
Winchester Disc Drive - 30MB	£1999 + VAT £2299
BBC Prestel Receiver.	£121 + VAT £139
BBC Teletext Receiver	
Acorn Bitstick	£328 + VAT £377
Acorn Bitstick multi-plotter driver	£69 + VAT £79
A to B upgrade kit (inc. fitting)	F90 + VAT F103
Format interfered line fitting	ALVOICE COMP.

applicate the thic. Inting	LOU T VALLIUS
Econet interface (inc. fitting)	£60 + VAT £69
Disc interface (inc. fitting)	£103 + VAT £118
Speech upgrade	£48 + VAT £55
Games Paddles	
IEEE Interface	£284 + VAT £327

Intelligent Printer Buffer, Sharer	£245	+ VAT £282
AMX Mouse	£75 +	VAT £87
Total Park		

	Tracker Ball .		V				£	52 +	V	AT £6	0
Sir.	Grafpad			213	īu	3.5	£120	+ VA	ΛT.	£138	Z

ISO-PASCAL (BBC)		£50 +	VAT	£5
Wordwise	£35	+ VAT	£41	
Wordwise Plus				
View	£52	+ VAT	£58	1
Viewsheet	£52	+ VAT	£58	

AKHTER DISC DRIVES

HIGH QUALITY 51/4" FLOPPY DISC DRIVES WITH 2 YEAR WARRANTY

100% BBC compatible. Each drive fully cased with all necessary cables, formatting disc and User Guide.

DUAL DRIVES WITH PSU & MONITOR STAND

Company of the second s	THE STATE OF THE S	CALL DE LA CALLE D
MD802D	Dual drive 800k (2 x400k) 40/80	switchable, double
sided plus	PSU plus monitor stand	£286 + VAT £329
MD402D	Dual drive 400k (2 x 200k) 40 trac	ck, double sided plus
	monitor stand.	

DUAL DRIVES, VERTICALLY STACKED WITH CABLES & FORMATTING DISC.

	10 Dioc.
MD802C	Dual drive 800k (2 x 400k) 40/80 switchable, double
sided	£208 + VAT £239
MD402C	Dual drive 400k (2 x 200k) 40 track, double sided.
HH CALL A	1190 + VAT £219

SINGLE DRIVES, FULLY CASED WITH CABLES & FORMATTING DISC.

MD400A Single drive 400k 40/80 switchable, double sided.

£109 + VAT £125

MD200A Single drive 200k 40 track single sided.

£95 + VAT £109

AKHTER DISC DRIVES



LOW COST



Fully BBC compatible 51/4" disc drives.

Each drive comes fully cased and equipped with all necessary cables, formatting disc and User Guide.

SD400B 51/4" single disc drive plus PSU. 400k (800k in double density) 40/80 track switchable. (Equivalent Cumana CS400 - price £179.95)

£105 + VAT £119.95

SD400A 5½" single disc drive 400K, 40/80 track switchable £86 + VAT £99

SD802E 51/4" dual disc drive plus PSU.

800k (1.6Mb in double density) 40/80 track switchable. (Equivalent Cumana CD800S price - £320.95)

£192 + VAT £219.95

The above drives carry a twelve month guarantee.

AKHTER DISC DRIVES



PRICE BREAKTHROUGH on 31/2" DISC DRIVES

Fully BBC compatible.

Each drive comes fully cased and equipped with all necessary cables, formatting disc and User Guide.

MD400F 31/2" SINGLE DISC DRIVE

Dual case with single drive; with dual cables, utilities and manual. Storage capacity 800k on BBC Model B+ (400k on standard BBC Model B).

ONLY £99 + VAT £114

MD802F 31/2" DUAL DISC DRIVE

Dual case with dual drive; with dual cables, utilities and manual. Storage capacity 1.6 MByte on BBC Model B+ (800k on standard BBC Model B).

... ONLY £173 + VAT £199

The above drives carry a twelve month guarantee.

31/2" Diskettes Double sided, double density (box of 10)

£39 + VAT £45



3M DISKETTES

744	Single sid	led, c	double o	density.	40	track	(box	of i	10).	 	£15.60	+	VAT	£17.95
745	Double si	ded,	double	density.	, 40	track	(box	of	10)	 	£22.57	+	VAT	£25.95
747	Double si	ded.	double	density	80	track	(box	of	10)	 	£26.04	+	VAT	£29.95
7440	1 Hand al	annin	a bit the	au at 21							C44 9C	4	MAT	C42 0E

AKHTER FOR PRINTERS, MONITORS & PERIPHERALS

SPECIAL EDUCATION DISCOUNTS

BULK ENQUIRIES WELCOME



DAISYWHEEL PRINTERS

	onal, logic seeking, 10, 12, 15 CPI and £199 + VAT £229
	onal, logic seeking, 10, 12, 15, CPI and £324 + VAT £373
JUKI 6300 40 CPS, Bi-direct	ional, 10, 12, 15 CPI and PS

JUKI 2200 Portable electronic daisywheel typewriter and R/O printer. 10CPS. 10, 12 and 15 pitch. Bi-directional printing. 2k buffer

	1249 + VAI 1200
Single sheet feeder.	£199 + VAT £229
RS232 Interface	£50 + VAT £58
Tractor Unit	£129 + VAT £148
Spare daisywheel	£14 + VAT £16
Juki 6100 ribbon	£2 + VAT £2.30

QUENDATA DWP1120 20 CPS. Bi-directional, logic seeking.

Centronic Interface (Optional RS232-C)

£219 + VAT £252

COLOUR PRINTERS

OKIMATE 20 Full colour, 40CPS letter quality, variable width tractor feed, plain paper and acetate film printing £259 + VAT £298

CANON PJ1080A Seven colour printing. 37CPS. Bi-directional .£399 + VAT £459

LASER PRINTER

CANON LASER PRINTER LBP-801 Landscape and portrait. 10, 12, 13.3 15CPI and P.S. £2695 + VAT £3058

PERIPHERALS

280 disc drives and 2nd processor £564 + VAT £649

ZEP 100 2nd processor

£299 + VAT £344

EPROMER for BBC complete with software . £99 + VAT £114

Software available on Cassette, Disc or Rom, please

NOVACAD

Computer Aided Draughting for the BBC Micro

Anew CAD package aiding the design of such items as a complex circuit diagram, a new kitchen plan or a simple cube.

Features include: Very user friendly Special windowing techniques Libraries of user defined shapes Zoom facilities User definable grid

Text may be added Powerful delete facilities

Printer dump for Epson compatible printers An optional plotter facility

All you need is a BBC Micro fitted with the Acom DFS system and a disc drive. Novacad consists of 16k ROM, utility disc and a comprehensive

..... ALL FOR ONLY £79 + VAT £91

DOT MATRIX PRINTERS

FX 80 160 CPS 10 inch wide friction and pin feed.

£324 + VAT £373

FX100 160 CPS 15 inch wide friction and pin feed

£439 + VAT £505

RX80 F/T 100CPS 10 inch wide friction and pin feed

.....£239 + VAT £275 RX80 100 CPS 10 inch wide tractor feed £215 + VAT £248

RX100 F/T 100 CPS friction and tractor feed £349 + VAT £401

LX80 NEW Epson printer with NLQ £229 + VAT £264

8148 RS232 Interface with 2k buffers, X on X off. £60 + VAT £69

Ribbon Cartridge for RX80, FX80 and MX80 £5 + VAT £6
Ribbon Cartridge for FX100 and MX 100 £7 + VAT £8

MP165 165 CPS 10 inch wide friction and tractor feed. NLQ Epson compatible £239 + VAT £275

CANON PW1080A 160CPS 10inch wide friction and tractor feed.

£255 + VAT £294 NLQ.... CANON PW1156A 160CPS., 15 inch wide

friction feed NLQ £359 + VAT £413

SHINA CPA80 100 CPS friction and tractor feed

.... £187 + VAT £215

SMITH CORONA

FASTEXT 80 80CPS column friction feed

£112 + VAT £129

D100 120CPS friction and tractor feed

£199 + VAT £229

MONITORS

SPECIAL OFFER Sanyo CD3125 standard resolution monitor £155 + VAT £179

MONITORS

SANYO COLOUR MONITORS

CD 3125 Standard resolution.	£155 + VAT £179
CD 3117 Medium resolution	
CD 3115 High resolution	£399 + VAT £459
CRT 50 Medium resolution for MBC 550 series	£299 + VAT£344
CRT 70 High resolution for MBC 550 series.	£429 + VAT £494

SANYO GREEN MONITORS

DN	18112 12 inch 18 Mhz Hi-res	£86	+ VAT	££99
DN	19112 12 inch 18 Mhz Hi-res with tilt stand	. £99	+VAT	£114
CF	T 36 High resolution for MBC 550 series	£119	+ VAT	£137

PHILIPS

/502 Green	screen/sound	input.	ZU IVINZ	5 5 3 3 3 3	114	TVALI	CO.
7522 Amber	screen/sound	input	20 Mhz		£78	+ VAT £	89

MICROVITEC CUB

1451 MS 14 inch RGB med. res. col£240 + VAT £276 1441 MS 14 inch RGB hi-res. col£399 + VAT £459	1431 MS	14 inch F	RGB standa	rd res. col	£199	+ VAT	£229
1441 MS 14 inch RGB hi-res. col £399 + VAT £459	1451 MS	14 inch F	RGB med. r	es. col	£240	+ VAT	£276
	1441 MS	14 inch F	RGB hi-res.	col	£399	+ VAT	£459



AHHTER COMPUTER GROUP 28/29 BURNT MILL HARLOW ESSEX CM20 2HU U.K. 2 0279-443521 (10 lines) Telex 818894 AKHTER G.

Opening Hours: Mon - Fri 9 a.m. - 6.30 p.m. Sat 10 a.m. - 5 p.m.

CALLERS WELCOME AMPLE PARKING DELIVERY: Securicor 'A' Service

£8.00 per parcel
Securicor 'B' Service
£5.00 per parcel
Postal Service £1.50 per parcel



prices subject to change without notice & are rounded up to the nearest pound.

BOBBY CHARLTON SOCCER

For BBC Model/B and Acorn Electron
'It's the best computer soccer game I have ever seen' –
Adrian Heath – Everton F.C.

Full Arcade-action Soccer Game – YOU build your teams – then YOU Play Soccer.

Manager Module Features -

Select 4-4-2, 4-3-3, 4-2-4 or Sweeper System.

Decide separate SKILL, ACCURACY and STAMINA levels and any special field positions for each of your eleven men.

Pre-match injuries (optional – allocated by computer) affect players' performance.

Select 2-player game, or 1 player v. computer, or computer v. computer. Match-Play Module Features –

Full 22-man soccer action - in 3D perspective.

YOU control the men – Tackle, Dribble, Pass, Shoot and SCORE! Use joysticks OR keyboard to vary pace and direction of men and ball. Includes Corners, Throw-ins and Goal-kicks and variable-height passes etc. Play anywhere from 3 to 45 minutes each way.

There is no other computer football game to match the realism of BOBBY CHARLTON SOCCER. Introduction and playing tips recorded on cassette by Bobby Charlton.

'We've worked hard for a year now and we've produced what we think is a fantastic game. It's very realistic, the players can move individually from the joystick . . . they can pass and they can shoot . . . ' - Bobby Charlton

£11.95 Package with Manager Module and Match-play Module £11.95 Available through all computer specialists or direct from DACC (post free).

From DACC



Postcode	
Please send me	copies of the Bobby Charlton
Soccer Game from	DACC at
I enclose cheque/P	ostal Order for the total of
Access V/S	The may grade minimized of
Please debit my acc	ount no.
Despatch within 48 My computer is	hours
dae	To: DACC Ltd. (Dept. AU 685),
dac	23 Waverley Road, Hindley,
doc •LIMITE	23 Waverley Road, Hindley, Wigan, Lancashire WN2 3BN.
doc •LIMITE	23 Waverley Road, Hindley, Wigan, Lancashire

DISC DRIVES FOR BBC

D80SMP dual drive (2 × 400k) 40/80 switchable

	double sided + monitor stand + PSU	£320 (b)
S80SP	single drive (400k) 40/80 switchable double sided + PSU	£160 (b)
S80S	single drive (400k) 40/80 switchable double sided	£120 (b)
S80FD	single drive (400k) full height 80 track double sided	£100 (b)
S80F	single drive (200k) full height 80 track single sided	£80 (b)
S40S	single drive (100k) 40 track single sided	£100 (b)
D35	dual $3\frac{1}{2}$ " drives (2 × 400k) 80 track double sided	£200 (b)
S35	single $3\frac{1}{2}$ " drive (400k) 80 track double sided	£115 (b)
ACORN I	NTERFACE DNFS	£55 (c) £75 (c)

Quantity discounts available Carriage charges – (a): £1 (b): £10 (c): £2 All prices include VAT



8271 £46 (a)

2764 £2.75 (a)

CARSON DEVELOPMENTS (AU)
84 Highfield Road, Romford, Essex RM5 3RU
Telephone: 0708 27043



27128 £5 (a) 6264LP £5 (a)

DISKETTES from £10 per pack-excl: VAT. All discs guaranteed and have lifetime

		CONTRACTOR OF THE PARTY OF THE	anteca ana nave	meanic
		warranty		
	10 of	25 of		
40tk SSSD	£11.50	£27	Add £7 for a 50	capa-
40tk SSDD	£12.65	£29	city storage bo	
40tk DSDD	£15	£35	smoked perspe	
80tk DSQuad	£17	£41	dividers and n	
			rubber feet.	
DAT	ALIFE	VEREX	SONY	
40tk SSSD	-VS	£12	3½"SSDD	£38
40tk SSDD	£14.25	£13	3½"DSDD	£45
40tk DSDD	£18	£16		

80tk DSQuad **£24**Carriage & VAT included, No more to pay

Are you frustrated by page problems, running two or more DFS's, ROM interaction; require a single and double density sector editor? The new systems utility rom from ED-SOFT is your answer. With Systems Utility you can: sector edit Acorn, Opus and UDM-enable/disable roms, even across Break – list roms – check status of roms, even when disabled – peek and poke memory – display basic variables – automatically run a basic/mc file from disc and leave page at E00 – automatically down load cassette software from disc

Replica II – Tape-Disc utility for Acorn, Opus, UDM £12 (a)
Case – slimline £13.80 (c) full height £18.98 (c)
Cable – single data £6.50 (a) dual data £10.50 (a)
single power £3.50 (a) dual power £4.74 (a)

 UDM 100% board
 £17.50 (a)

 UDM DDFS 3.0
 £80.00 (a)

 UDM Rom Ram expansion board
 £55.00 (b)

 UDM 3.0 upgrade
 £5.75 (a)

ONTHE TRANSFERIST

Neil Gordon shows how to convert your programs

from Wordwise to Basic - or Basic to Wordwise

HE BBC micro allows only limited editing facilities for Basic programs. The arrow keys can be used to move the cursor around on the screen, and the Copy key to copy the characters at the cursor to the line being entered. In comparison with using a full-screen editor, this is very clumsy – in particular, it's not possible to scroll up and down through a Basic program to find and edit a section that needs modifying.

Since I have the *Wordwise* word-processor chip installed on my Beeb, and this incorporates an excellent full screen editor (albeit only in 40 column teletext mode), I wondered whether it could be used to edit Basic programs. Well, according to the *Wordwise* manual it can, but only by a very involved process.

Under Basic, the program text must first be *SPOOLed to tape (or disc), then read in again once the BBC micro has been switched to *Wordwise*. After editing, the text must again be written to tape, then read in after switching back to Basic. This takes a lot of time, especially when using tape. There has to be a better way, I thought, and fortunately there is.


The method I have devised involves intercepting the operating system routines OSWRCH (write a character) and OSRDCH (read a character). To convert the Basic program to *Wordwise* format, a substitute OSWRCH routine is used to write the results of a LIST command into a free area of memory. This listing is then copied into the *Wordwise* text area. Once the program has been edited using *Wordwise*, a substitute OSRDCH routine is used to feed the program to the Basic interpreter one character at a time as if it were being

typed on the keyboard. Both conversion processes are very rapid.

The listing gives the program which assembles the machine language routines to do the conversions. It also programs function keys f0 and f1 to call the routines. This version stores the machine code in memory locations &C00 to &CC7, where the user-defined character definitions are stored. You can easily *LOAD the machine code

again if you overwrite it by defining some characters.

Let's examine how the program works. PROCinit sets up various locations in memory, PROCassemble assembles the machine language, and PROCkeys programs the user-defined keys f0 to convert from Basic to Wordwise and f1 to convert from Wordwise to Basic. Once the program has been run, use a *SAVE "EDIT" B00 &CFF com-



SEE YOUR OWN DESIGNS IN TRUE PERSPECTIVE AND IN PLAN. FRONT AND END VIEWS

Useful introduction to 3-D CAD, for Design work in schools

CAD software for BBC 'B' 32k (Tape or Disc). No extras required.

*Design your own shapes and display wire-frame representations in true perspective. ★Rotate designs, in true perspective - horizontal or vertical axis - any number of views. ★See Front, Plan and End views, in wire-frame. Scale can be indicated. *Allows guick changes in the proportion of depth, width and height. *Add or make changes to your design at any stage. Draw to points in any order. *Even use some solid colour on simple shapes (version 1). ★Define up to 200 wire-frame points (version 4). Dimensions are entered as Data. ★Data syntax check (version 4). ★Clear 14 page Guide Notes booklet. ★Full screen messages support graphics including: view title, view number, proportional changes made, eye-level height, number of points drawn, Data full indicator etc.

Send s.a.e. for full specification of facilities.

Or cheques payable to:

'VIEWFORM SOFTWARE', Halfpenny House, Rugby Road, Brandon, COVENTRY CV8 3GJ.

CASSETTE £10.70 or DISC (40 track) £13.90. Price includes Guide Notes, two versions of VIEWFORM (on one cassette or disc, with demonstration graphics) and P & P.

MADDISON WORKSTATIONS



THE STANDARD TO FOLLOW

- ★ Single and Dual Height Table Toppers.
- * Standard Widths With Extensions.
- Full System Types (Illustrated).
- ★ Custom Designs For All Makes.

These top-quality stations have features other makers can only dream of offering - at realistic prices.

Full Colour Literature available now. Dealer enquiries welcomed.

MADDISON COMPUTERS 104 London Road, Headington, Oxford Tel: (0865) 69468 Telex: CTM via 83147

UK's LOWEST PRINTER PRICES

ORDERED TODAY - DELIVERED TOMORROW DOT MATRIX

	EX VAT	INC VAT
BROTHER HR5	£133.00	£152.95
SHINWA CPA80	£185.00	£212.75
EPSON RX80	£185.00	£212.75
EPSON LX80F/T+	£212.00	£243.80
EPSON RX100F/T	£347.00	£399.05
EPSON FX80	£314.00	£361.10
EPSON FX100	£425.00	£488.75

DOT MATRIX PLUS NEAR LETTER QUALITY

KAGA KP-810		£245.00	£281.75
CANON 1080A	SPECIAL OFFER	£245.00	£281.75
KAGA KP-910		£340.00	£391.00
CANON 1156A	SPECIAL OFFER	£340.00	£391.00

DAISY WHEEL

QUENDATA 1120	£225.00	£258.75
JUKI 6100	£325.00	£373.75
EPSON DX100	£356.00	£409.40

COLOUR PRINTERS

EPSON JX-80 SPECIAL OFFER £450.00 £517.50

ACCESSORIES

WORDWISE + £43.00 €49.45 BBC/PRINTER CABLE €8.00 €9.20

UTILITIES

REPLICA II ● THE TAPE TO DISK COPIER \$8.00

€9.20

FREE! Users Printer Guide and Screen DUMP

Printerland

Unit 27, Estate Buildings, Railway St, Huddersfield HD1 IJP Showroom open Mon-Fri 9-6 pm. Sat morn 9-1 pm Tel: Huddersfield (0484) 514105 or (0484) 687875

WICHTION LEADS		RIBBUNC	ADLE (FI	ce per it;	STEC	TUOMEN	
C to Microvited to Computer en Screen C to Fidelity etc. to Fidelity etc. MMODORE to Fidelity to to Fidelity	£2.20 £1.25 £2.95 £4.95 £4.95 £4.95 £1.25	9-way 10-way 14-way 15-way 16-way 20-way 24-way	Grey R: .13 .15 .18 .20 .22 .30 .36	.24 .28 .32 .36 .40 .50	6 inch F to 12 inch ex IDC SH	ROUDED	ole M oble N
C to Ferguson to Microvitec to mono monitor C to Sony/Kaga C to BNC MMODORE to Ferguson C to Hitachi NY to Fidelity etc.	£2.50 £6.50	25-way 26-way 34-way 37-way 50-way 60-way 64-way	.40 .45 .60 .65 .70 .95 £1.10 £1.15	.65 .70 .80 .85 .90 £1.25 £1.40 £1.50	10-way 14-way 16-way 20-way 26-way 34-way	£1.25 £1.40 £1.70	
X to Ferguson to Ferguson Way Plug (solder type)	£2.50 £2.50 £4.95	EDGE	CONNECT (ZX-81)	£1.85	40-way 50-way 60-way	£2.15 £2.30 £2.45	1
IDC AMPHENOL way plug way socket way plug (solder type) DISK DRIVE LEAD: al disk drive power lead	erest and the	2 × 28-way DOUBLE SI ZX-81 23-wa Spectrum 28 ADD 56-way Card Extension	DED PLUG ay -way ITIONAL II Edge for	BOARDS £1.35 £1.50	BBC	MONITO	and
at disk ditive bowel lead	L4.0U	and the same of th				HILL COACIC	4 1

D CONNECTORS

TELET HOUSE GO	
Surface master jack socket	£3.75
Surface extn socket	£2.50 £4.25
Dual outlet adaptor Line jack cord 3mtr	£1.85
4 core cable per metre	48p
All surface units shu	tterea bi

CONNECTORS IDC				
	Card	Trans	2 Row	
	Edge	PCB	Socket	
10-way	£1.20	£0.85	£0.80	
14-way	-	-	£0.90	
16-way	£1.60	£1.20	£1.00	
20-way	£1.90	£1.35	£1.20	
26-way	£2.40	£1.60	£1.45	
34-way	£3.10	£1.95	£1.60	
40-way	£3.40	£2.00	£1.85	
50-way	£3.85	£2.25	£2.00	
60-way	£4.80	£2.60	£2.25	

	-1
Heavy-duty : Vinyl cove in BBC cold to match.	red 1/
DISTRIBUTIO	
100	

ONLY £9.50

SPECTRUM DRIVES		
RS232 WAFA lead 1m Centronics WAFA lead 1m Micro Extn. lead 12"	£10.50 £10.50 £6.00	
IDC D CONNECTO	RS	

	Male	Female
9-way	£2.70	£3.20
15-way	£3.20	£3.70
25-way	£3.80	£4.45
37-way	£5.90	£6.80

TRADE ENQUIRIES WELCOME

75p P&P IN UK. Access & Visa accepted. Add 15% VAT to all orders Cheques made payable to



BBC to cassette DRAGON to casset SPECTRUM to cass

BBC
BBC serial
AMSTRAD
MEMOTECH
EINSTEIN
IBM PC
SPECTRUM interface
One to RS 232
ATARI
MSX
APRICOT
DRAGON
OL

PRINTER LEADS

Connections Ltd, Dept AC9, PO Box 1, Ware, Herts. Tel: 0920 5285/66284



WORDPROCESSING

mand to save pages &B and &C to tape/disc. Page &B contains the user-defined key definitions, so when a *LOAD "EDIT" command is used to read the saved data, the keys will be programmed automatically. You should program the keys other than f0 and f1 as desired, either directly or within PROCkeys, before *SAVEing the routine to tape.


To convert from Basic to *Wordwise*, just press function key f0. As outlined in PROCkeys, this performs the following sequence of operations:

- Clears any previous input on the line.
- Sets mode 7 so that as much memory as possible is available to store the text (note that no checking is done for memory overflow).
- Sets LIST0 1 for a single space after each statement number.
- Intercepts OSWRCH so that characters will be written to memory instead of to the screen. Usually, the listing will be stored starting at the beginning of the next page after the tokenised Basic program. However, if the program is short then at least three pages must be allowed for *Wordwise*.
- Lists the program into memory (the listing does not appear on the screen).
- Restores the correct OSWRCH vector.
- Switches to Wordwise to initialise it (replying with N to the question "Old text?").
- Switches back to Basic.
- Calls the machine code routine to copy the listing to the Wordwise text area. The copying starts at the last character of the listing and works backwards to the beginning, stopping when a null character used as a flag is encountered.
- Switches back to Wordwise this time replying that there is old text.
- Escapes into edit mode at the top of the text.
- Since the word count has not been set, puts a marker at the end of the text, does a word count, then deletes the marker. A word count is hardly necessary for Basic programs, so this operation is optional, but it does cause entertaining contortions on the screen.

Once you have finished editing the program using *Wordwise*, hold down both CTRL and Shift and press function key f1 to get back to Basic. This must be done from within *Wordwise* edit mode, and performs the following sequence of operations:

- Sets the cursor to the top of text.
- Escapes to the Wordwise menu.
- Switches to Basic.
- Does an *FX225,1 command to allow the function keys to be used.

- Calls the machine code routine to intercept OSRDCH and feed the program text one character at a time to the Basic interpreter. Note that all blanks between a statement number and the first non-blank character of the statement are left out. (This means that you should put a single colon after a statement number if you want a null statement for program layout, or else the statement will be deleted.) If you keep holding down one of the CTRL and Shift keys and intermittently release the other, you can check for any errors given by Basic as it accepts and tokenises the text.
- When the machine code routine gets to the ASCII 129 character, used just before the Wordwise 'end' to make it red, the machine code restores the correct OSRDCH vector.



Using Wordwise to edit Basic programs can save you much time and trouble

Since the edited text is fed back to Basic as if it were being typed, you can edit in an automatic numbering command such as AUTO 100, followed by a sequence of statement lines without numbers, and the numbering will take place in the usual fashion. This should not be followed by any numbered statements, and you will have to press Escape to get out of the AUTO numbering after returning to Basic.

When editing the program remember that any lines which are more than 40 characters long will be broken at a word boundary and continued on the next line – this can be confusing and you have to be careful about where the ends of statement lines are.

Also, remember teletext mode has such oddities as both tabs and right square brackets appearing as right arrows on the screen. However, the ease of editing Basic programs with Wordwise more than compensates for such minor problems.

Neil Gordon's Wordwise listing is on yellow page 109

Entering the program

A checksum is included to help you spot any errors in your listing. If no mistakes are indicated, delete the checksum (lines 90–130) and save the program.

To speed up typing the listing in you may find it helpful to define the red function keys with commonly used assembler commands. Refer to the Sideways RAM Utilities listing on page 102 of the June issue of Acorn User for an example.

How the program works

Two routines are assembled in the memory starting at &C00. One converts a Basic program into text so that it may be edited using Wordwise; the other converts the Wordwise text back into a Basic program. The red function keys 0 and 1 are programmed to call these routines. Please note that this program will not work with Wordwise Plus.

The Basic-to-Wordwise conversion is performed by intercepting OSWRCH. When the program is listed the text generated is written into memory instead of being displayed on the screen. The Wordwise-to-Basic routine intercepts OSRDCH, sending the Basic text to the Basic interpreter.

Wordwise uses zero page locations &70 to &83. Two of these locations, &78 and &79, contain the text pointer and are named wwpointerL and wwpointerH respectively in PROCinit. The pointer to the text area when the Basic program is written out (wrpointerL, wrpointerH), and the pointer used when reading (rdpointerL, rdpointerH), are stored in the spare zero page memory from &84 onwards.

The assembly language is dealt with by PROCassemble (line 280 L). Lines 390 to 590 set aside three pages for *Wordwise* to use and decide the page at which the text should be written. The Basic-to-*Wordwise* conversion starts at line 600.

Lines 680 to 710 put a zero byte at the start of the listing. The main loop to transfer characters from the Basic text area to the Wordwise workspace starts at 730. The replacement OSWRCH routine (line 900 L); lines 1050 to 1080 copy the Wordwise cursor pointer. OSRDCH is intercepted at line 1110 and the new read-character routine starts at line 1160. Line 1200 checks for the teletext red character (used just before the Wordwise "end"), restoring OSRDCH (at line 1440) if it is found. Finally, the Y register is restored and the carry flag cleared before returning to Basic.

DATA-ACQUISITION FOR THE BBC MICRO

HARDWARE

Single and dual channel up to 1 Mhz sampling rate. Timebase calibrated in 1-2-5 sequence with external timebase

1-2-b sequence with external timebase input facility.

Memory – 2K bytes non volatile.

Signal Input – AC/DC coupled.

Stepped attenuator from 5mV/Div to 5V/Div in a 1-2-5 sequence.

Signal Output – DC coupled to oscillo-

scope, or chart recorder.

Interface – standard 8-bit parallel interface developed for BBC micro (can be

configured for use with other micros). Used independently of micro will con vert any oscilloscope into a storage oscilloscope.

Prices - from £495.00 plus VAT and carriage

FT 2000 ACOUSTIC ANALYSIS AND MEASUREMENT SYSTEM. Many applications, including tests requiring the simulation of anechoic sound proof chambers INSERTION GAIN PHASE RESPONSE DISTORTION ANALYSIS

Capable of performing

ACOUSTIC ABSORPTION NOISE SPECTRUM FREE FIELD RESPONSE DIRECTIONAL CHARACTERISTICS REVERBERATION ANALYSIS

SYSTEMS Complete systems available

SAP disc based program supplied with all BBC interfaced units features:

Large, fast display of stored data on the moni-tor screen with appropriate amplitude and timebase calibrations.

Expansion facility of displayed data for detailed examination of sections of the stored

Measurement of displayed signal by keyboard controlled cursors.

Storage of waveforms to floppy disc with fast random retrieval. .

random retrieval.

Hard copy output to analogue, digital or dot
matrix printer/plotter.

Averaging routines of up to 32,000 sweeps
providing improved signal/noise ratio.

Easy to use with detailed 22 page User Guide.

DATALOGGING AND INTERFACE SYSTEM Various software packages available (including spike processing with window discriminators) for physiological recording and analysis. Full details on request.

MONITORS

Philips 7502 12" green screen Ferguson 14" Colour Monitor/TV

f7250 + f7 n & n

f239.00 + f7 p & p Microvitec Standard Colour Monitor £210.00 + £7 p & p

ALL PRICES EXCLUDE VAT

DISK DRIVES

CSXL100 single with accessories CS100E second £88 + £7 p & p unit for above CS400 Single £109 + £7 p & p 400K unit CD200 Dual Unit £139 + £7 p & p

2 × 100K CD800S Dual Unit 2 £169 + £8p&p 400K 40/80T £265 + £8 p & p PRINTERS

NEC 8023 120 cps KAGA TAXAN 140cps £225.00 + £9 p & p

letter quality (similar spec to FX 80)

£299.00 + £9 p & p Daisywheel Printers From £340

DFS INTERFACE UDM DDFS

f99.95 + £2 p & p

GRAFITEK ELECTRONICS

Please call (0272) 551781/2 for further information or send remmitance to: GRAFITEK ELECTRONICS LTD, Hayward House, 140 Hayward Road, Bristol BS5 9QA Telephone: (0272) 551781/2

Crofton

If you need a monochrome or colour monitor, digitiser, T.V. camera, or door entry system **Crofton** must be your first choice - here are a few reasons why!

THE CROFTON PM101

This 9 inch metal cased, monochrome monitor is incredible value at ONLY £82.80



THE NOVEX 1414

This superb metal cased 14 inch RGB/ COMPOSITE COMPUTER COLOUR MONITOR represents unbelievable value at ONLY

£185.15

CCTV CAMERAS

Though not new these cameras have been completely refurbished to a high standard in our own workshops and come complete with a standard lens, ready to work

ONLY £69.00



CROFTON ELECTRONICS

愛 01-891 1923

35 GROSVENOR ROAD, TWICKENHAM, MIDDLESEX TW1 4AD

THE CROFTON SPECIAL CCTV RANGE

The Crofton special CCTV package and door entry system (described in the "Security Buyers Guide" appearing in the September 1985 issue of Practical Electronics) are available at the following prices

SPECIAL CCTV PACKAGE DOOR ENTRY SYSTEM

£193.00 £103.45

ALL THE ABOVE INCLUDE VAT, CARRIAGE & INSURANCE AND AT THESE PRICES OUR STOCKS CANNOT LAST LONG

DON'T DELAY - PHONE YOUR ORDER TODAY! MOST MAJOR CREDIT CARDS ACCEPTED

Be sure to request our free catalogue describing our range of T.V. cameras, fixed and zoom lenses, sequential switchers, special and general monitors (colour and b/w including the PHILIPS 7502, PHILIPS 7522 and PHILIPS 2007 plus the full IKEGAMI range), video digitisers, light pens, eprom erasers etc.

David Andrews introduces his ViewSuite utilities

NCLUDED in View's edit commands is a very useful one called COmment. Although it's not described in the manuals, it allows text to be inserted at any point (for clarification) but it is ignored on PRINTing or SCREENing. This facility allows a full description of the text file to be accessed by the

utility program on page 108.

This program provides a handful of useful routines to enhance the use of View: it shows (in mode 3) a catalogue of View files on any disc (0-3) if the first line of the text is a COmment. It prints out on screen the COmment line and the size of the file, thus avoiding the uncertainty of interpreting seven-letter filenames. It provides for the initial auto-loading of View with the chosen file (and printer/driver if fitted). It allows one-key SCREEN and SAVE (with safety interlock) of a chosen file within View. Finally, it provides a 'help' page accessible from the command page without corrupting your text.

What the View Suite needs:

• 40 or 80 track disc(s) with Acorn DFS, (not tested with other filing systems) or Electron ADFS

View wordprocessor

Though the programs were developed on Basic 2, Acorn DFS version 0.98 and View A2.1, they are compatible with Basic 1.

How it works

There are five programs but two are not essential. The first, !BOOT, sets the drive (D%) to zero and chains "CAT" To enter it, type BUILD !BOOT, followed by D% = 0: CHAIN "CAT" and Escape. Enter *OPT4,3 and Return to EXEC the !BOOT file on Shift Break.

The second program is "CAT": it defines five function keys for use in View's command mode (first page) one with the name "dummy", which you can change later if a file is chosen from a catalogue. The function keys are defined as follows:

f0 HELP page

f1 SCREEN text

f2 SAVE and LOCK in S-A-F-E file


f3 Load printer/driver (if needed)

f10 (Break key) OLD f11 (Copy key) UNLOCK existing S-A-F-E file and replace with current file.

These function keys only operate as above on the first page of View.

PROCintro displays a menu: option 1 is Catalogue, 2 is direct into View (via PROCview). If option 1 is chosen, the drive number (0-3) is asked. Pressing Return selects the current drive.

PROCmakecode and PROCdecode



The amazing



utility for

sideways RAM

LOOK AT THE FACILITIES

- Transfers 90% of all tape software to disc (inc. specially formatted tapes that other systems cannot handle).
- "Save game to disc at any point irrespective of filing system selected.
- Freeze frame, slow motion (9 speeds), single step (5ms at a time) at any point in a program
- Swap between any number of concurrent activities each with their own screen or screen window.
- Change OS functions while a program is running (e.g. sound on/off).
- Allows screen dumps to be made without affecting the current
- Works with all disc filing systems, both single and double density.
- Comprehensive 32 page manual.

AND MUCH, MUCH, MORE!!!

Requires: BBC/B with OS 1.20 disc drive and 16K sideways ram

PRICE £12 (inc. VAT, P&P

ON-LINE

[ABEER!

Supplied on disc in 40/80 track compatible format

EVENT ONE LIMITED, 73 Church Street, Malvern, Worcs. WR14 2AE

For under £30 this ROM-based package from MIRACLE TECHNOLOGY will give you, your modem and your BBC computer access to Prestel*, Micronet*, Viewdata, telex, electronic mail, bulletin boards and databases, handling baud rates of 1200/1200, 75/1200, 1200/75 and 300/300.

Features include carousel facility, Macro Command File, error trapping and telesoftware downloading.

The package, including full fitting instructions. User Guide and Function Key Guide costs £29.90 inc VAT & UK P/P. Optional keypad for use with DataBeeb's carousel is an extra £11.44 inc if ordered with DataBeeb (£12.59 inc separately).

To get your BBC on-line - clip the coupon today!

_		7777	_		_
DI		-	00		me
100	Cas	50	26	10	1116

- ☐ DataBeeb packages @ £29.90 inc VAT & UK P/P
- Databeeb keypads @ £11.44 inc.
- I enclose cheque/postal order
- charge my Access/Visa card no:

expiry date/..../

Address

BBC Support (2), Miracle Technology (UK) Ltd, St Peters Street, Ipswich IP11XB, Tel 0473-50304.

..... Postcode





GRIFFEN COMPUTERS

8 RAINSFORD ROAD, STANSTED, ESSEX CM24 8DU

SPECIAL OFFERS - SPECIAL OFFERS

HITACHI 27128 250 nS	4.95 inc VAT (a)
HITACHI 2764 250 nS	2.65 inc VAT (a)
HITACHI 6264LP15 RAM	5.95 inc VAT (a)
INTEL 8271	41.95 inc VAT (a)
ACORN DNFS KIT	65.00 inc VAT (b)
ACORNSOFT BASIC EDITOR	28.95 (b)
ACORNSOFT VIEWSTORE	57.50 (b)
OWL SOFTWARE - DISC AID	27.00 (b)
ADVANCED TOOLKIT	33.00 (b)

THE LATEST RELEASES FROM COMPUTER CONCEPTS

ACCELERATOR	59.95 (b)
INTERSHEET	49.95 (b)
INTERCHART	40.95 (b)
SPEECH ROM	29.95 (b)
WORDWISE PLUS	48.00 (c)

ALL PRICES INCLUDE VAT @ 15% POSTAGE RATES - (a) 50p, (b) 75p, (c) £1.25.



FAST REPAIRS FOR THE BBC MICRO BY



THE ACORN **APPROVED** SERVICE CENTRE

191 FRESTON ROAD **LONDON W10 6TH** PHONE: 01 968 9214

- SPEEDY REPAIRS ON CUMANA/ACORN **DISC DRIVES & MICROVITEC MONITORS**
- ALL REPAIRS FULLY GUARANTEED
- EXTENDED WARRANTIES AVAILABLE ON ALL YOUR EQUIPMENT
- ANY UPGRADE OR MODIFICATION CARRIED OUT BY EXPERIENCED **ENGINEERS**
- BBC COMPATIBLE CUMANA DISC DRIVE **DEALERS**
- AUTHORISED ECONET SYSTEM **INSTALLERS AND SUPPLIERS**
- VARIOUS ACORN PERIPHERALS ALSO **AVAILABLE FROM MICROFIX**

RING 01-968 9214 AND ASK FOR MARK DUFFILL OR DEREK MULLINGS

WORDPROCESSING

assemble and store the names of all files (from all directories) in the array name\$(Z%). Each file is opened for reading and checked to see if there's a COmment as the first line. If there is, the array is numbered sequentially (T%), and this number, directory, filename and COmment line (the first 63 characters or Return) are printed in PROCprint, plus the size of the file to the nearest kilobyte (EXT N%). Files with no COmment are ignored but are included in the total number and size of files for that disc side (size%). This information appears at the end of the list. together with the current drive and a prompt for the chosen file number (T%). If Return is entered then the menu page appears, otherwise View is called via PROCview.

If the chosen file is larger than 9.5k *View* appears in mode 7, otherwise in mode 3. Lines 840 and 850 effectively press keys f9 and f3, which have already been loaded with filename and printer/driver. (The driver, if used, only appears on drive 0 so f3 returns the original drive after loading the printer routine). Key f9 (load file) is cleared immediately after use, for safety. Key f0 *TYPEs the "help" file (described later). Key auto-repeat and delay are reset to values which make editing within *View* easier.

To return from *View* to menu, press CTRL/Break then Shift/Break. Drive 0 appears as the current drive (D% = 0).

Having accidentally overwritten files being worked on, I have tried to devise a safeguard. The current file in View can be SAVEd and LOCKed in a file called "S-A-F-E", using f2. If that file already exists then 'File locked' appears and the Copy key is enabled as f11 with *FX4,2 (for clarity, those instructions are supressed using *FX3,3). If you still want to save (replacing the existing S-A-F-E file) then Copy will UNLOCK, SAVE "S-A-F-E" reLOCK and disable itself. If you don't, then Escape will return to the text in View (disabling Copy). All View commands are retained at all times, so you can save and load manually when in command mode. If a S-A-F-E file exists, it is underlined in the catalogue.

The third program, "help", is a text file which is *TYPEd by f0 and screened while in the command mode of *View*. It lists the functions of the defined keys and summarises the stored commands with default values. Its use does not corrupt the text being edited, and since it is only stored on drive 0, the current drive is returned automatically after screening.

The suggested layout appears separately, and since *View* does not have a *SPOOL facility which enables *View*-prepared text to be read by any

Beeb, the following procedure should be adopted: prepare a file in *View* (mode 3), bearing in mind that the second column of data should start at position 40 (otherwise it will make no sense at all in mode 7). Also, use spaces rather than TABs for alignment. SAVE (filename) then *SPOOL "help". SCREEN (filename) and then *SPOOL (no name). Enter NEW and READ "help". Most of the rubbish has now disappeared, but some still needs editing, before finally SAVEing "help".

The optional program called "dummy" is a *View* file set up with default ruler, page length, margins, footers, etc set up as you choose (like any printer/driver, this only appears on drive 0 and the key is then cleared).

The other optional item is any printer/driver machine code routine needed by *View*. This is addressed as "DAISY" in listing 1, but the name can be altered to suit. In addition to Acornsoft's own specific Printer Drivers and Printer Driver Generator, *Acorn User* has published two – in March 1984 (Tony Rudkin) and June 1985 (George Hill). Any of these routines can be called by CAT.

If the "dummy" file is not needed then shift the REM from line 180 to line 170. If your printer does not require a driver routine (relying on printer default) then delete lines 810 and 850. If code to read disc catalogue information via PROCdecode.

PROCdecode Line 1200 allows for 'locked' files and line 1210 adds the directory before the filename contained in name\$ (Z%).

PROCprint displays information on screen. The procedure is bypassed if no COmment exists as the first line. Even if the first line is a command or added ruler, for example, the file will not appear in the catalogue.

Disc Doctor SWAP format

To use the extra files available in *Disc Doctor's* SWAP format, listing 2 on the yellow pages supplements the main program. Either add the lines to "CAT" or enter as a separate program and merge with "CAT" using the SPOOL/EXEC method, described on page 402 of the User Guide (or *MERGE in Beebugsoft's *Toolkit*).

- 1) !BOOT needs reBUILDing D% = 0:S% = 32:CHAIN "CAT"
- 2) The 'halves' of each disc side should be *TITLEd starting with *A and *B. These are detected by line 385 (stored in S%) and allow the two halves to be SWAPped as an alternative to choosing a new drive (line 596).
- 3) Each half on Drive 0 needs at least !BOOT, "CAT" and "help". If "dummy" and "DAISY" are used they must also appear on each half.

Function keys	Stored comman	ds and defaul	ts
f0 "Help" page	TM Top margin		
f1 SCREEM text	PL Page length		64
f2 SAVE S-A-F-E (COPY if "locked")		1=on 0=off	
f3 PRINTER daisy (or default)			
COPY UNLOCK S-A-F-E and overwrite MENU, - CTRL/BRK then SHIFT/BRK	DH Define header	(64 chars	1-1-1-
DM Define macro	CE Centré text		
EM End macro	RJ Right justify		
SR Set register	LJ Left justify	(assumed)	
	LM Left margin		nly)
PE Page eject			
DP Eject - odd page	FO Footer	1=on 0=off	
EP Eject – even page	DF Define footer		1-1-1-
	FM Footer margin		4
S Line spacing (default=0)	BM Bottom margin		4
CO Comment			
HT Highlight - change 128/129	TS Two-sided	1=on 0=off	

The 'help' page: its use does not corrupt the text being edited

"help" is to appear automatically every time *View* is entered, delete the REM from line 930.

Program notes


PROCoscli in Basic 1 equals OSCLI in Basic 2, and passes commands.

PROCintro provides the menu.

PROCmakecode assembles machine

4) If double drives are used then standard and SWAP formats can be mixed without problems – the SWAP routines are ignored when reading standard format discs.

See page 108 for the *View* Suite listings.



COMPUTING IN MOTION

The complete computer electronic vision system. The EV1 displays high quality images for printing and analysing. The software allows picture storage, animation, grey scaling, motion detection, picture schage, animation, grey scaling, motion detection, picture composition and object recognition. The package comes ready to go complete with 100 page hand-book and cassette software.

Pentax 24mm f2.8 lens. Resolution 256 x 128 Capture time 68 msecs.

£130.00 ex. VAT & P&P



FOR FURTHER INFORMATION PLEASE CALL



POOLS

PREDICTOR

PLUS

14,000 MATCH DATABASE

After three successful seasons, we know a thing or two about successful pools prediction on home computers. Things like 7 powerful methods of analysing form. Like a massive database and easy data entry. Not forgetting tuning facilities to let you improve your forecasts as the season progresses. We've combined all of these and much more into the 1985/86 version of our renowned Football Pools Predictor Program. And to complete this outstanding punter's package, there is a free Racing Analyser Program to let you analyse any race using the racecard from your daily paper. Now beat that for value!

BOTH PROGRAMS FOR ONLY



MAYDAY **181 Portland Crescent** SOFTWARE Stanmore, Middx. HA7 1LR

LARGEST COMPUTER CENTRE

MANCHESTER

BBC, COMMODORE, MEMOTECH, SINCLAIR SHARP, SANYO, AMSTRAD, QL, EINSTEIN ADVANCE 86

COMPUTERS
Apricot F1 (256K + 315K disk) ... £644.00
Apricot F1 (256K + 720K disk) ... £918.00
Apricot PC (256K + 2 × 315K disk) £1,493
Apricot PC (256K + 2 × 720K disk) £1,679.00 Apricot Xi10 (256K + 10Mb Winchester) £2,616.00 Apricot Xi10s (512K + 10Mb Winchester) £3.047 Apricot Xi20 (512K + 20Mb Winchester) £3,519.00

Hovanice 600 Pro
BBC Model B
BBC B + DFS
New BBC Plus (64K + DFS)
Amstrad 464 (Green)
Amstrad 464 (Colour) £225.00 £325.00 £332.00 Amstrad 644 (Green) £449.00 £799.00 + VAT £122.95 Amstrad 664 (Colour) Sanyo 555 Spectrum Plus

MONITORS (widest choice) JVC, Sanyo, Microvitec, IBM, Ferguson, Taxan, Apricot.

PRINTERS Canon PW1080
Shinwa CPA80 (Centronic)
Shinwa CPA80 (RS232)
Epson RX80 FT
Juki 6100
Brother HR15 £236.00 £289.00 £388.00 Star SR15 DISK DRIVES

Opus, Pace, Cumuna, also WINCHESTER DRIVES for Sanyo, IBM, Advance and Apricot. BBC ACCESSORIES

6502 £199.00 Z80 (2nd processor) £359.00

COMPUTER FURNITURE IN STOCK

COMPUTER STATIONERY, DISKS, PLUGS, SOCKETS, CABLES, ETC. TELEPHONE ANSWERING MACHINES/CORDLESS PHONES: NOW IN STOCK

Wide range of books, software (Educational software specialist). Showroom, demonstration facility. Prices include VAT, all items available mail order. Personal Export scheme. P&P free if mail order. We accept Visa and Access. Export dealer enquiries welcome.

MIGHTY MICRO

SHERWOOD CENTRE 268 WILMSLOW ROAD

FALLOWFIELD, MANCHESTER TEL: 061-224 8117

Pearls of wordprocessing wisdom on Wordwise and

View from Patrick Quick and Bruce Smith

ERE are some hints and tips discovered (in some cases after much hair-tearing) while using Wordwise with Epson MX-80 and FX-80 printers, and other Epson compatible printers. Most of the comments apply to the RX-80 printer, and some are relevant if you use Epson printers with other wordprocessors.

Since I compiled these tips *Wordwise Plus* has been published, and many details are different with this upgrade (see Hints and Tips, page 40).

I have used '[' and ']' to represent the green and white embedded command markers for *Wordwise* and usually shown 'pad characters' as '.

Most problems are avoided if every text you produce starts off by initialising the printer ([OC27,64] for the Epsons). You cannot be certain which mode the printer is in after previous use nor where the print head is. By initialising the printer every time you can guarantee the formats you want.

Ensure that there is some printing, if only one space, before the first header of a paged document or the initialisation will occur after the header is printed, eg, [OC27,64]:[EP[DH]etc.

With Wordwise Plus you cannot perform any action before printing the header on the first page (see below) so you cannot initialise in this instance. Also you must only initialise in the first file when doing multi-file print-outs or some text will be lost.

If you program the red function keys, your functions are available while using *Wordwise*. To access them use CTRL/Shift/function key (ie, hold down CTRL and Shift while pressing the appropriate function key). I use my function keys for the most useful Epson controls, eg, CTRL/Shift/f₀ produces [OC27,45,1] for underline on. My choice of functions is:

 $\begin{array}{lll} f_0 \, \text{underline} \, \text{on} & [\text{OC27,45,1}] \\ f_1 \, \text{underline} \, \text{off} & [\text{OC27,45,0}] \\ f_2 \, \text{emphasised} \, \text{on} \, [\text{OC27,69}] \\ f_3 \, \text{emphasised} \, \text{off} \, [\text{OC27,70}] \\ f_4 \, \text{'title'} \, \text{on} & [\text{OC27,69,27,87,1,} \\ & & 27,71,27,45,1] \\ f_5 \, \text{'title'} \, \text{off} & [\text{OC27,70,27,87,0,} \\ \end{array}$

 $f_{\rm e}$ superscript on [OC27,83,0] $f_{\rm r}$ superscript of [OC27,84,0] $f_{\rm e}$ subscript on [OC27,83,1]

(By 'title' I mean emphasised, underlined, enlarged, double-print!)

[OC27,84,1]

fo subscript off

To include the embedded command codes in the key definition you use !!! and !!" for 'green' and 'white' respectively. I program the keys with a little loader program BOOTed from disc which says, for example, 10 *KEY0!!!0C27,45,1!!"

The loader program also allows through the line-feeds which my printer needs (*FX6).

Lastly it calls up Wordwise using the full name (*WORDWISE) as the

abbreviation *W. may be misunderstood by other ROMs.

The programmable keys may be used for other standard jobs, eg, the [TI0] before a title and the TAB after (see indent section of this article) can be inserted after normal entry by a key programmed as:

*KEY0;!!TI0;!'';!\$;!;A

which says [TI0] then 'cursor to character', 'space', TAB (CTRL/I), 'delete character' (CTRL/A).

A line that starts:

1. First thingy...

can be converted to

[ti0]1. < TAB > First thingy... by moving the cursor to the start of the line and pressing CTRL/Shift/f₀. This can be achieved in *Wordwise Plus* with a segment program instead.

The functions of all the *Wordwise* function keys can be programmed into your keys by !! followed by 'space' for f₀ or followed by the appropriate number

key Shifted for the others.

With Wordwise Plus these functions are available from the main menu. Accidentally pressing a function key can cause problems.

Be careful with spaces in embedded commands. Once an unexpected character is found in an embedded command, *Wordwise* will ignore the rest of the command. *Wordwise Plus* is different and will skip spaces within a

command and gives error messages for other illegal characters. For example [LL 40] will be seen as just [LL] by Wordwise and the line length will be set to the default 70 columns rather than the 40 columns you wanted. Wordwise Plus will set it correctly to 40 columns. [LL80] will not be seen at all by either Wordwise or Wordwise Plus.

You can use this short-sightedness of *Wordwise* to your advantage. You can put any message you like in an embedded command which starts with a space and it will be ignored, or use it for an explanatory comment which will not be printed – this is particularly useful for special printer codes, eg:

[OC27,64][!initialise!printer]

or

[OC27,112,1][|proportional|spacing|—|FX80|only|]

Long sequences of OCs can fail if they are split over two lines on the screen. Where the screen line break occurs a 'false' carriage return is stored (CHR\$&8D). Wordwise sees this as the end of the OC and the last few codes may not be sent. Wordwise Plus sees this as an error and refuses to print any further.

For both *Wordwise* and *Wordwise Plus* you must move the cursor to the very top of the document before printing. For *Wordwise Plus* you must also turn off screen formatting with CTRL/F.

Wordwise formats the layout on the 40 column screen. If you have a line which naturally consists of 40 characters or 39 characters and a space, then the formatting can confuse you. It can be difficult to see exactly what you are editing and whether there is a carriage return there or not.

For Wordwise, insert an extra space or two in the middle of the line to force an overflow. Do not forget to remove the extra spaces afterwards. For Wordwise Plus you can use CTRL/F to turn on or off the on-screen formatting.

You may want to *SPOOL a document for later printing (option 8 on the Wordwise menu). If your document contains any printer function codes ([OC...]) they will not be written to the spool-file and so will not have any effect when you do eventually print the document. They do get through to the spool file correctly with Wordwise Plus.

You need to set up paging carefully with either *Wordwise* or *Wordwise Plus*. There are several common problems which occur: you may get no header on page one; the first line of the text may print before the header on page one (*Wordwise* only), or the header on page one may not be printed in the special mode (eg, emphasised print or underlined) you have selected

YOU SHOULDN'T HAVE ANY
MORE TROUBLE-IVE REPLACED
THE FAULTY PART.

SERVICE

SERVICE

SERVICE

for the whole document.

To solve these three problems for both *Wordwise* and *Wordwise Plus* use the following rules at the beginning of your document:

1. Set up any special conditions (eg JO) first, but without ending the embedded commands with] or else the carriage return at the end of the line will be printed.

2. Enable paging and define the header in one go.

3. Define your footer after EP.

4. Both header and footer definitions end at carriage returns. Often the end of the header or footer is a page number ([PP]) or some other embedded command in green. Make sure this command has the white text marker after it or the carriage return at the end of the line does not count and you may find the next piece of text included in the header or footer.

5. Have *no* printing occuring before the EP/DH line.

6. Put any special printer formats (eg, OC27,69 for emphasised print) required for the whole document in the DH line so they are set up when the first header is printed, eg:

[JO [LS2 [EP[DH[OC27,69[CE]|[OC27,45,1] Wordwise & Epson tips[OC27,45,0] [DF[CE]page [PP] First line of main text. To force a footer on the last page of a printout end the document with a [BP] (break page). To stop the next header printing use [EM] (enable messages) just before the [BP]. When the printing halts with a PAPER! message, press Escape to avoid the next header, ie, end your document with [EM][BP].

If a section of text is in a special print mode (underlined, italic, condensed, emphasised, etc) you might find that a page break comes in the middle of it. If so the header will be printed in the special mode.

The answer is to make any large, specially formatted piece of text stay together by putting a [CP] (conditional page break) in front of it. This is a pretty good idea anyway to keep paragraphs together. This paragraph is about four lines long and so has a [CP6] at the beginning.

For a smaller piece of text, eg two words underlined, using pad characters between the words will ensure that the phrase is never split over two lines.

Underlining a centre ([CE]) title with Wordwise and an Epson MX-80 printer is no problem, eg:

[CE][OC27,45,1]Hints & Tips[OC27,45,0]

produces:

Hints & Tips

With an FX-80, however, the same example prints as:

WORDPROCESSING

Hints & Tips

I don't know why this happens but I have found a cure. Include a space or pad before the 'underline on' command like this:

[CE][OC27,45,1]Hints & Tips[OC27,45,0]

This problem also occurs if an underlined phrase is split over two lines and the second line begins with spaces (ie, an indent [IN], or left margin [LM] has been defined). The MX-80 and FX-80 approach the underlining of leading spaces differently. I think the MX-80's approach is actually more sensible . . . so much for progress!

The answer in these situations is to use 'pad' characters (usually 'l') between the words of the phrase rather than spaces. This will ensure that the phrase is not split if at all possible. If the phrase is long then this may cause a mess with the layout. A second technique is to underline each word individually – this solves the problems but is more trouble and does not look so neat, eg:

[OC27,45,1]two words[OC27,45,0]

or [OC27,45,1]two[OC27,45,0] [OC27,45,1]words[OC27,45,0]

Very often you want to print a list of numbered items. The text of the items is set in a little way but the numbers stay out at the left-hand edge. The way to achieve this is to set an indent of about five spaces ([IN5]) but to stop the indent for the numbers by using a 'temporary indent' of zero ([TI0]).

You will, of course, want the rest of the text on the same line as the number to be indented so follow the number with a TAB (looks like a right arrow), having defined a tab-stop at column 6 ([DT6]). Note that the tab-stop is one more than the indent figure. (Wordwise Plus TABs differently and you must use the same DT as IN ie, [IN5][DT5] in this example.)

The final thing looks like this:

[IN5][DT6]

[TI0]23.—> Rhubarb, rhubarb....

and prints like this:

23. Rhubarb, rhubarb....

You'll find more help on the wordprocessing front in Hints and Tips on page 40. Plus there's a feature for *Wordwise* fans on page 137 and one for *View* users on page 141

AND NOW FOR VIEW . . .

View/Boot

Disc users can create a simple but effective !BOOT file (called by Shift-Break) for *View* using *BUILD. A description of use of the *BUILD file can be found in the *Disc Users Guide*. Put a disc in the drive and type in:

*BUILD!BOOT

The disc drive will come to life and print a line number onto the screen, ie: 0001 or 1 depending on your DFS.

Now enter each line pressing Return at the end.

- *BASIC
- *FX 6,4
- *TV 255,1
- *WORD
- MODE 3
- NEW


PRINTER FX80

When line number 8 is printed (the one after PRINTER FX80) press Escape. Then type:

*OPT 4,3

This writes to the disc in such a way that it will allow you to 'boot' the file using Shift-Break – again look in the *Disc User Guide* for full details.

*FX6,4 generates line feeds on the printer; *TV255,1 moves the top of the screen display down slightly; PRINTER loads in a printer driver program previously customised with a printer driver generator (see George Hill's article in the June issue), saved on disc under the filename FX80 in this case.



View: how to put the Boot into disc

You can examine your !BOOT file at any time by typing:

*TYPE!BOOT

A better way to enter !BOOT files is to use *View* itself. Simply enter the file as above, pressing Return at the end of each line. The save the file using:

SAVE!BOOT

Constructing IBOOT files in this way means that you can load them back into *View* for easy editing.

Key	code	key code
f0	140	IIIĈ
f1	141	IIIM
f2	142	IIIN
f3	143	1!10
f4	144	IIIP
f5	145	IIIQ
f6	146	IIIR
f7	147	IIIS
f8	148	IIIT
f9	149	IIIU
SHIFT		
fO	156	1!!\
f1	157	1!1}
f2	158	1117
f3	159	111-
f4	160	!!!(space)
f5	161	ill
f6	162	11"
f7	163	311
f8	164	1!\$
f9	165	11%
CTRL		
fO	172	11,
f1	173	1!-
f2	174	-
f3	175	!/
f4	176	110
f5	177	111
f6	178	112
f7	179	1!3

Table 1. Function key control codes

The Key to Success

Complex command strings can be built into *View*'s function keys by writing the appropriate function key codes into them (table 1).

Before defining the keys enter *FX228,1. For example, to create a key that will delete the bottom line of text and then move to the top, you need to use the key codes for f2 (top of text), f7 (delete line) and f1 (top of text) thus:

*KEY0 !!!N!!|S!!|M

Use this in Edit mode by pressing Ctrl-Shift-f0 together.

The *FX228,1 command and the function key definitions could, of course, be part of your !BOOT file.

Number registers

View has 26 registers for storing numbers, labelled A to Z. Only two of these are allocated: P for pages and L for lines.

To access these registers (from machine code for example), they are kept in memory from &798 to 7CB. Each register is allocated two consecutive bytes, ie, A is stored in &798 (low byte) and &799 (high byte), and so on.

GEMINI DON'T HANG AROUND

Whilst we're proud to stand and admire our tried and tested range of serious software for the BBC micro — we don't hang around. Our development team are all too aware of the need to keep up with the demands of tomorrow's user and so we are pleased to introduce to you the 'TRIPLE-D' system.

At last, TOTAL INTEGRATION and data file compatibility between the three most important utility packages for your BBC micro disk system — Database, Spreadsheet and Graphics. Take a look at the specification.



Of great significance to businessmen, educationalists and hobbyists alike, these programs are certainly the most powerful and sophisticated of their breed, and may be used 'stand-alone' or together as a suite. Gemini have probably the most experience in writing serious software for the BBC micro, with classics such as BEEBCALC and BEEBPLOT achieving sales of tens of thousands of units. We have drawn on almost four years of experience and user feedback to produce what we are confident will be hailed as the ultimate in functional software for the BBC micro: the 'TRIPLE-D' Integrated Suite. We've also brought it in at a price that should make it accessible to more of you. and most importantly, we're giving you REAL value for money.

- Up to 2000 records, 1 search level subset, 26 fields/record, 2 drives, 79 chars/field
- Scrolling screen, 79 x 26. Interrupt driven real-time clock
- Layout painted on-screen to your design, including background text/graphics
- Fully menu driven, with powerful line editor and access to *OS commands
- Default entry capability, no need for tedious re-typing of repetitive data
- Lightning search using advanced 'hashing' techniques Powerful maths, allowing all BASIC functions, on any field
- 10 user-defined variables to simplify complex calculations
- Multiple level 'intelligent' sort program only sorts 'out-of-order' data
- Printed reports in record or summary format. Data spool option for transfer to other files
- Solidisk/Econet/6502 second processor compatible
- FULL DATA COMPATIBILITY WITH 'DDD-CALC' AND 'DDD-PLOT'

- True disk-based spreadsheet, 2000 rows, 26 columns, 52000 cells. Powerful line editor
- Fast, smooth machine code screen scroll with pop-down menu
- Individually adjustable column widths with text overflow
 - Full relative and absolute replication
 - Find and move to a row by name
 - User defined variables, delete/insert rows, SORT rows with 'DDD-Base'
- Send data from all or part of sheet to printer, or just print cell formulae
- Data over 1 or 2 drive surfaces
- Fast recalculation, even over large files
- All BASIC functions allowed, plus 'SUM', 'MAX', and 'MIN'. *OS calls, and real time clock
- Data spool option for merging with other files
- Solidisk/Econet/6502 second processor compatible
- FULL DATA COMPATIBILITY WITH 'DDD-BASE' AND 'DDD-PLOT'

- Stunning menu driven colour graphics using the BBC's capability to the full
- Pie charts, histograms, scatter graphs, line graphs and function plotting
- Disk save of screen for instant recall within your own programs
- Superb data entry editor with up to 255 plottable data entries for text and x/y coordinates
- Automatic scaling with user override
- Screen customisation allowable after plotting for background text etc., with up to 64 columns in
- Disk save of ALL data
- Statistics facilities include mean, max, min, standard deviation, line of best fit, correlation
- Colours re-definable for any plot
- Epson m/c fully SHADED screen dump with interface for other dumps on request
- Solidisk/Econet/6502 second processor compatible
- FULL DATA COMPATIBILITY WITH 'DDD-BASE' AND 'DDD-CALC










R'LE-D' BBC DISK INTEGRATED SOFTWARE SYSTEM

The modules, which are formatted for both 40 and 80 track systems, are available separately, or as an economical combination pack. Each module is clearly documented with a comprehensive, indexed manual, with training sections that refer to demonstration applications provided with each disk. Remember, 'TRIPLE-D' uses proper random-access files that will take advantage of your true

disk capacity, even over TWO drive surfaces. Have you ever heard of a true disk-based spreadsheet before? Well it's here now in the form of the 'TRIPLE-D' suite and can handle up to 52,000 FILLED cells! If you already have our 'DataGem' ROM database, you'll be pleased to know we've even included some special utilities for you!

suite to you. If you purchase the product from us and don't share my enthusiasm, return it to us in new condition within seven days of purchase and we'll refund your money – immediately and without quibble.

Dale Hubbard Chairman & Managing Director Gemini Marketing Limited





SPACE THE FINAL FRONTIER

MD200A MD400A





M

M

M

M

M

MD402C MD802C

Gold Standard 2 Year Warranty









MD402D MD802D



APHTER COMPUTER GROUP
28/29 BURNT MILL HARLOW
ESSEX CM20 2HU U.K.
© 0279-443521 (10 lines)
Telex 818894 AKHTER G.

Opening Hours: Mon . Fri 9 a.m. - 6.30 p.m.
Sat 18 a.m. - 5 p.m.
CALLERS WELCOME AMPLE PARKING

CALLERS WELCOME AMPLE PARKING
DELIVERY:
Securicor 'A' Service
£8.00 per parcel
Securicor 'B' Service
£5.00 per parcel
Postal Service £1.50 per parcel



AKHTER DISC DRIVES

100% Acorn Compatible

All these drives are supplied ready cased and equipped with all necessary cables, formatting disc and User Guide.

NEW PRICE BREAKTHROUGH ON 3 1" DISK DRIVES

MD400F Single Disk Drive. Storage capacity 800K on BBC B + (400K on Standard BBC B) £99 + VAT £114 MD80LF 33 Dual Disk Drive. Storage capacity 1.6 megabytes on BBC B + (800K on standard BBC B) £173 + VAT £199 NEW LOW COST DRIVES, 5\\\\^{1}\' BBC COMPATIBLE 54" Single Disk Drive + PSU 400K (800K in double density) 40/80 Track Switchable (equivalent to Cumana CS400 (£179.95) SD400B £105 + VAT £120 5½" Single Disk Drive. 400K 40/80 switchable SD400A £86 + VAT £99 $5\frac{1}{4}'''$ Dual Disk Drive + PSU. 400K. (800K in double density) 40/80 Track Switchable (equivalent to Cumana CD8005 £320.95) £192 + VAT £220

The above drives carry a 12 month guarantee MD802D Dual Drive 800K (2 × 400K) 40/80 Switchable Double Sided + Power Supply Unit + Monitor Stand £286 + VAT £329

MD402D Dual Drive 400K (2 x 200K)
40 Track Double Sided + Power Supply Unit + Monitor Stand £260 + VAT £299

DUAL DRIVES WITH POWER SUPPLY UNIT AND METAL CASE

MD802E Dual Drive 800K (2 x 400K) 40/80 Switchable Double Sided + Power Supply Unit + Metal Case £274 + VAT £315

MD402E Oual Drive 400K (2 x 200K)
40 Track Double Sided + Power Supply Unit + Metal Case £248 + VAT £285

DUAL DRIVES, VERTICALLY CASED WITH CABLES AND FORMATTING DISC MD802C Dual Drive 800K (2 x 400K)
40/80 Switchable Double Sided

£208 + VAT £239 MD402C Dual Drive 400K (2 x 200K)
40 Track Double Sided

£190 + VAT £219 SINGLE DRIVES, FULLY CASED WITH CABLES AND FORMATTING DISC

MD400A Single Drive 400K
40/80 Track Switchable Double Sided £109 + VAT £125

MD200A Single Drive 200K 40 Track Double Sided £95 + VAT £109

SINGLE DRIVES WITH POWER SUPPLY UNIT AND METAL CASE

MD400B Single Drive 400K 40/80 Track Switchable Double Sided + Power Supply Unit £147 + VAT £169

MD200B Single Drive 200K 40 Track Double Sided + Power Supply Unit £129 + VAT £149

The power units used are highly efficient and reliable switch and mode power supplies

3M DISKETTES

744 SS DD 40T (Box of 10) £15.60 + VAT £17.95 745 DS DD 40T (Box of 10) £22.57 + VAT £25.95 £26.04 + VAT £29.95 DS DD 80T (Box of 10)

All AKHTER drives are covered by the AKHTER GOLD STANDARD . . . a two year guarantee on the product at no extra cost.


For further details on these drives, or for information on your local stockist ring (0279) 443521 NOW.

DEALER ENQUIRIES WELCOME SPECIAL EDUCATION DISCOUNTS **AVAILABLE**

N.B. All prices are subject to change without notice and are rounded up to the nearest pound



AHHTER COMPUTER GROUP 28/29 BURNT MILL HARLOW ESSEX CM20 2HU U.K. 2 0279-443521 (10 lines) Telex 818894 AKHTER G.



We are official Acorn Dealers with high standards to maintain and take pride in friendly and efficient advice and service.

See our extensive range of printers, monitors, disc drives, software and books.

6 Chatterton Road, Bromley, Kent. 460 8991

BBC/ELECTRON EDUCATIONAL SOFTWARE

Our educational software is used in thousands of schools and homes throughout Great Britain

SUMMER SALE

EDUCATIONAL 1 Tane £8-00 Disc £10.00 BBC/ELECTRON Hours of fun and learning for children aged five to nine years. Animated graphics will encourage children to enjoy counting, maths, spelling and telling the time. The tape includes six programs: MATH 1, MATH 2, CUBECOUNT, SHAPES, SPELL and CLOCK.

An excellent mixture of games'... Personal Software — Autumn 1983.

£6.95 EDUCATIONAL 2

BBC/ELECTRON

Tape_E8-00 Disc E10.**

Although similar to Educational 1 this tape is more advanced and aimed at seven to twelve year olds. The tape includes MATH 1, MATH 2, AREA, MEMORY, CUBECOUNT and SPELL. Tape £8.00 Disc £10.00

FUN WITH NUMBERS

BBC/ELECTRON Tape £8.00 Disc £10.00 These programs will teach and test basic counting, addition and subtraction skills for four to seven year olds. The tape includes COUNTING, ADDING, SUBTRACTION and an arcade type game called ROCKET MATHS which will exercise addition and subtraction. With sound and visual effects.

"These are excellent programs which teachers on the project have no hesitation in

Start your fun with alphabet puzzle, continue your play with VOWELS, learn the difference between THERE and THEIR, have games with SUFFIXES and reward yourself with a game of HANGMAN.

... 'Very good indeed'... A&B Computing — Jan/Feb 1984 FUN WITH WORDS

JIGSAW AND

SLIUING PUZZLES by P. Warner BBC/ELECTRON 166.95 E8.95 Tape £8.00 Disc.£10.00 There are two jigsaw and four sliding puzzles on a 3×3 and 4×4 grid. Each program starts off at an easy level to ensure initial success but gradually becomes harder. It helps children to develop spatial imagination and in solving problems. The tape includes: OBLONG, JIGSAW, HOUSE, NUMBERS, CLOWN and LETTERS. Tape £8.00 Disc £10.00


KON-TIKI by J. Amos BBC Disc £12.95 Simulation program based on Thor Heyerdahl's KON-TIKI expedition. Enjoy a journey on the KON-TIKI recording on a map the raft's position and entering notes in the logbook on creatures found, unusual events etc. Inclusive of booklet, background information, maps and fully supportive illustrated data sheets.

"A well thought-out package with a wide appeal". ... Which Micro & Software Review—

SPECIAL OFFER Buy three titles and deduct £4.00 Add 50p p&p per order. Please state BBC or ELECTRON or 40 or 80 track for discs.

Golem Ltd, Dept A, 77 Qualitas, Bracknell, Berks RG12 4QG. Tel: 0344 50720

UNIT 14. PEERGLOW INDUSTRIAL ESTATE, OLD'S APPROACH, TOLPITS LANE, WATFORD, HERTS. TELEPHONE: 0923 777155



PHILIPS COLOUR TV/MONITORS **80 CHARACTERS** PER LINE

** FREE

LEADS SUPPLIED FOR USE WITH BBC



★★ SUPER VALUE

MONO ANTI-GLARE SCREEN HIGH RESOLUTION **GREEN MODEL BM7502**

£81.65 Inc VAT

** SUPER VALUE

FOR THE BBC

AMBER MODEL MM06 £80.50 Inc VAT

HAVE YOUR 14" & 16" PHILIPS, PYE or FERGUSON TX COLOUR TV CONVERTED TO A TV/MONITOR RGB CONVERSION KIT READYMADE LEADS: @ £43.47d

Resolution better than 585 x 450 pixels.

THE CARE LOW

Image clarity comparable to leading monitors. * Includes RGB lead for connecting with BBC.

RGB 6 pin DIN @ 2.99 c Inc RGB 6 pin to 7 pin DIN @ 4.14c Inc RGB 6 pin to SCART @ 7.82c Inc

REMOTE AND STANDARD TV'S MODIFIED IN HOUSE @ £57.27a

STANDARD RESOLUTION

14" MODEL 14CT2007 £224.25 Inc. VAT **MEDIUM RESOLUTION**

14" MODEL 14CT2006 £230.00 Inc. VAT REMOTE CONTROL

14" MODEL 14CT2206 £258.06 Inc. VAT 16" MODEL 16CT2216 £302.45 Inc. VAT We can supply up to 26" TV/Monitors please ring for details.

Dual Power Supply Units for Disc Drives

- Colour finished to match BBC Micro.
- Comes complete with moulded mains lead
- 6 pin BBC Outlet or Dual power leads for drives. (Please specify disc when ordering).

High Rated @ 35.65b Inc VAT

COMPONENTS! WIDE RANGE AVAILABLE


Acorn Disc Interface Eprom 2764 250ns Eprom 27128 250ns

- @ 81.65c Inc VAT @ 4.63c Inc VAT
- @ 6.90c Inc VAT

Don't run the risk of damaging your of ROMS/EPROMS in our specially designed ROMS/EPROMS or your BBC Micro. cartridges. The CARE LOW PROFILE Whenever you want to remove ROMS/ MODULE SYSTEM has been designed not to EPROMS from your BBC. Fit your Low Profile take any power from your BBC Micro and allows Rom Module System and save your collection you unlimited ROMS/EPROMS.

MICRO PROFILE ROM MODULE YSTEM DEALERS **ENQUIRIES** WELCOME

COMPUTER/PRINTER SELECTOR 'T' SWITCHER



DOT MATRIX PRINTER

'T' SWITCH


DAISY WHEEL PRINTER

READYMADE LEADS:

BBC to single disc @ 3.45c Inc VAT BBC to Dual disc @ 4.60c Inc VAT @ 6.67 Inc VAT

Disc drive single Disc drive dual Printer

@ 10.12c Inc VAT @ 7.82c Inc VAT Parallel 26 pin @ 8.74c Inc VAT



0923 777155 microprocessors.

Unlike other systems:

- ★ Won't get in the way when using the Keyboard.
- ★ Stops damage caused by shortcircuit due to metal objects e.g. paperclips falling inside.
- ★ Prevents damage caused by dust.
- * Edge Card Socket which takes all the wear, Gold Plated for extended life.
- **★ FOR THE AMATEUR AND PROFESSIONAL USER**
- ★ MANUFACTURED ENTIRELY IN THE UK.
- **Each System Contains:**
- 1 Low Profile Assy. ★ 1 ROM Cartridge.
- 1 Library Rack 6 way.★ 5 Blank Labels.
- * Prices including VAT.
- Complete Module System @ £14.95d
- Spare Cartridge @ £2.76c
- ★ Library Rack to store 6 Cartridge @ £1.84c
- ★ 5 Cartridges @ £12.95c ★ 10 Cartridges @ 23.00c

HOW TO ORDER:

By Post. Enclose your Cheque/P.O. made payable to CARE Electronics. Or use your ACCESS. Allow 7 days for delivery. Please add carriage. OPEN

9am-5pm MON-THUR 9am-4pm FRI/SAT

a) @ 8.00 c) @ 1.00 b) @ 5.00 d) @ 2.00







GAMES TOP 20

TITLE PUBLISHER PRICE MICRO REVIE 1 (7) Revs Acornsoft £14.95 B July '85 2 (1) Knightlore Ultimate £9.95 B 3 (2) Alien 8 Ultimate £9.95 B 4 (3) Atic Atac Ultimate £7.95 B 5 (5) Elite Acornsoft £14.95 (£17.95) B/E October 6 (8) Combat Lynx Durell £8.95 B/E Septem 7 (4) Wizardore Imagine £7.95 B August 8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E 13 (15) Pole Position Atarisoft £9.99 B Februar	· '84 ber '85 '85
2 (1) Knightlore Ultimate £9.95 B 3 (2) Alien 8 Ultimate £9.95 B 4 (3) Atic Atac Ultimate £7.95 B 5 (5) Elite Acornsoft £14.95 (£17.95) B/E October 6 (8) Combat Lynx Durell £8.95 B/E Septem 7 (4) Wizardore Imagine £7.95 B August 8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March '85 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	'84 ber '85 '85
2 (1) Knightlore Ultimate £9.95 B 3 (2) Alien 8 Ultimate £9.95 B 4 (3) Atic Atac Ultimate £7.95 B 5 (5) Elite Acornsoft £14.95 (£17.95) B/E October 6 (8) Combat Lynx Durell £8.95 B/E Septem 7 (4) Wizardore Imagine £7.95 B August 8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	'84 ber '85 '85
4 (3) Atic Atac Ultimate £7.95 B 5 (5) Elite Acornsoft £14.95 (£17.95) B/E October 6 (8) Combat Lynx Durell £8.95 B/E Septem 7 (4) Wizardore Imagine £7.95 B August 8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	ber '85 '85
5 (5) Elite Acornsoft £14.95 (£17.95) B/E October 6 (8) Combat Lynx Durell £8.95 B/E Septem 7 (4) Wizardore Imagine £7.95 B August 8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	ber '85 '85
6 (8) Combat Lynx Durell £8.95 B/E Septem 7 (4) Wizardore Imagine £7.95 B August 8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	ber '85 '85
6 (8) Combat Lynx Durell £8.95 B/E Septem 7 (4) Wizardore Imagine £7.95 B August 8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	'85
7 (4) Wizardore Imagine £7.95 B August 8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	'85
8 (9) Brian Jacks Superstar Durell £7.95 B/E August 9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	
9 (6) Magic Mushrooms Acornsoft £12.95 (£14.95) B/E May '85 10 (13) Football Manager Addictive £7.95 B/E March '11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	85
10 (13) Football Manager Addictive £7.95 B/E March ' 11 (-) Repton Superior £9.95 (£11.95) B/E August 12 (10) Gremlins Adventure Intl £7.95 B/E	
12 (10) Gremlins Adventure Intl £7.95 B/E	
12 (10) Gremlins Adventure Intl £7.95 B/E	85
13 (15) Pole Position Atarisoft £9.99 B Februar	
	v '85
14 (20) Hunchback Ocean £6.90 B/E Decemb	The same of
15 (re) Emerald Isle Level 9 £6.95 B June '8	5
16 (17) Hampstead Melbourne House £6.95 B/E	
17 (11) Castle Quest Micro Power £12.95 (£14.95) B March '	35
18 (18) Tales of Arabian Knights Interceptor £6 B	
19 (12) Tempest Superior £9.95 (£11.95) B/E	
20 (14) Blockbusters Macsen £7.95 B/E	

B = BBC. E = Electron. re = Re-entry. Prices in brackets are for disc versions. Compiled by RAM/Computer.

DUCATION TOP 10

1	(7)	Best Four - Maths	ASK	£19.95	B/E
2	(3)	Pan 'O' Level (series)	Hill McGibbon	£14.95 (£19.95)	B/E
3	(5)	Best Four - Language	ASK	£19.95	B/E
4	(1)	Music System	Island Logic	(£29.95)	В
5	(2)	Mr T (series)	Ebury	£9.95	B/E
6	(8)	Words Words Words	ASK	£9.95 (£11.50)	B/E
7	(-)	German Master	Kosmos	£8.95	В
8	(6)	First Steps with Mr Men	Mirrorsoft	£8.95 (£11.95)	B/E
9	(9)	Podd	ASK	£9.95 (£11.50)	B/E
10	(4)	Mathskill 1 and 2	Griffin	£11.95	В

ISINESS TOP

			Cassette	Disc	ROM	Electron	Shadow on B+	6502
1 (1)	Mini Office	Database	£5.95	£7.95/£9.95†	-	£5.95	*	*
2 (2)	Wordwise Plus	Computer Concepts	_		£56.35	-		-
3 (3)	View	Acornsoft	_	- 10	£59.80	2		_
4 (5)	Wordwise	Computer Concepts	_		£46	_	_	_
5 (4)	Database	Acornsoft	£11.90	£15.35	_	_		
6 (9)	Viewsheet	Acornsoft	-		£59.50		_	
7 (7)	Masterfile 2	Beebugsoft	_	£19	-		Yes	Yes
8 (8)	Printmaster	Computer Concepts	_		£33.35	_	*	(Yes)*
9 (10)	Discmaster	Beebugsoft	_	£19	_	_	Yes	Yes
10 (6)	Integrated Accounting Suite (5 in series)	Gemini		£99.95 each	-	H - A	*	_

Compiled by RAM/Computer from a panel of specialist dealers

*Contact publisher: Database, 061-480 0171; Computer Concepts (0442) 63933; Acornsoft (0223) 214411; Gemini (0395) 265165; Beebugsoft (0494) 815228 † 3in disc

University Software

NISTAT

STATISTICAL PACKAGE

MULTIVARIATE REGRESSION: Main output consists of estimated coefficients, t-stats, standard errors, R², corrected R², standard error of regression, F stat, and Durbin-Watson stat. Further output options: multiple correlation matrix, var-covar matrix, ANOVA of regression, residuals, plot of residuals, interpolation. Data options: Log/In option for each variable, no-constant regression, choice of dependent variable, selection of independent variables, auto-omission of linearly dependent variables.

ANALYSIS OF VARIANCE, SCATTER DIAGRAMS AND TIME SERIES PLOTS: One-way and two-way (without interaction) ANOVA tables, scatter diagrams of paired data and time series plots with auto-scaling

STATISTICAL TESTS, CORRELATION COEFFICIENTS AND PROBABILITY DIS-TRIBUTIONS: Basic stats on each column of data (size, sum, mean, variance, std. dev.) Chi-square (contingency table), t (one sample, two sample, paired), F, Mann-Whitney U, and Wilcoxon signed rank tests. Pearson's, Spearman's rank and Kendall's rank corr. coefs. Chi-square, t, F, binomial, Poisson and normal (std., non-std.) distributions. Results of tests and corr. coefs are displayed with significance levels.

DESCRIPTIVE STATISTICS, FREQUENCY DISTRIBUTIONS AND HISTOGRAMS: Analysis of raw data or data with frequency counts. Raw data sorted and grouped. Choice of lower bounds and class intervals. Absolute, cumulative and relative frequencies. Histograms with up to 200 classes. Output displays sum, mean, mean deviation, median, variance, std. dev., 3rd and 4th moments, skewness, kurtosis, range.

All programs are datafile compatible with Matrix Operations program in UNIMAX package. Data matrix capacity examples (columns by rows): CBM-64; 2x1250, 5x700, 10x380, BBC-B; 2x750, 5x400, 10x200, 48K Spectrum; 2x1800, 5x900, 10x500. CBM-64 (disk only): £85, BBC-B (disk only): £85, BBC-B Torch and Acorn Z80 versions: £100, 48K Spectrum (mdvcart, RS232 option): £60, 48K Spectrum (cass): £50.

To: UNISOFT LTD.

(Dept. U) 29 St Peter's Street, London N1 8JP. Tel: 01-359 0978

Prices include VAT and delivery within the UK. For orders from outside Europe add £5.00 per item for airmail post.

LINEAR PROGRAMMING PACKAGE

LINEAR PROGRAMMING: A powerful and instructive optimisation program capable of handling all sorts of linear programming problems (min/max, any combination of =, >= constraints and x_i >=0, x_i <=0, $-\alpha$ < x_i < α sign constraints). Primal, canonical, dual and their solutions are displayed in standard mathematical form. Unbounded problem and no feasible solution prompts. Edit option for all inputs. Capacity examples variables by constraints): CBM-64; 10x35, 25x30, 40x25, BBC-B; 10x25, 20x20, 48K Spectrum: 10x45, 25x35, 50x25

MATRIX OPERATIONS: Inversion, transposition, determinant, premultiplication, scalar multiplication, addition and subtraction of matrices and vectors. Any output can in turn be used as the input of the next operation without re-typing. Matrices can be saved or loaded at any stage. Datafile compatible with UNISTAT package. Capacities: CBM-64; 35x35, BBC-B; 25x25, 48K Spectrum; 45x45

CBM-64 (disk only): £60, BBC-B (disk only): £60, BBC-B Torch and Acorn Z80 versions: £70, 48K Spectrum (mdvcart, RS232 option): £45, 48K Spectrum (cass): £40.

NEW FOR BBC-B, ELECTRON AND 48K SPECTRUM

INTRODUCTION TO ECONOMICS

An interactive course in 'A' Level and First Year University/Polytechnic Economics

ECON 1: Demand measurement, elasticity, supply and demand analysis, equilibrium,

the supply curve and production functions.

ECON 2: Equilibrium and disequilibrium adjustments in a market economy, exercises in

market forecasting ECON 3: National income determination, the multiplier and convergence towards

equilibrium, IS/LM analysis.

ECON 4: Money and macroeconomic adjustments, the demand for money and the rate

Available for BBC-B (disk/cass), Electron (cass), 48K Spectrum (cass): £40.



COMMODORE 64, BBC-B, 48K SPECTRUM

* Comprehensive user manual * Full data handling facilities (display, print, change, save, load) * All results can be printed out *



*FREE CASSETTE *FREE CASSETTE *FREE voucher worth £6.00 *FREE voucher worth ailed Free Technical advice *FREE Technical advice *Discounts *Discounts *Illustrate the clue the cl	REE CIUB C
I wish to join Elbug for *6 months (£6.40) 12 months (£11.90)	Name
*Delete as applicable.	

SOFTWARE REVIEWS

Energy


crisis

'Labyrinth', Acornsoft, BBC B, £9.95, (£11.50 disc)

LABYRINTH is one of a recent batch of releases from Acornsoft and is their first game in the current style in which you have to guide a man around a series of rooms collecting objects as you go. However, it goes about this in its own original way.

You see your man, Mork, from above as you guide him around the series of seven interconnecting mazes that make up the labyrinth. A crystal is hidden in each maze and this will remove the force-field that bars your way to the next one.

While searching for each crystal you encounter a large range of aliens who do their best to stop you getting to it;



and their best gets better the further into the labyrinth you go!

The object is to find what the instructions call 'the extraordinary seventh crystal', though as I haven't found it I can't tell you what makes it so special!

To help you reach your goal you can shoot the aliens with bullets that do less damage the lower your energy level, or, for double points, you can squash them with a rock. This is found in the first room of the labyrinth and you must push it around for the rest of the game. There is only the one rock and it's not a good idea to leave it behind!

To replenish your flagging energy (you die if it runs out) you can eat the fruits that lie around the maze. These are depicted in spectacular mode 1 graphics, as are the monsters and the different walls of each of the seven mazes. In fact, the game uses a specially defined small-screen version of mode 1 to leave more memory for the program, and because of the clever use of shading you would never believe there are only four colours on screen at once. The sound effects are also good.

In summary, there are a few small niggles - for example, the very small numbers that are used for the

score. However, the game has lots of nice touches (such as scrolling between rooms) and it is generally well-programmed, colourful and worth checking out.

Michael Beaton

A gem of a


challenge

'Repton', Superior Software, BBC B and Electron, £9.95 (disc £11.95)

IF you can imagine what Harry Sinclair looks like after about ten gallons of best bitter then you have a pretty good idea of what the hero of this brilliant new game looks like. And I mean brilliant for my money the best arcade game for the Beeb and Electron yet!

Colour, sound, super scrolling graphics, some excellent humour and a good challenge just about sum this one up. There are a set of diamonds scattered around a series of underground caves, and you have to collect them by weaving your way through the tunnels. No problem – until a rock hits you on the head taking that cocky smile off your face and you to the undertakers! Some of the diamonds have been craftily placed in cleverly constructed traps, so you need to think before you tackle any diamond with a rock near it.

With about ten minutes practice you can get on to the second of the 12 screens and that is a different prospect. Not only have the number of diamonds



increased, but so have the number of rocks. Oh, and then there are the eggs. Eggs? Yes eggs, perched right on top of the occasional diamond. Drop one of these on the floor and the thing hatches. Not a friendly little lion though, but a reptile that pursues you all over the screen.

Well that's about as far as I've got but I'll get onto the third screen soon, then there will be only nine more to go!

Of course, our little hero has a mind of his own. Leave him alone for a minute while you replenish the coffee cup and there he is looking left and right waiting for something to happen.

As you reach the second screen (and I'm told all the others) you're given a password. You can use this at the start of a game to allow you to move directly to the screen you are trying to solve – nice one, lads! A map of the underground caverns is available at any time at the press of a key – though I don't find it very easy to see just where I am.

As is the norm these days, there's £100 awaiting the first person to complete screen 12 – get the cheque ready lads, I'm getting there!

Bruce Smith

Swinging in

the drain

'Drain Mania', Icon Software, 65 High Street, Gosforth, Tyne and Wear, BBC B and Electron, £7.95

DRAIN MANIA is the latest offering from Icon Software, which is proving to be a supplier of good arcade games.

This one is a platform game with a difference, and is most suited to Status



Quo fans who are fond of sewers.

The game starts with a scrolling instruction screen that looks pretty but is harder to read than a stationary one. Accompanying this is some very good Baroque-ish three-part music.

The main game involves moving a brightly coloured little fellow with a flat head (aren't they all?) around the platforms. The surface of each platform is meant to be slippery, so you have to take account of your braking distance when trying to turn and run the other way.

You can jump for rotating coins which hang from the platform above your head, but the main aim is to dislodge the monsters that appear from drains at the top of each screen and make their way down to similar outlets at the bottom. If you can head-bang the platform directly beneath their feet they will fall over. You can then destroy them by running over or jumping on them. If you touch them while they're upright, however, you lose a life.

Playing *Drain Mania* is a bit like playing an inverted version of *Monsters* but much more enjoyable. It's easy to play but hard enough to be addictive.

Simon Williams

ORDER

THE MOST SOPHISTICATED DISC FILING **BBC MICROCOMPUTER OPERATING**

ALONGSIDE YOUR EXISTING ACORN TYPE SYSTEM 16K ROM EVER WRITTEN FOR THE DFS ROM AND OPENING UP A NEW EXCITING PHASE AS A SUPERIOR OPERATING SYSTEM

> BUSINESS SYSTEM

- ☆ Fully compatible with any existing DFS and Torch CPN/MCP format.
- Allows 255 file names on a CP/N and CP/M type screen format. CAN'T EXTEND banished for ever. COMPACT redundant as the vacant areas on the disc are gathered together for economic file use automatically.
- ☆ Designed to facilitate ease of use vital in the area of business programs on the BBC. Will allow the mix of BBC and Torch CPN programs on the same disc.
- ★ £39.50 inc. VAT, full fitting instructions and User Guide. C.U.C. Members only allowed 10% discount.

ONLY AVAILABLE FROM

COMPUTER USERS CLU

69a Hadlow Road, Welling, Kent.

Tel. No. 01-311 2555

16 SOCKET ROM/RAM **EXTENSION BOARD** + 32K PLUG IN RAM CARD

Fully buffered the board offers the following features

All 16 sockets may contain 8K or 16K roms.

Up to two pairs of sockets may be configured to accept 8K eproms to simulate a 16K eprom without the expense of a 27128.

Up to 16K of CMOS RAM type 6116LP (made up of 8 2K ram chips) may be fitted to 8 of the available sockets leaving 8 free for roms

or 2 8K Ram chips (6264) leaving 14 available sockets.

The advantage of sideways ram is

twofold:

1. Programs can be assembled directly to hex 8000 and debugged before being committed to eprom

Programs intended for sideways roms may be stored on disc and downloaded into ram. Many more programs may be kept on disc allowing the extension board to be fitted only with roms that need to be resident.

This is a high quality PTH board and plugs into the extreme right hand rom socket. 4 wires to the paging register and one lead to the R/W line have to be connected.

BATTERY BACK-UP FACILITY Separate power leads for the board

are used to eliminate possible crashes that may occur due to trying to draw up to 650mA from a sideways rom socket.

Board fully assembled and tested complete with full installation and operating

Cost £32.00 + VAT, £1.00 P&P Also available: 32K plug in RAM card. Will fit directly into ROM socket on above board.

HCR ELECTRONIC SERVICES THE INDUSTRIAL UNIT, PARKER ROAD CHELMSFORD, ESSEX CM2 6ES Tel: Chelmsford (0245) 350188

EXTERNAL RAM/ROM CARD

28 ROM EXPANSION SYSTEM FROM HCR **ELECTRONICS**

This extremely powerful but versa tile machine has the capability of: 32K RAM & 24 sockets available for ROM or many various combinations to your personal require-

ments.
This machine has its own separate power supply which eliminates drain on the BBC's switched mode

NO SOLDERING IS REQUIRED.

The unit consists of two modules:

1. An adaptor board to plug into the BBC sidways Rom socket 15.

2. The expansion case.



The case comes complete with an inbuilt power supply and one expansion card. This card will hold 12 Roms or a combination of Ram/Rom (Ram can be 6116's, 2016's or 6264's). This gives a total of 16 Roms (including four in machine). A second board identical to the above can be fitted at a later date, giving a total

capability of 28 available sockets for Rom or Ram.

The second board can be selected as an alternative to the first board, either by a

switch on the case or via software control.

SOME ADVANTAGES

No soldering required. No access into machine required after initial fitting.

No overheating problems.

Does not physically interfere with other internal expansion add-ons. Built in power supply (does not overload BBC's supply)

 Computer will still function with external box powered down or unplugged (using Roms resident in machine).
 Will make available 32K Ram plus 24 Rom sockets at a varied combination to the customer's needs

Cost unit complete with one board £75.00 \pm VAT Second board £29.00 \pm VAT. Postage & Packing

HCR ELECTRONIC SERVICES
THE INDUSTRIAL UNIT, PARKER ROAD
CHELMSFORD, ESSEX CM2 6ES Tel: Chelmsford (0245) 350188





SOFTWARE REVIEWS

Back to

base one

'Combat Lynx', Durell Software. Tel: (0823) 54489. BBC B and Electron, £8.95 ACCORDING to the instructions, this game can be played either as a shootem-up arcade game or as a strategy game. Your job is to fly a Lynx helicopter, which is kept extremely busy ferrying men between the four bases under your control. These are the wounded from bases two, three and four who have to be taken back to base one for 'rejuvenation' and then returned to the base you feel to be under greatest threat from the enemy. As well as providing air cover for your troops, the Lynx is used to deploy mines which will blow up the tanks threatening your bases.

Although the graphics scroll very smoothly, in general they were a disappointment. The view of the countryside does not change perspective as you gain height and this made it flat and



uninteresting. Also the viewing screen is less than one third of the total screen – the rest is taken up with gauges and displays.

I found the controls very complex. Also there is no change keys option, although you can use some joysticks.

However, flying is simple compared to firing the weapons. The Lynx has a variety of ways of zapping the opposition – rockets, machine guns, cannon, anti-tank missiles, anti-aircraft missiles and mines. The easiest to use are the anti-aircraft missiles which don't need aiming, you just fire and hope that the heat-seeking mechanism works – mostly it does.

The view of the battle zone is from the rear of the helicopter, unless you are flying east or west, when you see the Lynx from the side. The change is sudden and, unless you are watching the compass, completely unexpected. With so many games now giving a realistic view of the action I found this disappointing.

Another badly designed feature is the 'ticker tape' display of the north and

east co-ordinate positions of the other bases. This is shown as 'Base No 1 is at co-ordinates 5004N 4993E' which takes 11 seconds to read on a five-character display – there just isn't time to read this with so much else going on.

Also available is a map of the battlefield, which uses block graphics to display your bases, ground heights, houses, enemy vehicles, etc, which is not very useful.

Generally a disappointment – although the idea is good the execution is too complex to make it a fully satisfying game.

Bill Margetts

Race to the

reactor room

'Bug Eyes', Icon Software, 65 High Street, Gosforth, Tyne and Wear. BBC B and Electron, £7.95

BUG EYES is a platform game with no pretentions to 'arcade adventure'. The whole thing is in mode 1, which allows for well-detailed sprites, but only in four colours. The idea is that you steer Starman, a nicely drawn astronaut, through the various levels of an alien asteroid that the aliens are aiming at Earth. If you can reach the reactor room in time. . . . well, Flash Gordon look out!

The playing screens are only about two-thirds full size, presumably to get as many as possible in the model B's memory, but you don't really notice.

Your only controls are left and right – none of this jumping rubbish here – and it's all a question of timing to avoid the



assorted meanies that bounce up and down or flash on and off. This may sound rather dull particularly as there are a lot of platform games around with more to amuse you. Indeed, the game is more cute than treacherous, although none the easier for its cuteness.

The first screen, 'Stampy Stompers', has a number of pistons plonking down in your path. Not too difficult to avoid, but in places you need to wait for two or more pistons to line up before you risk your neck beneath them.

Screen two, 'Turbo's Mini', involves disappearing bridges and first sight of

the 'Bug Eyes'. As you might expect, things get more complicated further on.

There are 10 screens before your final onslaught on the reactor. Sound is fairly standard, but quite entertaining.

This one's a maybe. It's quite fun, but there are more entertaining games to spend £8 on. Simon Williams

Driving you

quackers

Duck!, Firebird Software. BBC B, £2.50



A FAIRLY simple shoot-'em-down game by Melvyn Wright, who has enlivened the loading process with some rather jolly music — while the title screen explains the few playing instructions and the rest of the program chains itself, you are entertained by a bouncy little Viennese waltz.

Then you're off (via a few bars of *The Ugly Duckling*) into the first screen, sliding Farmer Tubby left and right and blasting off with his shotgun at some ducks with yellow feathers and red wellies mooching across the top of the screen. They're not difficult to hit, but watch out when you pot one – it's liable to land on you and kill you.

Screen two offers more of the same, with different background colours, only this time the ducks contrive to lay eggs while walking (the first of several ornithological oddities). Shoot the eggs if you can, for bonus points, but if you miss, don't tread on one – it's fatal.

If it's left alone, it will incubate within seconds and out will hatch a full-grown duck who starts flying up and down. Well, it's not so much flying as bouncing on a slow-motion trampoline, and is harder to hit and very likely to land on you and flatten you.

That's about all there is to it. Further screens simply introduce more ducks with an urge to breed even faster.

The graphics are fairly primitive and the zaps, pows and splats (why no quacks?) are less than classic. But if you're easily pleased by games which don't involve anything more than left, right and fire, *Duck!* should keep you entertained.

Jeff Pike

SPECIAL OFFER FROM VIGLEN

- * Scoop Viglen price £99.00 inc. VAT £86.10 ex. VAT
- * Normally sold at £143.75
- * Special purchase



This remarkable Grafpad from British Micro allows you to input information into your computer – very accurate and high resolution, not to be confused with other models which are both more expensive and less accurate. Supplied with all necessary cables, manual and sample programs, to allow you to develop your own application programmes.

Computer aided design programme. Drawing programme etc.

CARRIAGE + INSURANCE £8

SEE OTHER VIGLEN ADVERTS ON HOW TO ORDER



TABLE

Printer Stand
£16.95 INC. VAT
Carriage & Packing £3.00

- Raises printer high enough to put continuous stationery underneath
- ■Beautifully finished in clear perspex Viglen quality every time
- Will accept paper up to 12½" wide Non slip rubber pads Dimensions: 15" (380mm) wide (320mm) deep 4" (90mm) high Also available 136 column stand @ £27 inc. VAT.

COME TO VIGLEN FOR A FAST, FRIENDLY, PERSONAL SERVICE

DEALER ENQUIRIES WELCOME

Orders welcomed from educational establishments and government departments

		111.0/
Address		
Name	Signature	
VIGLEN COMPUTER SUPPL	ES or debit my ACCESS/BARCLAYCARD No.	
Please send me	(qty) PRINTER STANDS at £19.95 each. I enclose Cheque/P.O. for £	made out to
Post to: VIGLEN COMPUTER	SUPPLIES, UNIT 7, TRUMPERS WAY, HANWELL, LONDON W7 2QA.	White the selection was a
		Prices subject to change without notice

EXPANDING IN THE RIGHT DIRECTION


Chris Drage compares six ROM expansion boards

HE criteria for choosing an expansion board were highlighted in my article in the April 1985 issue, and new readers may find the comments there useful.

As most ROM expansion boards are quite reliable choosing one is a case of deciding what facilities you want and estimating those you might need in the future - this may save you a considerable sum, as some ROM boards are designed to accommodate other systems, eg, the Romram-15 and Exprom boards reviewed in April. Other boards quite definitely do not. The ROM boards currently on the market aim to give the user the maximum amount of flexibility in their configurations - this may be important if you want to develop your own 'sideways' firmware. The inclusion of RAM sockets on the boards will be an important consideration now CMOS Ram chips are falling in price.

ATPL Sidewise Board

The Sidewise Board from Advanced Technology Products is a strong and well-designed internally mounted board supporting a total of 16 ROMs, 12 of which are on board, the other four remain in the Beeb, It may also be fitted




ATPL Sidewise Board

with 16k of sideways RAM as two 8k 6264 CMOS chips. In this configuration a total of 15 ROMs are available, the sideways RAM taking the position of socket 15 (15a and 15b to be exact). Provision is made to fit a rechargeable battery to the board.

Installation is quite straightforward, with Sidewise occupying the OS1.2 socket (IC52) and the A/D socket (IC73). Placing it correctly into the vacated

sockets is rather tricky and another problem encountered concerns a pair of power leads to the main board, which must be bent flat to accommodate the Sidewise. However, care is rewarded with a very stable and well-



Watford Electronics Mk2 ROM Board

balanced board. The two ICs are replaced at corresponding positions on the board, then you just connect two flying leads to link S21 on the BBC micro board.


The board is properly buffered and ROM insertion and removal is quite simple. For anyone wanting a simple extension of the sideways ROM/RAM in their computer then I can recommend the Sidewise board. However, if an Aries B-20 video memory board is required at the same time then you should look at other boards.

Watford Mk2 ROM Board

The Watford Electronics Mk2 ROM expansion board is an improvement on the Mk1 version. The PCB is now stronger, is properly buffered, and doesn't crash alarmingly. The Mk2 carries 13 sockets, enabling a total of 16 ROMs to be fitted. It may also be configured to accept one or two CMOS RAM chips in sockets 15a and/or 15b. Thus 2, 4, 8 or 16k options are possible by soldering various links. However, sensible default link settings are available. Like the Sidewise board, 16k of RAM will allow a total of 15 ROMs to be used. It can add battery backup as an extra.

Installation is far from straightforward as Watford Electronics has not improved the header plug which still has oversized, square pins guaranteed to enlarge your Beeb's ROM socket, and two of the legs on the review board were 1mm shorter than the others! The A4 instruction sheet states that the board will buckle slightly but 'not to worry'. To fit this board you must be prepared to do some very fine soldering. Five wires must be soldered to the legs of chips, then a flying lead plugs into link S21. Fitting this board is not for the inexperienced.

The board is fitted with supports to bear the stress when inserting or removing ROMs. In situ it straddles the BBC micro's RAM and video areas, which could lead to overheating in some machines. An Aries B-20 board will not physically fit into the micro with a Watford Electronics board in place. Watford's own 32k expansion board will fit, though I can't comment on the



HCR Internal ROM Expansion Board

performance of this configuration.

My overall view of the board is not one of confidence nor admiration. It appears to have been designed and produced in a rush with little thought given to the needs of users.

HCR Internal ROM Board

Somewhat similar in shape and design is the ROM expansion board from HCR Electronic Services. In common with the previous boards, the aim is to expand the computer's ROM capacity to a maximum of 16. All these reside on the HCR Board in an 8 × 2 matrix. Two pairs of sockets may be configured to take two 8k ROMs to simulate one 16k ROM. Up to 16k of CMOS RAM may be fitted using either 2k devices (6116) or 8k devices (6264), but the former option limits the number of ROM sockets to eight. The five possible configurations of ROMs and RAMs are achieved by selecting the correct links. The board is fully buffered and you can fit a rechargeable battery for RAM backup.

Installation involves the use of a soldering iron as six wires must be attached – four soldered to the legs of IC76, one to be gripped by the jumper on link S21 and a single read/write lead to be soldered to IC72 (if sideways RAM is to be used).


Power supply leads to the main board are reconnected to the HCR Board. A pair of power leads from the expansion board connect to the vacated power tags on the Beeb, which allows the board to take its power directly from the host micro, getting round the need to pick up the power from the header socket. This eliminates possible crashes that may occur when trying to draw up to 650mA from a sideways ROM socket. HCR has provided a high-quality, header plug for connection, and three mounting pillars and adhesive pads. Both the soldering and the removal of the Beeb's power leads are beyond the scope of beginners.

The HCR board proved reliable, very stable, and ROMs are easily inserted or removed. My only gripe with this otherwise excellent board is the installation

procedure and the fact that it lies over the Beeb's hot RAM area. Although this did not seem to bother my computer, it may prove a problem with older versions. An Aries B-20 would not fit with the HCR in place. The HCR Board represents value for money for the hobbyist who is confident with a soldering iron.

Computer Village CVx16-2

Based on the Mk1 CVx16, this new version offers some improvements over its predecessor. The quality and construction of the CVx16-2's double-sided PCB is excellent. It features 18 buffering and



Computer Village CVx16-2

decoding chips, and can handle up to 16 ROMs and 16k of paged RAM. The Mk1 board could only handle 2k (6116) RAMs, but the new model now permits the use of 2×8k (6264) devices. This board is so versatile that no less than nine configurations are possible. The elements from which the various combinations can be made are: 16 paged ROMs; Software switching between ROMs 8 and 9; 16k RAM as 8×2k devices or 16k RAM as 2×8k devices; Software switching between ROM 9 and 6116 RAM or Software switching between ROM 9 and 6264 RAM.

Battery backup for the RAM is provided as standard. The primary lithium cell on board can be exchanged for a rechargeable NICad cell at the time of purchase – as fitted, the battery has a life of about five years.

Installation comprises the removal of both the 6502 CPU and ULA (IC6) chip and fitting them in the corresponding sockets on the CVx16-2 board. Trying to align the very fine, turned-pin legs of the board into the two sockets proved quite difficult – the pins bend easily and are too fragile for the task. A pair of power leads on the BBC board must

WHAT THEY OFFER						
Board	ATPL	WATFORD Mk2	HCR 16	CVx16-2	пом вох	RAM/ROM BOX
RAM or ROM	RAM/ROM	RAM/ROM	RAM/ROM	RAM/ROM (nine configurations)	ROM	RAM/ROM board inc. own PSU
ROM sockets available	12 OR 11 + 1 RAM position (Plus 4 on BBC board)	13 + 3 on BBC board 2716 and 2732 EPROMs may be used	12 + 4 on BBC board	16 (8 sockets can carry 2716 EPROMs)	8 (1 is a ZIF socket)	12 + 4 in BBC. Optional 2nd board enables possible 28 resident ROMs
RAM available	16k as 2 × 8k CMOS (6264) static RAMs. Battery backup option	16k as 2 × 8k CMOS (6264) static RAMs. Battery backup option. (Also 6116 RAM chips)	16k as 2 × 8k CMOS (6264) static RAMs. (Also 6116 RAMs)	16 possible CMOS (6264) static RAMs. (Also 6116 RAMs). Battery backup as standard	n/a	16k possible as 2 × 8k CMOS (6264) static RAMs. Also 6116 RAM chips may be used. 2nd board provides another possible 16k
Installation	Plug in (internal)	Plug in + 5 wires to solder (internal)	Plug in + 6 wires to solder (internal)	Plug in (internal)	Plug in	Plug in
Price	£44.85	£38	£36.80	£52.24	£57.44	£86.25 £32.20 for second card. £27 for additional driver board
Available from	ATPL, Station Road, Clowne, Chesterfield S43 4AB	Watford Electronics, Cardiff Road, Watford, Herts	HCR Electronic Services, The Industrial Unit, Parker Road, Chelmsford, Essex CM2 6ES	Computer Village, 2/3 Hazledine House, Central Square, Telford, Shropshire TF3 4JL	Northern Computers, Churchfield Road, Frodsham, Cheshire WA6 6RD	HCR Electronic Services, The Industrial Unit, Parker Road, Chelmsford, Essex CM2 6ES

REVIEWS

either carefully be removed and refitted or bent flat. All that remains is to socket the 'permanent' ROMs (Basic, etc) on the board.

The CVx16-2 proved reliable despite being located over the Beeb's RAM area. An Aries B-20 RAM board can be piggy-backed on the CVx16-2. Switching between sockets 8 and 9 allows, eg, two conflicting DFSs to reside happily. There are two modifications I would like to see - the board cries out for a pair of supporting pillars, and the 12 links are packed too tightly. Despite these gripes I recommend this board for anyone developing sideways firmware. Used in combination with Computer Village's ROM Master ROM (£19.95) the CVx16-2 is an indispensable tool for firmware development.

External boards

I have always been in favour of external ROM boards as you don't need to remove the Beeb's lid every time a ROM is changed, and they make room available for other expansion options. The advantage for schools, etc, is that valuable ROM firmware can be moved from computer to computer.

Micro Pulse ROM Box


The ROM Box from Micro Pulse is a beautifully designed and manufactured peripheral which enables you to access up to 11 ROMs. However, not all the eight resident ROMs can be on-line at once – there is a switch enabling only one to be selected at a time.

The ROM Box connects to the BBC micro by a 28-way ribbon cable and an easily detachable edge connector. The 28 DIL header to the cable simply plugs into one of the empty sideways ROM sockets between the OS 1.2 and the Basic chips, then the short (290mm) cable is clamped when the computer's lid is replaced.

The unit works very well. I particularly like the inclusion of a high quality

ZIF socket (position number 5 in the box), allowing easy and safe changing of ROMs. Another thoughtful feature is the red LEDs to indicate the current ROM. The fact that ROMs are isolated means ROM interaction problems associated with internal boards are avoided. It's possible to use the ROM Box with an internal board thus allowing a total of 23 resident ROMs, and it will work with almost any other expansion option.

Two disappointments in this otherwise excellent unit are the lack of onboard sideways RAM and the price. The former problem can be overcome by spending more money on a side-



Micro Pulse ROM Box

ways RAM card, but the solution to the latter is in the hands of Micro Pulse.

HCR External RAM/ROM


To overcome problems of power drain on the host Beeb, HCR Electronics has marketed an externally powered expansion system. It comprises two units – an adaptor card that plugs into socket 4 in the BBC micro and contains all the necessary buffering and control logic to interface with the external unit. An external card housed in a 215 × 195 × 65mm steel case contains 12 sockets for ROM/RAM combinations. The connection to the external box is via a 700mm 34-way cable. All connnections to the micro are plug-in.

The 12 ROMs of the external board can be added to the four in the BBC micro (the internal card has a piggy-back socket). The board may also have CMOS RAM fitted as extra (6116 or 6264 devices). Up to two pairs of sockets are available which configure a pair of 8k ROMs to simulate a 16k ROM. The external box has been designed to allow a second 12-socket board which is selected by a POKE.

This configuration brings the possible number of ROMs available up to 28 (or 24 with 32k of sideways RAM). A write disable switch is included as standard and will operate on RAM fitted to either or both boards.

Installing the system is easy thanks to good design. High quality components help ensure that the operation is smooth and simple. The various configurations are set by 13 link jumpers. Both boards sit very firmly on their pillar-supports and are easily removed when ROMs are to be changed.

For an expansion unit that gives you just about everything except RAM battery back-up, this unit is top of its class. With the HCR unit just about any other expansion option is available to you.



HCR External RAM/ROM System

Conclusion

All the boards have certain strengths which will appeal to people with particular needs. To simply increase ROM capacity the ATPL Sidewise board is a good solution. For the hobbyist who is handy with a soldering iron the HCR 16 board offers similar facilities at a competitive price – it certainly scores over the Watford board. If you wish to develop firmware the CVx16-2 provides a flexible range of facilities.

The two external units are rather different. The ROM Box is expensive for what it offers but does provide a neat method of expanding one ROM socket. The HCR unit is really for the buffs of ROM/RAM expansion – if battery back-up was available this would be the most versatile and comprehensive system on the market. As it stands, it certainly provides an elegant means of expanding your Beeb's sideways ROM and RAM potential.

Expansion board	ATPL Sidewise	Watford Mk2	HCR 16	CVx16-2	ROM Box	HCR Externa System
Design	4	2	3	3	5	5
Construction	4	2	3	5	5	5
Ease of installation	3	2	2	3	5	5
Ease of ROM removal/insertion	3	3	3	3	5	3
Versatility	3	3	3	5	3	5
Documentation	4	3	3	4	3	3
Value for money	4	3	3	4	2	3
Total (35)	25	18	20	27	28	29

Best Service-Best Value from **Vis**

BBC Micro Remote Keyboard

The Viglen keyboard extension frees you from the confines of your computer, with a long 11/2 metre lead which enables you to place your keyboard anywhere on your desk, even on your lap, away from your computer hardware. It consists of a high quality ABS plastic case, colour matched to the BBC,

which encloses your BBC keyboard. A monitor support is then fitted to the computer in the space vacated by the keyboard. This then enables you to use the computer as a monitor stand. The keyboard extension comes complete with comprehensive fitting instructions.



The Viglen Keypad

Ideal for business use, word processing, programming etc. High quality construction with unrivalled specification. Uses IMHz Bus unlike other systems.

Full travel Keys.

Each key fully programmable with a simple command. Giving total flexibility.

Built in RAM chip uses none of the BBC's memory.

> Fully compatible with other peripherals.

Key definitions can be saved on disc or tape.

Compatible with BBC keyboard i.e. 2 key rollover, same auto repeat rate. Plug in Eprom contains operating software.

Fully relegendable version, just £10 extra

Price: £69.95 Including VAT

Viglen add a touch ore professionalism ir comp

The Viglen Eprom Programmer

At last - an Eprom Programmer that anyone can use. Comes with very powerful and yet very easy to use software allowing effortless copying and programming of all Eprom types useable in the BBC. Also copies ROMs. Just look at all these features:

> High speed programming routine programs eproms in seconds.

> > Zero insertion force socket - avoids damage to Eproms.

Special offer: each programmer comes with two FREE programs, that help you put your own programs onto eprom.



avoids overloading the BBC.

Ideal for both the first time and the more advanced user.

Price: £79.95 Including VAT add £8 carriage

Also available Eproms 8K @ £4.95 16K @ £9.95 P. & P. £1

Send for FREE Information Sheets

Specification sheets are available on the Eprom Programmer, Keypad and Keyboard Extension. Also available a free guide to gramming Eproms. Please send a S.A.E. when requesting any of these information sheets.

Ring Caroline on the Hotline

01-843 9903



1 Prefer to AND by Access land applicable

Signature

ONTHEBALL

Roll up for lan

Hall's review

of Marconi's

RB2 Tracker Ball

Marconi RB2 Tracker Ball £59

IF you're fed up with wearing out your two typing fingers and are thinking about buying a device such as a mouse, then you might well consider the Marconi RB2 Tracker Ball.

The tracker ball was developed for military and industrial use and can give two dimensional manipulation which provides both fast movement and good fine control. This compares well with a joystick which can give the former but is not so hot on the latter. The way a tracker ball gives you both is by automatically providing good finger-tip control but it can be treated 'violently' and spun rapidly to move quickly. It consists of a free-moving ball, which when rotated horizontally and vertically can give the same control as a joystick. The inherent mass of the actual tracker ball assists in the fast movement-it can 'free wheel'

It measures approximately 200mm by 110mm, is no taller than your Beeb, and does not look out of place beside it. The 'ball' part is about two-thirds the way up the face of the device, which is sloped so that the palm of your hand sits comfortably on the top and your fingers can easily manipulate the ball. Just above the ball are three buttons that can be put to various uses.

It plugs into the user port and, for the technically minded, relies on the use of the two interrupt lines. Marconi provides various pieces of software that allow you to use the Tracker Ball in different ways, plus a drawing/artist program – but more on that later.

On unpacking, the Tracker Ball gives the impression of a robust device, and a sneaky peek inside the unit shows a high standard of construction. The ball sits on two metal shafts at right angles to each other, and on the end of each is a small slotted disc, two optical pickoffs detect rotation of the discs and a small amount of electronics get the information in a form suitable for the Beeb.

I find the Tracker Ball a lot easier to



'Gives two dimensional manipulation which provides both fast movement and good fine control'

use than a mouse. You can get finer control without much arm movement. A big plus is that you don't need a clear flat area next to your Beeb. Its disadvantage is that you can't press the buttons and move the control with the same hand, but you should be able to overcome this if the software allows for it (Marconi please note).

The main software package consists of three utilities and a drawing program called *Paintball* on a cassette, plus a program to transfer them to disc.

Two utilities allow you to use the tracker ball in place of joysticks or cursor keys. The tracker ball and push buttons can be set up to emulate nearly any key on the keyboard. The third utility allows it to be used in your own programs, but the documentation on this facility was somewhat lacking. These utilities take up one page of memory—its location can be user-defined. This highlights what I consider to be the major limitation of the system—I would prefer the software to be resident in PROM, as with the AMX Mouse, and provide dedicated utilities.

The manual says you can use the utilities with a large amount of existing software but there is some trial and error involved in locating the utility so that it doesn't clash. However, there was no problem in getting it running with *Wordwise* or *View* and it proved quite useful in scanning documents.

The *Paintball* program is a drawing program in four colour mode 1 that is menu driven with the use of the Tracker


Ball. It provides the normal drawing functions such as circles, rubber lines. free-hand drawing, etc, and has an excellent fill routine. However, it only fills in solid colours and does not provide 'shading' which the AMX Mouse package does. A nice feature of the program is that it is written in Basic and a User function is provided on the menu. This calls any user-written procedure within the program and can be used for dedicated printer dump routines. On the not-so-good side, a major omission is that it does not ask you the familiar 'Are you sure?' when you select Clear Display, and so a slip of the finger could have you weeping over the keyboard. Also, the text facility is rather limited.

In addition to the cassette software, you also get an artists drawing program on disc. I'm afraid I cannot enthuse about this package which is about as user-friendly as an upsidedown VDU (for example, you have to reply to five questions to draw a circle). The program doesn't use the Tracker Ball to its full potential and relies heavily on the keyboard.

To sum up, I consider the Marconi RB2 Tracker Ball a useful addition as it provides more control over the cursor than a mouse. Its major limitation is the lack of a utilities PROM such as the AMX system but there again, at £59 it's just a wee bit cheaper. Since it can successfully be used with user-friendly icon- and menu-based software I would hope that specialised software will appear soon.



The best partners foryour computers





YOUR ROMS WOULD BE HAPPIER IN A VIGLEN ROM CARTRIDGE SYSTEM

The safest way to look after your growing collection of ROMs is to store them in Viglen's specially designed cartridge systems, this not only keeps them happy, but also removes the ot|risk of damage to your BBC micro. <

There are two systems the 'Standard' and the 'Low Profile'. Viglen is the leading producer of both.

THE STANDARD SYSTEM

The Standard System used extensively in education is preferred, due to its robust construction and ease of use.

ADVANTAGES OF VIGLEN ROM CARTRIDGE SYSTEM

 All cartridges are gold-plated for durability and reliability, unlike others which are only silver plated.


No need to switch machine off between cartridge changes. Insert and remove 'Wordwise' 'View' 'Disc Doctor', etc., at will, from your micro in absolute safety.

 Low, low power consumption unlike other systems. • Save on memory.

PRICE FOR COMPLETE KIT, Including 1 Cartridge, 1 Cable Assembly, 1 Blanking Off Plate (used if system is removed). 1 Socket Cover (used when no cartridges are resident to protect socket especially against dust or metal objects), 1 Cartridge Rack (stores cartridges when not in use).

Extra Cartridges: £2.95 each, four for £11.00 (i.e. £2.75 each), ten for £26.50 (i.e. £2.65 each). Kit comes with 1 ROM Cartridge. All prices inc. VAT.

ACCESS/BARCLAYCARD By telephone: -Ring (01) 843 9903. Credit Card holders (Access/ Barclaycard only) can purchase by telephone. Please give Card No., Name, Address, and the items required. Viglen are also major supplies to educational and government establishments and welcome further enquiries and orders.



With the sideways entry on the low profile system access to the escape and tab keys are slightly restricted. However Viglen betters its rivals in this respect by being 3mm lower

Posto: Works Consults supplies with Transpers way, Lambert will so .

Unit 7 Trumpers Way Hanwell W7 2QA Tel: 01-843 9903

Personal Callers Mon - Fri 9.30-6pm Sat. 9.30-4pm

Des Chedral P.O. to S. Chestan Chicago de des en processes indudications. To the contract of the contract of the contract of the chestan contract of the contr

SOFTWARE REVIEWS

All the

business

'Micros in Business: an introduction to business software for the BBC Microcomputer', Acornsoft, BBC B with 1.2 OS and disc drive, £59.80 inc VAT (40/80 track) IT'S important to realise that this is a demonstration and training package intended to display the range and quality of business functions which can be performed on the BBC micro using software produced by Acornsoft. It consists of three discs containing five programs, a good manual for each with key strips and a general guide.

The personnel program demonstrates typical documentation used for recruitment, promotion, manpower projections and a holiday chart with generous and convincing files which can be altered in many ways. After testing it, I am sure that a full system with print facilities would meet the needs of a fair sized business.

The spreadsheet program is a greatly simplified version of the excellent *Viewsheet* which demonstrates a small but impressive part of the range it can offer. The examples are taken from the books of a small building firm, and show various wages records, job control and cash flow forecasting. Again there are opportunities for inserting data, and all the information can be printed easily. The screen format is limited to mode 7 but that hardly matters for a demonstration.

On the same disc the Wordprocessor



Make your choice from the menu

program similarly demonstrates the *View* wordprocessor from the same publisher, and hardly does justice to this excellent standby. It shows all the main features of construction and editing with output to printer, plus letter writing, report writing and a mailshot.

The Database program is a good sample of what can be done, and looks much more professional than the dated one I habitually use. Using the same building firm for illustrations it shows a supplier's address list and records of equipment hire and work in progress.

Finally, Planner is part of Acornsoft's *Desk Diary* package which I had not seen before, and it illustrates how to maintain an appointments diary, record forward plans and set an alarm to remind you to keep to them!

As the guide says, 'Micros in Business is designed with training in mind and is not intended for business purposes', but it also serves as an excellent introduction to Acornsoft's range of products and an invitation to buy them.

Roger Carus

Limited

compilation

'Basic Compiler' Simon Parker, ACK Data, 21 Salcombe Drive, Redhill, Nottingham NG5 8JF. Tel: (0602) 262498. £26.95 (£28.95 disc)

THIS is yet another attempt at a Basic compiler for the BBC micro. The utility is supplied on disc in the form of two programs, CBASIC and CBASCOM, and is designed to convert a Basic program into machine code. Because a machine code program can run several times faster than an uncompiled Basic program there is certainly a place and need for such compilers – provided they can be made to work satisfactorily, and the trouble is that they often don't.

A fundamental difficulty stems from the versatility of BBC Basic, as it offers a large number of non-standard command keywords, and the translation of the whole range of available keywords poses insuperable problems for the designer of a compiler program. Simon Parker's compiler claims to support the translation of approximately half the keywords available in BBC Basic, and so, at first sight, appears an improvement on the earlier compilers.

However, there are many hidden limitations that go beyond the restrictions of keywords alone. For instance, arrays are not allowed, neither are string variables, nested for-next loops, nor floating point variables. I use about two dozen Basic programs frequently on my micro, and my attempts at compilation led to only one successfully compiled object code, and this was for the most trivial of my programs.


Altogether I was thoroughly disappointed, and most of my attempts to use this program ended on the rocks with the annoying message 'Basic Compiler Aborted'.

In general, to get an object code from this package it's necessary to perform a considerable amount of program modification even for comparatively simple Basic programs. As for more complex programs which necessarily involve arrays, and/or more than 26 variables, and/or an excessive number of program steps (over 300) there is no hope of a compilation.

The compiler works successfully only for programs that are either very simple or highly contrived, so its usefulness is rather limited. The ideal Basic compiler for the Beeb is still to be written. Perhaps Computer Concepts will come to the rescue, and I await the final announcement of their promised product with eager anticipation.

Chandra Wickramasinghe

Micros in business: 'an excellent introduction to Acornsoft's range of products'





All the peripherals for your BBC Model B

the best service

the best value

Dot Matrix Printers



Prices include VAT

Taxan Kaga KP810 £279 Canon PW1080A £279 Epson RX80/FT £269 Shinwa CPA80 (100cps) **£219** Mannesmann Tally MT80 £209

Daisy Wheel Printers

Juki 6100 £359 Prices include Quen Data £239 Epson DX100 £359

Please add £8 for 11/2 metre length printer lead for the BBC micr

Microvitec Monitors

Med & Pal Standard £199 €295 Med £259 High

BBC Model B and Model B with DNFS (latest 1.2 DFS) P.O.A.

Prices include VAT



3M Scotch Discs 51/4" single sided diskettes





Sales Hotline 01-843 9903 | Piease call for latest prices, product details and to place credit card orders. Government and Educational Establishments enquiries welcome.

Prices correct at time of going to press. Offers subject to availability.

10 DISCS PER BOX

A



PHILIPS CT2007 The official Philips/Monitor/TV Model

This very popular unit is not only an excellent Colour Television Receiver but also a sophisticated computer monitor.

Headphone socket and speaker mute switch

Free lead supplied for BBC Micro

RGB, (TTL and can be modified for linear) Composite Video Input (CVBS), Audio Input + this model has an AV/TV switch

14" picture tube with 0.65mm resolution

- Maximum 80 characters per line
- 12 pre-select buttons
- Aerial supplied
- Swivel base available



AV/TV SWITCH

CVBS

RGB

PHILIPS BM7502 Green Screen Mono

From the highly successful 'Philips 80 Range', here is a monitor specially designed to display graphics and alphanumeric data with perfect clarity.

- 12" high resolution, 20MHz band width, anti-glare screen

Posto: Mode Sout the stopping strain 1. Tankers Walthampel W. 264. Telephone: 14.43.9 The Page to Day of ACCESSIBACCA CAROL Order which are to be the track of the control of the cont

ONTHEDOUBLE

Are Solidisk's low-cost double-density disc filing

systems too good to be true? asks Chris Drage

Solidisk DDFS with 2.0 DFS £48.95 Solidisk DFDC with 2.0 DFS £54.95

SOLIDISK Technology (of sideways RAM board fame), retails two doubledensity disc filing systems (DDFS) at prices which make even a confirmed sceptic sit up. As most current DDFSs cost over the £100 mark, is the Solidisk offer too good to be true?

The smaller of the two boards is purely a DDFS based on the Western Digital 1770 chip (also found in the BBC B+). The second board, DFDC (dual floppy disc controllers), enables users to switch between the Acorn (single-density), 8271 and the WD1770. The DFDC system is designed for people who may wish to upgrade their Acorn DFS to take advantage of the doubledensity mode. The house-keeping routines of both systems are controlled by the Solidisk DFS 2.0. Existing users who have an earlier version of this DFS (1.4 to 1.8), should upgrade their firmware, as Solidisk claims the 2.0 has all reported bugs corrected.


Installing the DDFS board entails plugging in two buffer ICs, two jumpers, the controller board and the EPROM. The DFDC differs slightly in that the two jumpers are replaced by a pair of flying leads which must be either soldered or 'pushed' into the socketed legs of IC 86 and 87. It also has a switch to facilitate the selection of each controller chip, and this can be mounted in the Beeb's Econet 'hole'.

The installation of the boards lets down an otherwise excellent system. Cheap components and bare singlestrand leads can result in problems for the inexperienced. If Solidisk provided header sockets for the leads on the DFDC board it would be doing everyone a favour including itself! The jumpers on the DDFS board can also cause problems - I recommend anyone interested in this system to purchase a pair of turned pin sockets to avoid the risk of damaging the Beeb's sockets. Solidisk does employ a number of 'local experts' around the country who will install their system free of charge and give advice on any problems.

Once up and running each system performs as it should. The double density feature allows 16 sectors per track (as opposed to Acorn's 10). This

60 per cent improvement in storage translates to 160k and 320k for 40 and 80 track discs respectively. If you are using long data files this is a substantial improvement.

The new 2.0 software is certainly speedy. It defaults to a fast disc access time (6ms STEP, 0ms SETTLE), and is tube compatible. A marked improvement in time occurred when I verified discs and tried '*BACKUP'. Overall, the



DDFS: worth considering

Solidisk DFS worked about a third faster than normal. As well as improving the speed of the WD1770 FDC, the 2.0 DFS can be purchased separately to improve the performance of the Acorn DFS system. Acorn DFS users simply replace their DNFS ROM with the new Solidisk one.

Perhaps the most welcome feature of the Solidisk 2.0 DFS is the unlimited number of filenames. When the number of files on the current catalogue reaches 31, a new catalogue is created automatically. There is also automatic density and drive-size selection upon catalogue, and the process is transparent to the user.

All the usual DFS commands are there plus a number of useful additions (figure 1). It's good to see a disc formatter/verifier DZAP and MZAP included as standard, and it's a real bonus to have a tape-to-disc copier thrown in! '*SPEED' is included to enable the speed of access, etc, to be altered if you have older, slower drives.


Another plus point is the WRITE-check feature. The Solidisk DFS does a read check every time a file is being saved, ensuring no errors are present on the disc – useful if you've had problems saving long text files transmitted

down the telephone line, for example.

One inexplicable, annoying problem with the review version was that on power-up, drive one would start whirring round even without a disc present. I thought the Acorn DFS was coming back to haunt me! Another grumble concerns the documentation — I wish Solidisk would sort out its manuals once and for all. The manual I received didn't even refer to the DFDC board! I learnt later there is a separate sheet for the DFS 2.0 which includes the installation of the DFDC.

Conclusions

A number of the double density systems on the market are not fully compatible – they do not read some protected discs. The Solidisk system scores very well here – it managed to run Magic Mushrooms, Cocktail Maker and Revs in WD1770 mode!



DFDC: particularly reliable

This is one of the most versatile systems around and at a price even humble *Acorn User* authors can afford. The DFDC board has proven to be particularly reliable.

I cannot recommend either system for the inexperienced, however, as there is a risk of unreliability or damage to the Beeb's sockets due to the unprofessional, installation procedures. For those prepared to take the plunge, Solidisk's DDFS system is definitely worth considering if you're after more space on your discs or the Acorn DFS is too pricey for you. With the DFDC board, 100 per cent compatibility is available at the flick of a switch, which could be an important consideration for Acorn DFS users. Overall, I'd recommend it to the enthusiast/hobbiest.

OUTSTANDING OFFER from Viglen



At Viglen's rock bottom prices, everyone can afford to replace inefficient cassette tape units and obtain all the advantages of changing up to discs.

All offers include:

Utilities Disk includes formatting, verifying, BASIC program comparator, disassembler, Epson screen dump, dual catalogue (giving 62 files), large printing and many other features.

Comprehensive Manual a fact-filled, 56 page document, includes techniques of loading from cassette to disk. Not

Carriage: Add £12 in each case. Orders usually despatched next day. Price covers courier delivery and VAT.

Prices correct at time of going to press. Offer subject to availability.

available elsewhere.

Single Drives 40/80 400K

Single Drive..... £109

Drive + Acorn DFS (DNFS)... £187

Prices include VAT

Dual Drives 40/80 800K

Dual Drives £218

Dual Drive + Acorn DFS (DNFS)... £295

Integral PSU

for Dual Drive

Prices include VAT

12 Months Guarantee


Call in at our showrooms for Free Fitting of DFS.

Unit 7, Trumpers Way, off Boston Road, Hanwell, W7 2QA.

Tel: 01-843 9903

Open Monday-Friday 9.30 - 6.00 Saturday 9.30 - 4.00





Slow, slow, quick,

quick, slow

YOUR replies to my plea for benchmarks in printers not covered in the articles in June 1984 and February 1985 have been rewarded by a large number of replies flooding in to the office.

You'll find the program used to obtain the benchmarks in the 'Running instructions' panel, and I'd still welcome your replies on printers not in the list. The instructions for sending data are in the 'Send in' panel.

The aim is to produce realistic figures for printer speed, in characters per second, over a standard print run. This run is not a full simulation of a real situation, and a number of readers, while agreeing with the principles of the test, have made minor criticisms. Mr Hutchon of Darlington, and many others, feels that the tests are not entirely fair to daisywheel printers, as the characters chosen are too far apart on the wheel, and so involve a lot of slow wheel spinning. This is indeed true, and the benchmarks are perhaps slightly over-critical of daisywheel printer performance in general. For complete fairness we should have printed a fully-punctuated piece of English prose, but I doubt whether readers would have replied in such numbers if the program had been one to do this!

Another valid point is that linefeeds and carriage returns actually count as printing characters, so we should be dividing by 2025 not 2000 when we calculate the speed. However, I doubt whether buyers of printers realise the distinction between printing and nonprinting characters when buying, and I don't feel very guilty about the slight inaccuracy!

My favourite reply concerned the Taxan Kaga. This was the most popular printer in the last set of replies, and clearly well thought of by all owners. It is a dot matrix printer with NLQ (near letter quality) style available. The reply was beautifully printed - using a daisy wheel! George Hill

			S	peed in cps
Manufacturer	Model	Туре	Claimed	ВМ
Aut	100beta	DM	100	83
Brother	M1009	DM	50	28
Brother	HR5	Th	30	20.4
	EP44	Th	16	11.6
	CE50,51,60	DW	13	7.9
	HR15	DW	13	8.8
	EP22	DM	17	10.5
вмс	BX80	DM	80	58
Canon	PW1080A	DM		
Canon	PJ1080A	IJ	160(27) 37	0(25.7) 30.5
Centronics	1504	DM	150	100
Centronics	739	DM	100	
Const	120 W Till	DM	2.70	45
Copal	SC1200	19000000	120	79 (19.4)
Cosmos	80	DM	80	6
CTI	CPA80	DM	80	65
Datac	DX109V	DM	80	54
Epson	RX80	DM	100	65(12.5)
	MX80/100	DM	100	64
	FX80	DM	160	92.2
IDS	Microprism	DM	110(75)	85(61)
Inforunner	Riteman	DM	120	78
ITT	3351	DM	80	57.3
Juki	6100	DW	18	11.3
Mann-Tally	MT80	DM	80	50.2
NEC	PC8023BE-C	DM	100	63.5
	PC8023DE-N	DM	120	74
OKI Microline	80	DM	80	35.1
Olivetti	JP101	IJ	66.7	62.5
Olympia	EC2	TW	11	7.8
Panasonic	KXP1091	DM	120(22)	78(16)
Quendata	DMP81	DM	80	55
	DWP1120	DW	18	10.4
Qume	Sprint9/45	DW	45	29.7
Ricoh	1200DL	DW	20	14.5
The state of the s	RP1600	DW	60	34.4
Sanple	D-S2000	DW	18	10.5
Seikosha	GP100	DM	50	32.5
	GP250X	DM	48	35.6
A VICTOR OF THE PARTY OF THE PA	GP700A	DM	50	25.3
Shinwa	CP80	DM	80	55
Silver-Reed	EXP200	DW	14	10.5
Smith-Corona	D-200	DM	160	111
	TP-I	DW	12	9
	EL2000	DW		8.7
Star	DP510/515	DM	100	72.6
Otal	DP8480	DM	80	43.5
	Gemini 10X	DM	120	75.5
HITTER TO SECOND	Delta 10	DM	160	96.7
	STX80	Th	60	31.3
Tandy	DMP100	DM	50	35
randy	CGP115	PL	12	7.6
Taxan	KP-810	DM	140(27)	95.2(22.8)
Walters	WM2000	DM	120	107
Waiters	VVIVIZUUU	DIVI	120	107

DM = dot matrix, DW = daisy-wheel, IJ = ink jet,

PL = plotter, Th = thermal.

Figures in brackets are for near letter quality options.

How the most popular printers fared in your benchmark tests

RUNNING INSTRUCTIONS

- 10 REM Printer Benchmark 20 REM Time taken to print 25 rows of 80 characters

 - 30 VDU2,1,7,1,13 40 FOR I=1 TO 25 50 FOR J=1 TO 40
 - 60 VDU1;42,1,120

 - 70 NEXT
 - 80 VDU1,13
 - 90 NEXT 100 VDU1,7,1,13,3


- 1. Run the program, starting the stopwatch on the first beep from the printer, or on the printing of the first*
- 2. Stop the stopwatch when the second beep is heard from the printer, or when the final x is printed.
- 3. Record the time taken.
- 4. Calculate the speed by the formula: speed = 2000/time.

SEND IN

- 1. Your name and address.
- 2. The maker's name, number of the printer and price.
- 3. Type of printer (dot-matrix, daisywheel etc)
- 4. Manufacturer's quoted speed from the manual or advertising.
- 5. The print out produced by running the program.
- 6. The time taken, and your calculated speed in cps.

AVERYSPECIALOFFER from Viglen

The Superb Mitsubishi 400K Model M4853 Double-sided 40/80 Track Disc Drive



12 MONTH WARRANTY (Extended 2 year warranty

available)

400K 40/80 TRACE

DISC DRIVE INC. VAT

PLUS CHOICE OF DFS'S

Viglen DFS 1.2 fully Acorn Compatible

Features

Built in Formatting

Extras

Built in verification

Dual catalogue 60 files

Double stepping reads and writes 40 track

OR latest Acorn I-2 DFS (DNFS) Call at factory for free fitting.

Single Drives 40/80 400K

£129.00 **Single Drive**

Drive + £205.00 Acorn DFS

Drive + £195.00 Viglen DFS

Dual Drives 40/80 800K

Dual drives Dual drive + Viglen DFS Dual drive + Acorn DFS Integral PSU

All offers include

Utilities Disk includes formatting, verifying, BASIC program comparator, disassembler,

Carriage. Add £12 in each case. Usually despatched next day. Price covers courier-delivery and insurance. Prices include VAT. Prices correct at time of going to press - Offer subject to availability.

Sales Hotline 01-843 9903

Please call for latest prices, product details and to place credit card orders. Government & Educational Establishments enquiries welcome on this number.

After Sales Line 01-571 6313

for Dual Drive

For dispatch enquiries, invoice queries, service and all other enquiries.

eekdays:
9.30 - 6
Saturdays:
9.30 - 4

Post to:

Please send me (Specified Herry)

Post to:

Please send me (Specified Herry)

Post to:

Post to: Please send the speedy all terms e serie the Chedrell Video Coll


SOUNDING OUT THE SYSTEM

Christopher Cross of pop group Ultravox and

Peter Wood make music with Island Logic's disc

'Music System', Island Logic, BBC B, £29.95

THIS system is a joy to use. After opening the case one step leads to another and, for a change, you get an instruction booklet that's well designed,



Keyboard: music notepad and recorder

attractive and informative. Simplicity itself I hear you say, but there are a few drawbacks with such simplicity. You are reliant on the BBC micro's sound generation chip and the awful speaker (from second-hand National Health hearing aids?). However, Island Logic has rectified this to a certain extent by describing some simple modifications to the main PCB which you can do yourself. One gives you a speaker output, which just amplifies the racket that the BBC micro speaker produces, and another is an audio out which means you can plug it into your hi-fi or stereo.

The best news, however, is that Island Logic is planning a MIDI (musical instrument digital interface) output. This is a music system developed for most modern keyboards, music composers, etc, and would mean that you could control better sounding keyboards, drum machines, and the like.

The main menu offers five pages—the editor, the keyboard, the synth, the printer and the linker. The editor is for writing or editing tunes. The keyboard is virtually a music notepad and a four-track recorder. The synth is a basic one and it allows you to set up volumes, envelopes, etc. The printer gives you


various types of hard copy. The linker is the interesting part because it allows you to join together short sections of music to form a longer piece.

In use

Island Logic has come up with a program that's almost uncrashable and simple to use-in fact it's basically idiot-proof. Once you enter the edit section, a double stave is displayed on the screen and your initial note is shown as a crochet, simply changed by the keys q and w. Pitch is controlled by the cursor keys-up raises the pitch and down lowers it. It couldn't be simpler, I hear you cry-well, it couldn't, but it does become tedious eventually. A rest is entered by tapping the space bar, which converts the note length displayed into silence. Then you run back to the beginning of the editing section, press play, and off you go.

This is the first program we've seen that's designed for ease of use, and more importantly, it's also simple to use visually. The graphics are superb, and aid understanding of the program.

On the synth page you can, to a certain extent, create your own sounds, and build up a library of sounds, envelopes, etc, and store all this to disc




Editor: write and edit tunes

at any stage. The graphics are of great help here, especially the copy key which updates the visual display of sound at any point. They also show what the various parameters do, so you can make all the necessary adjustments to the sound.

Unfortunately, we didn't have a printer connected so we couldn't test the hard copy functions. According to the manual, single or multi-voice scores can be printed out – this might be useful for schools. Island Logic says this system will run on all Epson RX80, FX80 or Star Delta 10-type printers.

Conclusion

Island Logic has come up with an extremely good program, offering excellent value-for-money. However, a few careful consultations at the design stage with electro-popsters would have made this package more flexible. We found that operating the program was




Synth: create your own sounds

so much fun initially it could rival some games. In time, of course, this eventually wears off, and at that stage you would want to go on to bigger and better hardware and software, which would cost at least 10 times as much.

Overall, this is an ideal package for someone who wants to compose on the Beeb. We feel it is a useful teaching aid, and loved messing around with the demo songs. It would also be a good package for handicapped people who can't physically play an instrument – they could sit down and program a micro to play a tune.

So, we have a cheap and cheerful music composer that works very well within its limitations.





Here's a great opportunity to own Britain's number one disc upgrade for the BBC micro, a 'Megabyte Marvel' combining double density interface and powerful $5\frac{1}{4}$ " disc drive for only £199.95.

In the latest major test of five leading disc interface systems for the BBC computer, the Opus DDOS won the honours yet again. A & B Computing magazine placed it ahead of all the rival interface offerings. As the reviewer explained:

"My personal choice is still the Opus DDOS, basically for its flexible catalogue system and the additional commands which go with it."

Now you can share in our success with a red hot summer sale offer featuring our DDOS and a $5\frac{1}{4}$ double sided 80/40 track, hardware switchable disc drive to give you a one megabyte system* for an amazingly low £199.95.

The Opus DDOS provides utilities on ROM including format and verify, offers tape to disc transfer, automatic 40/80 track selection, automatic density selection, has a unique mass copy routine and powerful machine code operating system giving up to 248 files, and it's 80% faster than single density. It's compatible with Clares 'Replica II', 'Mini-office', 'Elite', 'View', 'Wordwise' and 'Wordwise + ' and with most sideways ROM cards.

To order your Megabyte* system – DDOS and Opus 5802 disc drive – just post the coupon or call us on 0737-65080 quoting your credit card number.

OPUS SUPPLIES –
BRITAIN'S LEADERS
IN DISC DRIVE INNOVATION

*Unformatted capacity

OPUS SUPPLIES THE DRIVE

Opus.

The Opus disc drive range has few rivals for quality, reliability and sheer value for money. We've taken the best in Japanese disc drive technology and backed it with Britain's longest guarantee – an amazing two years. Now as part of our great summer sale you can buy our highly praised DDOS for just £49.95 when you purchase any Opus 51/4" disc drive. Our drives are all half-height and they're available from our nationwide dealer network.

For full details of our extensive disc drive range and your nearest dealer call us on 0737-65080 or simply post the coupon below.

	es Ltd, y, Holmethorpe Industrial Estate, Redhill, Surrey.
Please rush me ti	he following: (PRICES INCLUDE VAT AND CARRIAGE)
	Marvel(s) - DDOS+5802 Disc Drive at £199.95 each byte offer - DDOS+5802DB Dual Drive at £399.95 each
	e for £ or please debit my credit card
account with the	
My Access Ba	ırclaycard no. is:
Please send me o	details of your disc drive range (models & prices) nationwide dealer network (tick box)
Name	The branch have no make a
Address	
Telephone	Opus, Opus Supplies Ltd.

SIMPLY LIGHT YEARS AHEAD

ADVANCED & POWERFUL BUT EASY TO USE THE BEST OF BRITISH ROM SOFTWARE FOR THE BBC AND SECOND PROCESSOR

—SEE US ON STAND 3 AT UMIST SHOW MANCHESTER—

ALTRA ENIGMA DISC IMAGER

Enigma Disc Imager is a 16K ROM which will give you 29 additional powerful disc commands. Some of which are: Enigma will IMAGE ANY DISC, Copy sectors, Repair bad tracks, Read deleted or special sectors, Dumps roms to disc, Loads roms from disc to sideways ram, Moves a programme up or down in memory, Unlocks locked tapes, Locks your tapes, Dumps cassette to disc, Global or selectiverenaming of directories, Writes deleted or special sectors to disc. Track and sector ID editor facilities. Selective file copier, Formats discs to be 40/80 track compatible (requires an 80 track drive with this command), Special disc editor to cope with protected discs, Special formatter to format discs with non-standard tacks, Inserts new files into the catalogue, Enigma makes easy work of editing, copying, repairing, etc., of both standard and non standard discs.

ALTRA ENIGMA DISC IMAGER IS TUBE COMPATIBLE

ALTRA PROBE

Altra Probe is a 16K ROM which will give you 59 additional powerful machine commands. Some of which are: Altra Probe will list a basic programme straight from file, Formats basic assembler text output, Dissembles, Unpacks, Super Packs, Relocates, Edits memory, Switches off roms, Lists roms, Copies roms to specified address. Calculates free memory, Copies screen text to printer, Lists all specific types of basic variables and values, Graphics dump for Epson or NEC printers, Calculates and details free space on a disc, On board formatter which will automatically format a dual disc, On board formatter and verifier. Repairs bad tracks, Disc sector editor, Turns the tube on and off. These are only a few of the commands available from Altra Probe. Altra Probe makes easy work of editing, programme development, etc. Altra Probe is available in two versions. PROBE 1 and PROBE

ALTRA PROBE 2 IS TUBE COMPATIBLE

ALTRA BASIC ED

Basic Ed, is on 8K ROM which contains 21 additional commands. They are: \$ search, List matches, Number matches, Global replace, Selective replace, Bad programme relink, Copy lines from one part of a programme to another, Format a listing, Move, Super pack, Renumber, Table line references, Unpack, Variables X ref, List entire programme, Keyboard immediate mode, Printer on/off, Paged mode on/off, List match lines, Concatenate, Strips rems, spaces etc. Altra Basic Ed. is an essential helpful tool for the Basic/Assembler programmer. Altra Basic Ed. is available in two versions. Basic Ed. 1 and Basic Ed. 2

ALTRA BASIC ED. 2 IS TUBE COMPATIBLE

ALTRA FIRST AID 1.1

First Aid 1.1 is an 8K ROM which contains 19 additional commands. They are: Machine code dissembler, Hex and ASCII dump. Sideways rom to ram copier, Function key predefined facilities, Variable table listing, Memory space free calculator, Checksum calculator, Rom lister, String search, Define function keys with strings, Rem and space Stripper, Bad programme fixer, Clear all variables, Clear ram from &0400 to &8000, Machine code monitor, Lists O.S. calls with their vectors, Lists the first 24 control codes. Altra First Aid 1.1 was designed to assist the Basic / Assembler programmer and the sideways rom user.

ALTRA TUBE EDITOR

Altra Tube Editor is a new and unrivalled full labelling disassembler and editor ROM for the BBC and the second Processor. Some utilities of Altra Tube Editor are append labels to those in memory, disassemble in 6502 and 65C02 minemonics, end file overlay, delete given label, delete hex range, delete markers, dump memory, edit memory, overlay files, find strings and bytes, define a hex region, define a label, list memory, load labels, list labels, set memory, calculate and print values, print embedded text in a program after a call, saves ROMS, saves labels. Altra Tube Editor also supports many of the 6502 "Illegal" opcodes.

ALTRA TUBE EDITOR FUNCTIONS IN THE BBC AS WELL AS IN 6502 SECOND PROCESSOR.

Please send me:







Telephone orders please ring: 0532 451508 Send order to: ALTRA ROMS, 209 North Street, Leeds LS7 2AA

209 NORTH STREET, LEEDS LS7 2AA

☐ I enclose my order for the above products. ☐ Please send information sheet on	S.A.E. enclosed
Name	自责各国基础
Address	

ALTRA TUBE EDITOR	@ £45.00
E.D.I.	@ £45.00
PROBE 1	(a) £35.00
PROBE 2	a £45.00
F/AID 1.1	(a £15.00
BASIC-ED	@ £30.00
BASIC-ED 2	(a) £35.00
I enclose the sum of	TOTAL £
Cheque, P.O. or Credit Card N	lumber

EDUCATION

SCHIEMIE

(FOR BONA FIDE EDUCATION AND TRAINING ESTABLISHMENTS ONLY)

- * £200 EDUCATIONAL SOFTWARE AND UTILITY PACK ON DISC SUPPLIED FREE WITH EACH DISC DRIVE SYSTEM
- * SUBSTANTIAL DISCOUNTS AND SOFTWARE FOR SCHOOLS.

 * BUSINESS AND TRAINING SOFTWARE FOR HIGHER EDUCATION.

 * DETAILS OF THE AMSTRAD NETWORK AND HARD DISC SYSTEM NOW AVAILABLE.





CPC 664 COLOUR COMPUTER AS THE CPC 464, but built-in units is a 180K Disc Drive.
Includes CP/M 2.2, DR. LOGO and AMSDOS. System supplied with £200 educational software and utility pack on disc. Also with green or colour monitor.

> SYSTEM PRICES START £279

SYSTEM RICES £189

> THE AMSTRAD CPC 664 COMPUTER SYSTEM CONTACT THE AMSTRAD EDUCATIONAL DISTRIBUTORS: NORTHERN COMPUTERS LTD., CHURCHFIELD ROAD, FRODSHAM, CHESHIRE WA6 6RD. TEL. (0928) 35700 (10 lines)

ACORN USER ADVERTISEMENT PAGES - SEPTEMBER ISSUE

64 Software Centre A B Designs A J Vision	68 130 65	DDL DACC Datastore	66 47 151	No 1 Systems Northern Computers	131 174
AMS Abacus Business Machines ACK Data Addiative Comes	27 136 122 90	Elbug Electronequip Event 1	154 116 142	Ocean Soft One Stop Micros Opus	6 131 77/172
Addictive Games 90 Akhter Computer Group 134/135/150/151		Firebird Software First Byte	IBC 118	Pace	12/13/19
Altra Roms BJ Soft	173 118 140/IFC 82	Gemini Marketing Golem Grafitek Griffen Computers	148/149 151 140 142	Paul Frey Practical Programs Printerland	118 144 138
Bel Tech Broadway Electronics	8 14	HCR Electronics Holly Computers	156 114	RSD Connections Robocom	138 74
CJE Micros	86	IDS Computer Supplies	122		
C-Tech Cambridge Computer Store Cambridge Micro Centre	128 47 118	Kansas City Systems Keyzone	44 136	Silicon City Slogger Software	131 77
Care Electronics	152	Linear Graphics	64	Solidisk	20-26
Carson Developments Cash & Carry Computers Chalice Software	136 10 124	Maddison Computers Martelec Maxims	138 118 122	Spectrum Superior Software	28/29 BC
Chase Data Clares Micro Supplies	132/133 78/79	Mayday Software Meadow Computers	144 131	Technomatic	33–39
Clef Products Clwyd Technics Collins	131 130 65	Mertec Microaid Microfix	84 42 142	Unisoft	154
Commotion Computer Concepts Computer Suppliers	144 4/5	Microman Computers Micronet	64 30–32	Viewform Viglen	138 158–170
Computer Suppliers Crofton Electronics Crossware Products	156 44 131	Microware Microworld Midwich	126 70/71 52	Vine Micros	1
Cumana	88/89	Miracle Technology	142	Watford Electronics	54-63

- Powerful automatic disc, cataloguer, BBC (both Basics), using random access for disc size index. Reads discs one after another, stores record in data-base index. Disc free space, file type, sort, search, edit, add comment, add a disc, input printer codes, print all or part. Star commands allowed. Plus FREE Year Planner/Diary. Acorn DFS. Please state 40/80 track. £7.95 from TOTO Software, 24 Hazel Bank, Milton-of-Campsie, Glasgow G65 8JG.
- Twin will back-up valuable protected discs success guaranteed; £8. Digger displays format information and contents of all readable tracks. You can alter the disc or save the data on a normal format disc; £7. Dual creates a 40/80-track disc; £4. All on one disc; £10. Dispatch by return. J. E. Connett, Dene Croft, Westcott Street, Westcott, Dorking, Surrey RH4 3NY.
- Dragonquest for the BBC B. Can you solve the many puzzles in order to confront and slay the dragon? 100% machine-code. Only £6.50 (cassette) or £9.99 (40 track disc). Send cheque/postal order to S. lyer, 28 Echline Park, South Queensferry, West Lothian, Scotland.
- 5¼" SKC discs. Certified and guaranteed to be 100% error free. Prices per 10 and includes free P&P and VAT. 40T SS/SD £14.25, 40T SS/DD £14.95, 40T DS/DD £18.00, 80T SS/ quad D £22.00, 80T DS/quad D £24.00. Send cheque/PO with order to S. R. Electronics, 19 Norman Avenue, Tunstall, Stoke-on-Trent, Staffs ST6 7HD. Tel (0782) 811486.
- Epson MX/FX80, MX/FX100 printer ribbon refill. Why pay for the whole cassette when an easy to fit refill costs half as much and lasts just as long? MX80/FX80 refill £2.89, MX100/FX100 refill £3.75. Prices include VAT, post & packing 95p any quantity. Send cheque with order to: Tape Technology Ltd, 56 Chace Avenue, Potters Bar, Herts EN6 5.LZ. Tel: (0707) 45225.
- How to move your software from tape to disc. An essential collection of software and information for frustrated disc-owners: £5. R-Soft, Felmersham, Beds MK43 7HD. (0234) 781730
- Wordwise plus £45, Caretaker £27, Printmaster £27, Disc Doctor £27, Gremlin £27, Termi £27. All other ROMs and peripherals. Send SAE for list. Basic, 4 Chapel Villas, Dalgety Bay, Dunfermline, Fife. (0383) 823745.
- Eight channel interface, four power drivers, four sensor inputs. Self powered and optically isolated. Ideal for computer control and robotics. £49.75. Riteline Design. 0327-51140.
- 'Nutcrackers': Tape-2-tape + tape-2-disc + disc-2-tape + disc-2-disc + Tapemaster: £5. Rompull: £5. ROM-filing system generator: £5. R-Soft, 22 Marriotts Close, Felmersham, Beds MK43 7HD. (0234) 781730.
- Become a horse racing expert very quickly. Ingenious program reasonably priced. SAE to Longbow Investments, 34 Hill Road, Neath Abbey, Neath, West Glamorgan SA107NR.

- List in colour in mode 7. Coloured line numbers 10 definable strings. £6 cassette, £7 disc. P. A. J. Taylor, 23 Limes Avenue, Alfreton, Derbys DE57DW.
- Computer repair, most micros, printers, drives, etc. Set repair rates. For details phone 0322 58854, New Generation Computers, 138 Parkhill Road, Bexley, Kent DA5 1JA.
- BBC model B 1.20S ACORN DFS plus disc drive. Many programs on tape and disc with dustcover. £425 ono. Tel: J. Barnes, Haywards Heath (0444) 454387.
- 'D-Master': The most powerful disc backup program seen so far: £7. Nutcracker owners: £3. Handles sectors from 128-2048 bytes, deleted or not, etc. R-Soft, 22 Marriotts Close, Felmersham, Beds MK43 7HD (0234) 781730.
- 80cps matrix printers from £175 inclusive. NLQ printers from £320 inclusive. 10 × 3M discs from £17 inclusive. Ribbons, paper, tapes, storage. Telephone (0742) 845290 6-8 pm.
- Super Teams! Bio-rhythms and compatibilities for lovers, athletes and team selectors. 40T £10, 80T £11. Gilvale Software, 10 Sidford Close, Hemel Hempstead, Herts HP1 2LF.
- Recalibration and repair service for drives! Prices (inclusive of return p&p and VAT) for complete recalibration. Single £18, double-sided £20, dual £22, dual double-sided £25. Squirrel's Byte, 7 Coniston Road, Melton Mowbray, Leics LE13 0NE. (0664) 63617.
- Electron second processor to improve speed and increase memory. Construct it yourself. PCB, software, instructions, £15. Or sae for details. J Wike, 9 Lon-y-Garwa, Caerphilly, Mid-Glamorgan.
- Cumana 100k 40 track disc drive with PSU. Little used and 6 months old. £98 ono. (01) 858 6086 evenings.
- Beeb-Planner: CPA program to Time Analyse 250 activities (on node). Three calendars. Various reports. £35. E. Sheffield, 8 Langdon Close, Camberley, Surrey GU15 1AQ. Sae for details.

- Graphics digitizer arm. Allows pictures/text to be traced/created into BBC B. Incorporates powerful software/hardware. £28. State: CAS/40/80 disc. (Details s.a.e.) Mr A. J. Hodge, 28 Hurstwood Avenue, Bexley, Kent DA5 3PH.
- EPROMS 27128-250NS full spec parts. 1-10 £6 inclusive of VAT and p&p. Security Soft Ltd, Unit 19, Derby Trading Est., Stores Road, Derby DE2 4BE. (0332) 363422.
- BBC B plus DNFS, OS1.2, Basic 2. Includes Disc-Doctor 1.0B, and Acorn speech processor. Complete with software, manuals, leads, etc. £270 ono. Tel: (0983) 406703.
- Free! plastic library case with our lifetime-guaranteed s/s d/d discs. £13 for 10 discs, inclusive of VAT and p&p. Squirrel's Byte, 7 Coniston Road, Melton Mowbray, Leics LE13 ONE. (0664) 63617.
- Computer studies 180 multiple choice questions now on one BBC 40 track disc, £11.50 inc. Other programs available. BBS, 4 Chaomans, Letchworth, Herts SG6 3UB.
- Statistics: calculation of mean, mode, median, variance, anova, t-test, correlation, chi-square, etc. Print-out option. Send £10 for disc or sae for details. Birkdale Software, 89 Birkdale Drive, Leeds LS17 7RU.
- Geography teachers sell your original programs. Send cassette or disc with postage if return required. Prompt decision given. Micro Prof. 68 Ferndown Road, Solihull B91 2BA.
- Mailing List written to your requirements, Wordwise letters, infinite records and many more features. For full details write to CPU S/W, 42 York Road, Rayleigh, Essex.
- Copycat 4 still the ultimate discdisc backup utility. Superior to all known rivals. With utilities as standard. £8.95. 40/80 Disc, Integral Software, 11 Grove Park, Bangor, Co Down BT20 5QG. (0247) 463603.
- BBC B + DFS £300; 3' Opus drive £100. 5½ DS/40-80·sw psu Opus £150; 2nd processor £150. Monitor Zenith £50; 128k Solidisk (plus all famous ROM software) £150. Voltmace/adaptor/software £20. All for £900. (0272) 775318.

We must remind advertisers that we cannot carry advertisements which incite readers to break the protection and therefore copyright of commercial software.

- EPROM programming: backup sideways ROM/RAM software to Eprom. Send program on ROM/disc/tape + £8 (8k)/£12 (16k) inclusive. Erasing service £1. R. C. H. Cheung, 48 Sunnymead Road, London NW9 8BU.
- Disc upgrade kit. Full chip set and fitting details. For BBC model B. £55. Wilson, 25 Mill Lane, Chinnor, Oxfordshire. Tel: (0844) 53623.
- Convert your 80 track 5¼" drive to 40/80 switchable, simply plug existing drive cable into small box provided, and supplied cable into your BBC. No soldering, drilling, etc., guaranteed. £18 inc p&p. Magus Electronics, 33 Pool Lane, Winterley, Sandbach, Cheshire CW11 0RZ.
- Vannin Software. Exciting games and educational software for the BBC B. Laser Attack, Spider Speller, The Golden Maze, Double Turn. For details please write to: Vannin Software, 133 Boroughbridge Road, York YO2 6AA.
- Software assistant required for professional audio control systems development. Formal qualifications not essential but must be familiar with direct handling of BBC/Acorn operating systems (6502). Phone Ted Fletcher or Mike Law on Windsor 51056 or write: Alice (Stancoil Ltd), 38 Alexandra Road, Windsor, Berks SL4 1HU.
- Kits & leads for BBC interfaces. Includes inexpensive DC multimeter and continuity buzzer for analog port. Sae for details. Hughes, 17 Deeside Avenue, Chichester, W Sussex PO19 3QF.
- Super-Spooler. The ultimate in machine code utilities, converts raw machine code back into an assembly language program. Requires BBC B fitted with 16k sideways RAM expansion. Send sae for a full spec sheet to: Mr R Robinson, 4 Stonehill, Castle Donington, Derby DE7 2LY.

	ndard fee. Don't for		dress or phone nu	ımber. S
cheque plu	us form to Acorn Use	r Small Ads, 68 Long	Acre, London WC2	E 9JH.
				E L

Bird's Custard Powder —Really Thick!

business news



Reuters in \$2 talks

by Harvey Laundry, City Editor

REUTERS, the international news agency and business information group, is negotiating to buy 17 sets of screws for its new Acorn communications terminal. It has long been suspected that it would be a big terminal.

Acorn business division marketing director Mike Tweedledee said from Cherry Hinton yesterday: "This deal proves that our recent diversification is paying big divi-

QLs for low-tech

ROBERT MAXWELL's dispute with the print unions over new technology has been settled. Daily Mirror proprietors Purgatory Press got around the problem by using QLs. Meanwhile Sir Clive is reported to have run off with a cartoon cut-out called Jane.

dends. No other computer company has ever sold screws to Reuters before."

It is thought that Acorn is entering the screws market just as the bottom is about to fall out of it, writes Jane Thrush. Tweedledee must be dumb – and who is Acorn to talk about paying big dividends? Meanwhile yet another air of gloom and doom is just over the horizon.



Memo to Maggie

REF: Corporate image

PROBLEM: Acorn's corporate image, bolstered for so long by promises of undesigned products, has recently been dented by undesigned press reports of "difficulties".

ANALYSIS: Unscrupulous

ANALYSIS: Unscrupulous journalists became too lazy to play the game and visit Acorn R&D in Cambridge to get the latest leaks. A handful of amateur hacks invented a story about Acorn almost going bankrupt and being taken over by Mafia offshoot, the "Bennett-teddy boys".

ACTION: Nip this gossip in the bud. Reveal the truth about the Christmas Electron boom. Admit to record profits in the end of year accounts. Prove that the Bennett-teddies are actually a bunch of Cambridge megalomaniac computer science graduates. Invent some juicy leaks. Appoint a new, Longoverdue MD.

Sinclair gets new lifeline



by Watchda Birdie, conputer correspondent

MIRROR publisher Mr Robert Maxwell last night mounted a dramatic £12 million rescue bid for Sir Clive Sinclair's home computer company. However, the fact that his arch rival Rupert Murdoch has not leapt in to save Acorn must mean something bad.

Maxwell said: "The deal will easily pay for itself, because I'll be able to save a fortune on storylines for the Jane cartoon. This paper's motto is 'Forward with Britain', and we will show Sir Clive – a man of brilliant inventive genius – being forward.

"We will not be changing the paper's motto to 'Quantum Leap forward with Britain', but might sponsor Sir Clive – a man of brilliant inventive genius – for the next Olympics."

The happy couple are now to embark as a duo

on a singing career with an John number Elton Captain Fantastic and the Browned-off Cam Boy. Maxwell and John are now discussing whether Oxford or Watford will the provide chorus. Arsenal's bid has been squashed after their appalling showing on Database, where they failed to kick the ambient Tony Bastable off the pitch.

Another Atom collapse to come

by Jane Rook and Jean Bird O'Doom

ARGENTINA has clinched agreement with its main suppliers to extend its credit limits and issue new shares in an attempt to stave off the effects of the Easter slump in sales of the Malvinas State Exaggeration computer (MSX).

Although Acorn is trying to sell millions of computers to Brazil – which brings in the tenuous link that the two countries are in the same continent – Bird watchers say the collapse of Acorn has nothing to do with Argentina.

There is no chance of Italy buying 49 per cent of South America.

INSIDE

FOCUS: gloom boom at Acorn	65
ACORN TROUBLES	63
YET MORE TROUBLE	62
DOOM IN BRIEF	61
END OF WORLD	59
CURRY GOING BALD	6
DUTCH OAK DISEASE	69

The Absurd Unofficial Acorn Abuser Exhibition



HIS year's Acorn Boozer Show looks set to break all floppy discs at the Baked Bean Can Centre in the City. Over 40,000 people are expected to pass out. Acorn will be using the show to resell itself to the public. (Or anyone with a handful of lira.) Elite 3 with special 3D Judderama will be demonstrated on Clive's flat-screen TV and you can try your hand at Reps, a realistic simulation of the selling of a BBC micro. Anyone completing the first lap in under two days will be offered a job.

Acorn Abuser will be there in farce with a baffled author's clinic. Our undercover sleuth will be there – you could meet him. But the mystery of the show is guaranteed. Just who is Orson Fact?

Sicilian Times

THE SUNDAY TIMES is overwhelmingly the favourite paper amongst unemployed sand sculptors in Dorking. A research survey carried out by Molly showed that two out of three of those asked preferred reading Jane Bird's essays to jogging on the common. Molly's other friend has recently

started going to alternative feminist classes.

This demonstrates the value of the policy of the Sunday Times editorial board in printing submissions from only the best fiction writers. Jane Parrott's anthology of short stories, a Sunday Times exclusive, is shortlisted for a Rooker prize.

Sun sets on the IT sunrise

THE RECENT crashlandings of many of the high flying state-of-the-art information technology sunrise companies (HIF-SITS) has embarrassed the government at a time when silly acronyms are hard to come by.

Spokesman Bob Croakes of Tadpole Technology, a recently spawned company in the



COMMENT

Jane Eggbox

murky waters of Milton Road Science Pond, said: "The toads are just hopping off".

Meanwhile Martin Fleaboddy, ex-founder of most of the bankrupt Cambridge companies was said to have retired to South America, co-incidentally on the day that Deloitte, Haskins and Young failed to sell Data Torchnology to JMB, with backing from the Bank of England.

With industry observers confused over most points only one thing was clear. From little tadpoles do mighty frogs grow.







SUPERIOR SOFTWARE LTD.

Dept. AU**9**, Regent House, Skinner Lane, Leeds 7. Tel: 0532 459453.



OUR GUARANTEE

- (1) All our software is despatched within 48 hours by first-class post.
- by first-class post.
 (2) In the unlikely event that any of our software fails to load, return your cassette to us and we will immediately send a replacement.

